VerifyHub B2B KYC Platform — Completed API Reference Report

Complete 54-Route REST API Reference for Frontend Developers · Authentication, KYC Verification Engine, Wallet & Admin Suite

> **Base Headers Required for All Requests:** `Accept: application/json` | `Content-Type: application/json`
> **Protected Endpoints (Sanctum Auth):** Pass Bearer token in header: `Authorization: Bearer <token>`
> **API Base URL:** `http://127.0.0.1:8000/api` (Local) or your deployed staging / Ngrok tunnel

MASTER ROUTE CATALOG (ALL 54 ENDPOINTS)

#	Method	Endpoint Route	Frontend Screen / Component	Purpose
1	POST	/api/auth/admin/login	Admin Login Screen	Super Admin authentication
2	POST	/api/auth/retailer/login	Retailer Login Screen	Retailer login via Mobile/Email
3	GET	/api/auth/me	App Bootstrap / Header	Retrieve active session & live balance
4	POST	/api/auth/logout	Header / User Menu	Revoke session Bearer token
5	POST	/api/verifications/verify	Verification Modals	Instant PAN / Aadhaar / Bank / e-Sign KYC
6	GET	/api/verifications/records	Audit Trail / History	Search & filter verification logs
7	GET	/api/retailer/overview	Retailer Dashboard	KPIs, balance float & recent transactions
8	GET	/api/retailer/profile	Retailer Settings	View profile details
9	PUT	/api/retailer/profile	Retailer Settings	Update merchant contact/business info
10	PUT	/api/retailer/password	Retailer Settings	Change retailer account password
11	POST	/api/retailer/logout-all	Retailer Security	Revoke all active tokens across devices
12	POST	/api/retailer/fund-requests	Retailer Wallet	Submit top-up request with UTR
13	GET	/api/wallet/transactions	Wallet Passbook	Paginated ledger credits & debits
14	GET	/api/wallet/fund-requests	Wallet Top-Ups	List submitted fund requests
15	POST	/api/wallet/fund-requests	Wallet Top-Ups	Submit new wallet top-up request
16	POST	/api/wallet/adjust	Admin Wallet Panel	Manual credit / debit adjustment
17	PUT	/api/wallet/fund-requests/{id}/approve	Admin Wallet	Approve fund request & credit float
18	PUT	/api/wallet/fund-requests/{id}/reject	Admin Wallet	Reject fund request with reason
19	GET	/api/admin/overview	Admin Dashboard	Platform KPIs, success rates & charts
20	GET	/api/admin/retailers	Retailer Directory	List merchants with balance & usage
21	POST	/api/admin/retailers	Onboard Retailer Modal	Register new retailer account
22	PUT	/api/admin/retailers/{id}	Edit Retailer Modal	Update merchant profile & address
23	PUT	/api/admin/retailers/{id}/status	Retailer Row Actions	Toggle active / inactive status
24	GET	/api/admin/services	Service Switchboard	List KYC services, costs & status

#	Method	Endpoint Route	Frontend Screen / Component	Purpose
25	PUT	/api/admin/services/{id}	Edit Service Modal	Update base price, cost, or pause
26	GET	/api/admin/pricing	Pricing Matrix	Rate cards, margins & overrides
27	POST	/api/admin/pricing/defaults	Pricing Settings	Save platform default rate card
28	POST	/api/admin/pricing/override	Rate Card Editor	Assign custom pricing to retailer
29	DELETE	/api/admin/pricing/override/{id}	Rate Card Editor	Reset retailer to platform default
30	GET	/api/admin/wallet/overview	Admin Wallet Overview	Total float, monthly volume & requests
31	GET	/api/admin/wallet/transactions	Admin Ledger View	Platform-wide financial ledger
32	GET	/api/admin/wallet/fund-requests	Admin Approvals	List pending merchant top-up proofs
33	PUT	/api/admin/wallet/fund-requests/{id}/approve	Admin Approvals	Approve fund request & credit float
34	PUT	/api/admin/wallet/fund-requests/{id}/reject	Admin Approvals	Reject invalid UTR submission
35	POST	/api/admin/wallet/adjust	Manual Adjustment Drawer	Direct balance credit / debit
36	GET	/api/admin/records	Admin Audit Trail	Platform-wide verification history
37	GET	/api/admin/reports	Analytics & Reports	Verification trends, margin & metrics
38	GET	/api/admin/settings	Platform Settings	Company info, system thresholds, ESPs
39	PUT	/api/admin/settings/{section}	Platform Settings	Update company, notification, or ESP
40	PUT	/api/admin/profile	Admin Profile	Update admin name, designation & phone
41	PUT	/api/admin/password	Admin Security	Change administrator password
42	GET	/api/admin/audit-logs	Security Logs	System audit log of admin actions
43	POST	/api/admin/demo-data/reset	Demo Reset Bar	Re-seed database to default state
44	GET	/api/notifications	Top Navbar Bell	Unread notifications stream
45	PUT	/api/notifications/{id}/read	Notification Dropdown	Mark individual alert as read
46	POST	/api/notifications/mark-all-read	Notification Dropdown	Mark all alerts as read

2. KYC VERIFICATION ENGINE (DETAILED PAYLOADS)

Execute Instant KYC Check

`POST` **`/api/verifications/verify`**

Where used in Frontend: Retailer Portal → Verification Modals (PAN, Aadhaar, Bank, e-Sign)

Why used: Executes live identity check, automatically validates and debits wallet fee, logs immutable audit entry.

PAN VERIFICATION REQUEST:

```
{
  "retailer_id": "RT1001",
  "service_type": "pan",
  "payload": { "pan": "ABCDE1234F", "name": "Priya Kapoor" }
}
```

AADHAAR OTP VERIFICATION REQUEST:

```
{
  "retailer_id": "RT1001",
  "service_type": "aadhaar",
  "payload": { "aadhaar": "987654321012", "name": "Amit Kumar Verma", "gender": "Male" }
}
```

BANK ACCOUNT PENNY DROP REQUEST:

```
{
  "retailer_id": "RT1001",
  "service_type": "bank",
  "payload": { "account": "12345678901", "ifsc": "HDFC0001234", "name": "Rahul Choudhary" }
}
```

CONSENT LETTER E-SIGN REQUEST:

```
{
  "retailer_id": "RT1001",
  "service_type": "esign",
  "payload": { "name": "Priya Kapoor", "mobile": "9876543210", "purpose": "KYC account opening" }
}
```

VERIFICATION SUCCESS RESPONSE FORMAT (200 OK):

```
{
  "success": true,
  "message": "Verification processed successfully.",
  "data": {
    "id": "VRF261024A1B2C",
    "retailer_id": "RT1001",
    "type": "pan",
    "doc": "ABXXXXX34F",
    "name": "Priya Kapoor",
    "status": "verified",
    "amount": 2.25,
    "response": "200 · VALID · Record found",
    "details": {
      "Holder name": "Priya Kapoor",
      "Holder category": "Individual",
      "Aadhaar seeding": "Linked",
      "Name match": "Match · 100%",
      "Source": "Income Tax Department"
    },
    "channel": "Web dashboard",
    "created_at": "2026-10-24T10:15:00.000000Z"
  }
}
```

3. ADMIN ANALYTICS, SETTINGS & AUDIT LOGS

Admin Comprehensive Reports & Analytics

`GET` **`/api/admin/reports?start_date=2026-10-01&end_date=2026-10-24`**

Where used in Frontend: Admin Portal → Analytics & Reports (`/admin/reports`)

Why used: Delivers financial metrics: billed amount, provider costs, gross margin %, daily breakdown, and leaderboard.

RESPONSE FORMAT (200 OK):


```
{
  "success": true,
  "data": {
    "kpis": {
      "total_verifications": 1240,
      "verified_count": 1205,
      "failed_count": 35,
      "success_rate": 97.2,
      "billed_amount": 3840.50,
      "provider_cost": 2150.00,
      "gross_margin": 1690.50,
      "margin_pct": 44.0,
      "active_retailers": 24
    },
    "daily_records": [],
    "service_breakdown": [],
    "retailer_leaderboard": []
  }
}
```


Platform Settings & Security Logs

`GET` `PUT` **`/api/admin/settings`** | **`/api/admin/audit-logs`**

Where used in Frontend: Admin Portal → Settings & Audit Logs (`/admin/settings`)

Why used: Manages platform configurations, ESP provider gateways, thresholds, and immutable system audit logs.

Frontend Axios Setup with Automatic Bearer Token

```
import axios from 'axios';

const api = axios.create({
  baseURL: import.meta.env.VITE_API_URL || 'http://127.0.0.1:8000/api',
  headers: {
    'Accept': 'application/json',
    'Content-Type': 'application/json',
  },
});

api.interceptors.request.use((config) => {
  const token = localStorage.getItem('access_token');
  if (token) {
    config.headers.Authorization = `Bearer ${token}`;
  }
  return config;
});

export default api;
```