

There were issues affecting this run of Lighthouse:

- **Chrome extensions negatively affected this page's load performance. Try auditing the page in incognito mode or from a Chrome profile without extensions.**

64

Performance


Values are estimated and may vary. The [performance score is calculated](#) directly from these metrics. [See calculator.](#)

▲

0–49

50–89

90–100



METRICS

Collapse view

First Contentful Paint

0.7 s

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric.](#)

Largest Contentful Paint

1.2 s

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](#)

▲ Total Blocking Time

780 ms

Sum of all time periods between FCP and Time to Interactive, when task length exceeded 50ms, expressed in milliseconds. [Learn more about the Total Blocking Time metric.](#)

Cumulative Layout Shift


0.005

Cumulative Layout Shift measures the movement of visible elements within the viewport. [Learn more about the Cumulative Layout Shift metric.](#)

▲ Speed Index

2.7 s

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric.](#)



Show audits relevant to: All [FCP](#) [LCP](#) [TBT](#) [CLS](#)

OPPORTUNITIES

Opportunity

Estimated Savings

Eliminate render-blocking resources

0.17s

Resources are blocking the first paint of your page. Consider delivering critical JS/CSS inline and deferring all non-critical JS/styles. [Learn how to eliminate render-blocking resources.](#) FCP LCP

☒ Show 3rd-party resources (1)

URL	Transfer Size	Potential Savings
netlify.app 1st Party	19.4 KiB	80 ms
/css/bootstrap.css (common-ground.netlify.app)	19.4 KiB	80 ms
Google Fonts Cdn	1.2 KiB	290 ms
/css?family=Open+Sans:300,400,600,700 (fonts.googleapis.com)	1.2 KiB	290 ms

These suggestions can help your page load faster. They don't [directly affect](#) the Performance score.

DIAGNOSTICS

▲ Ensure text remains visible during webfont load

Leverage the font-display CSS feature to ensure text is user-visible while webfonts are loading. [Learn more about font-display](#). FCP LCP

☒ Show 3rd-party resources (3)

URL	Potential Savings
Google Fonts Cdn	90 ms
...v29/1Ptug8zYS....woff2 (fonts.gstatic.com)	40 ms
...v36/memvYaGs1....woff2 (fonts.gstatic.com)	50 ms
netlify.app 1st Party	510 ms
...fonts/fontawesome-webfont.woff2?v=4.3.0 (common-ground.netlify.app)	510 ms
Loom – Screen Recorder & Screen Capture Chrome Extension	10 ms
chrome-extension://liecbddmkiihnedobmlmillhodjdkmb/fonts/CircularXXWeb-Book.woff2	10 ms

▲ Image elements do not have explicit width and height

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](#) CLS

URL
netlify.app 1st Party
img ...media/why-choose-us.5ec7e3b....png (common-ground.netlify.app)

Minimize main-thread work — 2.1 s

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](#) TBT

Category	Time Spent
Script Evaluation	975 ms
Script Parsing & Compilation	409 ms

Category	Time Spent
Other	358 ms
Style & Layout	283 ms
Parse HTML & CSS	41 ms
Rendering	22 ms
Garbage Collection	7 ms

○ Avoid chaining critical requests — 11 chains found

The Critical Request Chains below show you what resources are loaded with a high priority. Consider reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. [Learn how to avoid chaining critical requests.](#) FCP LCP

Maximum critical path latency: **3,593.606 ms**

Initial Navigation

https://common-ground.netlify.app

 /css/bootstrap.css (common-ground.netlify.app) - **146.727 ms, 19.43 KiB**

 ...css/font-awesome.css (common-ground.netlify.app)

 ...fonts/fontawesome-webfont.woff2?v=4.3.0 (common-ground.netlify.app) - **514.234 ms, 55.62 KiB**

 /css/style.css (common-ground.netlify.app) - **150.846 ms, 2.52 KiB**

 ...nivo-lightbox/nivo-lightbox.css (common-ground.netlify.app) - **354.694 ms, 1.06 KiB**

 ...nivo-lightbox/default.css (common-ground.netlify.app) - **148.367 ms, 0.86 KiB**

 /css?family=Open+Sans:300,400,600,700 (fonts.googleapis.com)

 ...v36/memvYaGs1....woff2 (fonts.gstatic.com) - **48.428 ms, 42.29 KiB**

 /css?family=Lato:400,700 (fonts.googleapis.com) - **104.229 ms, 0.48 KiB**

 /css?family=Raleway:300,400,500,600,700,800,900 (fonts.googleapis.com)

 ...v29/1Ptug8zYS....woff2 (fonts.gstatic.com) - **43.213 ms, 42.97 KiB**

 ...css/main.a969123d.css (common-ground.netlify.app)

 /css2?family=Lora&display=swap (fonts.googleapis.com) - **124.303 ms, 0.63 KiB**

 /js/jquery.1.11.1.js (common-ground.netlify.app) - **343.776 ms, 31.71 KiB**

 /js/bootstrap.js (common-ground.netlify.app) - **401.792 ms, 13.58 KiB**

○ User Timing marks and measures — 2 user timings


Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. [Learn more about User Timing marks.](#)

Name	Type	Start Time	Duration
@grammarly-extension:checkScriptInitStart	Mark	1,950.80 ms	
@grammarly-extension:checkScriptInitEnd	Mark	1,967.36 ms	

Largest Contentful Paint element — 1,240 ms

This is the largest contentful element painted within the viewport. [Learn more about the Largest Contentful Paint element](#) LCP



Element



 section.TopBar

Phase	% of LCP	Timing
TTFB	23%	290 ms
Load Delay	52%	640 ms
Load Time	21%	260 ms
Render Delay	3%	40 ms

Avoid large layout shifts — 4 elements found

These DOM elements contribute most to the CLS of the page. [Learn how to improve CLS](#) CLS

Element	CLS Contribution
<div> h2</div>	0.003
<div> h2</div>	0.001

Element		CLS Contribution
	h2	0.001
	h3	0.001

Avoid long main-thread tasks — 6 long tasks found

Lists the longest tasks on the main thread, useful for identifying worst contributors to input delay. [Learn how to avoid long main-thread tasks](#) TBT


☒ Show 3rd-party resources (3)

URL	Start Time	Duration
Loom – Screen Recorder & Screen Capture Chrome Extension		810 ms
chrome-extension://liecbddmkiiihnedobmlmillhodjdkmb/js/companionBubble.js	450 ms	703 ms
chrome-extension://liecbddmkiiihnedobmlmillhodjdkmb/js/companionBubble.js	1,760 ms	107 ms
netlify.app 1st Party		252 ms
...js/main.21131e23.js (common-ground.netlify.app)	1,207 ms	171 ms
https://common-ground.netlify.app	1,423 ms	81 ms
Selenium IDE Chrome Extension		210 ms
chrome-extension://mooikfkahbdckldjjndioackbalphokd/assets/vendor/global.js	1,504 ms	210 ms
Unattributable		53 ms
chrome-extension://kbfnbcaeplbcioakkpcpgfkobkghlhen/src/js/Grammarly-check.js	382 ms	53 ms

More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.

Properly size images — Potential savings of 127 KiB

Serve images that are appropriately-sized to save cellular data and improve load time. [Learn how to size images.](#)

	URL	Resource Size	Potential Savings
netlify.app	1st Party	172.7 KiB	126.9 KiB
img	...media/about-us.7cee118....png (common-ground.netlify.app)	85.6 KiB	57.5 KiB
img	...media/why-choose-us.5ec7e3b....png (common-ground.netlify.app)	63.2 KiB	46.6 KiB
	...media/Logo.97b8712....png (common-ground.netlify.app)	23.8 KiB	22.8 KiB
img			

Defer offscreen images — Potential savings of 63 KiB

Consider lazy-loading offscreen and hidden images after all critical resources have finished loading to lower time to interactive. [Learn how to defer offscreen images.](#)

	URL	Resource Size	Potential Savings
netlify.app	1st Party	63.2 KiB	63.2 KiB
img	...media/why-choose-us.5ec7e3b....png (common-ground.netlify.app)	63.2 KiB	63.2 KiB

Minify CSS — Potential savings of 6 KiB

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS.](#) FCP LCP

URL	Transfer Size	Potential Savings
netlify.app 1st Party	19.4 KiB	3.3 KiB
/css/bootstrap.css (common-ground.netlify.app)	19.4 KiB	3.3 KiB
Unattributable	24.1 KiB	2.4 KiB
:root { font-size: 100%; } ...	24.1 KiB	2.4 KiB

Minify JavaScript — Potential savings of 7 KiB

Minifying JavaScript files can reduce payload sizes and script parse time. [Learn how to minify JavaScript.](#) FCP LCP

☒ Show 3rd-party resources (1)

URL	Transfer Size	Potential Savings
netlify.app 1st Party	13.6 KiB	4.6 KiB
/js/bootstrap.js (common-ground.netlify.app)	13.6 KiB	4.6 KiB
Selenium IDE Chrome Extension	7.1 KiB	2.8 KiB
chrome-extension://mooikfkahbdckldjjndioackbalphokd/assets/prompt.js	7.1 KiB	2.8 KiB

Reduce unused CSS — Potential savings of 61 KiB

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS.](#) FCP LCP

URL	Transfer Size	Potential Savings
Unattributable	45.4 KiB	42.1 KiB
:root { font-size: 100%; } ...	24.1 KiB	23.6 KiB
#inner-shadow-companion { font-size: 100%; } ...	21.3 KiB	18.5 KiB
netlify.app 1st Party	19.4 KiB	18.8 KiB

URL	Transfer Size	Potential Savings
/css/bootstrap.css (common-ground.netlify.app)	19.4 KiB	18.8 KiB

Reduce unused JavaScript — Potential savings of 153 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript.](#) LCP


URL	Transfer Size	Potential Savings
netlify.app 1st Party	215.4 KiB	152.6 KiB
...js/main.21131e23.js (common-ground.netlify.app)	215.4 KiB	152.6 KiB

Efficiently encode images

Optimized images load faster and consume less cellular data. [Learn how to efficiently encode images.](#)

Serve images in next-gen formats — Potential savings of 92 KiB

Image formats like WebP and AVIF often provide better compression than PNG or JPEG, which means faster downloads and less data consumption. [Learn more about modern image formats.](#)

	URL	Resource Size	Potential Savings
	netlify.app 1st Party	217.3 KiB	91.7 KiB
img	...media/about-us.7cee118....png (common-ground.netlify.app)	85.6 KiB	33.9 KiB
img	...media/why-choose-us.5ec7e3b....png (common-ground.netlify.app)	63.2 KiB	22.6 KiB
	...media/educator.b78f425....jpg (common-ground.netlify.app)	44.6 KiB	18.7 KiB
	...media/Logo.97b8712....png (common-ground.netlify.app)	23.8 KiB	16.5 KiB

URL	Resource Size	Potential Savings
<div><div></div><div>img</div></div>		

Enable text compression

Text-based resources should be served with compression (gzip, deflate or brotli) to minimize total network bytes. [Learn more about text compression.](#) FCP LCP

Preconnect to required origins — Potential savings of 90 ms

Consider adding preconnect or dns-prefetch resource hints to establish early connections to important third-party origins. [Learn how to preconnect to required origins.](#) FCP LCP

URL	Potential Savings
icons8.com	90 ms
https://img.icons8.com	90 ms

Initial server response time was short — Root document took 80 ms

Keep the server response time for the main document short because all other requests depend on it. [Learn more about the Time to First Byte metric.](#) FCP LCP

URL	Time Spent
netlify.app 1st Party	80 ms
https://common-ground.netlify.app	80 ms

Avoid multiple page redirects

Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects.](#) FCP LCP

Preload key requests

Consider using <link rel=preload> to prioritize fetching resources that are currently requested later in page load. [Learn how to preload key requests.](#) FCP LCP

Use HTTP/2

HTTP/2 offers many benefits over HTTP/1.1, including binary headers and multiplexing. [Learn more about HTTP/2.](#)

Use video formats for animated content

Large GIFs are inefficient for delivering animated content. Consider using MPEG4/WebM videos for animations and PNG/WebP for static images instead of GIF to save network bytes. [Learn more about efficient video formats](#) LCP

Remove duplicate modules in JavaScript bundles

Remove large, duplicate JavaScript modules from bundles to reduce unnecessary bytes consumed by network activity. TBT

Avoid serving legacy JavaScript to modern browsers — Potential savings of 8 KiB

Polyfills and transforms enable legacy browsers to use new JavaScript features. However, many aren't necessary for modern browsers. For your bundled JavaScript, adopt a modern script deployment strategy using module/nomodule feature detection to reduce the amount of code shipped to modern browsers, while retaining support for legacy browsers. [Learn how to use modern JavaScript](#) TBT

☐ Show 3rd-party resources (1)

URL	Potential Savings
Loom – Screen Recorder & Screen Capture Chrome Extension	8.4 KiB
chrome-extension://liecbddmkiihnedobmlmillhodjdkmb/js/companionBubble.js	8.4 KiB
companionBubble.js:4	@babel/plugin-transform-classes
companionBubble.js:4	Object.keys
netlify.app 1st Party	0.0 KiB
...js/main.21131e23.js (common-ground.netlify.app)	0.0 KiB
main.21131e23.js:2	@babel/plugin-transform-classes

Preload Largest Contentful Paint image

If the LCP element is dynamically added to the page, you should preload the image in order to improve LCP. [Learn more about preloading LCP elements.](#) LCP

netlify.app 1st Party 0 ms

s

e

c

t

i

o

...media/Topbar.baa1024....webp (common-ground.netlify.app) 0 ms

n.TopBar

 \wedge

LCP

URL	Transfer Size
netlify.app 1st Party	619.8 KiB
...js/main.21131e23.js (common-ground.netlify.app)	215.4 KiB
...media/Topbar.baa1024....webp (common-ground.netlify.app)	99.2 KiB
...media/about-us.7cee118....png (common-ground.netlify.app)	85.8 KiB
...media/why-choose-us.5ec7e3b....png (common-ground.netlify.app)	63.3 KiB
...fonts/fontawesome-webfont.woff2?v=4.3.0 (common-ground.netlify.app)	55.6 KiB
...media/educator.b78f425....jpg (common-ground.netlify.app)	44.8 KiB
/js/jquery.1.11.1.js (common-ground.netlify.app)	31.7 KiB
...media/Logo.97b8712....png (common-ground.netlify.app)	24.0 KiB
Google Fonts Cdn	85.3 KiB
...v29/1Ptug8zYS....woff2 (fonts.gstatic.com)	43.0 KiB
...v36/memvYaGs1....woff2 (fonts.gstatic.com)	42.3 KiB

^

A long cache lifetime can speed up repeat visits to your page. [Learn more about efficient cache policies.](#)

URL	Cache TTL	Transfer Size
icons8.com		5 KiB
...000000/athlete.png (img.icons8.com)	3d 12h	2 KiB
...000000/diploma.png (img.icons8.com)	3d 12h	1 KiB
...000000/storytelling.png (img.icons8.com)	3d 12h	1 KiB

Avoids an excessive DOM size — 152 elements

A large DOM will increase memory usage, cause longer [style calculations](#), and produce costly [layout reflows](#). [Learn how to avoid an excessive DOM size.](#) TBT

Statistic	Element	Value
Total DOM Elements		152
Maximum DOM Depth	a	11
Maximum Child Elements	<div></div>	7

JavaScript execution time — 1.3 s

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to reduce Javascript execution time.](#) TBT

☒ Show 3rd-party resources (2)

URL	Total CPU Time	Script Evaluation	Script Parse
Loom – Screen Recorder & Screen Capture Chrome Extension	833 ms	514 ms	267 ms
chrome-extension://liecbddmkiihnedobmImillhodjdkmb/js/companionBubble.js	833 ms	514 ms	267 ms
netlify.app 1st Party	786 ms	268 ms	50 ms

URL	Total CPU Time	Script Evaluation	Script Parse
...js/main.21131e23.js (common-ground.netlify.app)	354 ms	213 ms	43 ms
https://common-ground.netlify.app	318 ms	5 ms	2 ms
/js/jquery.1.11.1.js (common-ground.netlify.app)	113 ms	50 ms	5 ms
Unattributable	197 ms	48 ms	18 ms
Unattributable	123 ms	3 ms	0 ms
chrome-extension://kbfnbcaeplbcioakkpcpgfkobkghlhen/src/js/Grammarly-check.js	74 ms	44 ms	18 ms
Selenium IDE Chrome Extension	102 ms	92 ms	10 ms
chrome-extension://mooikfkahbdckldjjndioackbalphokd/assets/playback.js	102 ms	92 ms	10 ms

Minimize third-party usage — Third-party code blocked the main thread for 0 ms

Third-party code can significantly impact load performance. Limit the number of redundant third-party providers and try to load third-party code after your page has primarily finished loading. [Learn how to minimize third-party impact.](#) TBT

Third-Party	Transfer Size	Main-Thread Blocking Time
Google Fonts Cdn	88 KiB	0 ms
...v29/1Ptug8zYS....woff2 (fonts.gstatic.com)	43 KiB	0 ms
...v36/memvYaGs1....woff2 (fonts.gstatic.com)	42 KiB	0 ms
Loom – Screen Recorder & Screen Capture Chrome Extension	67 KiB	0 ms
chrome-extension://liecbddmkiiihnedobmlmillhodjdkmb/fonts/CircularXXWeb-Book.woff2	67 KiB	0 ms
Selenium IDE Chrome Extension	7 KiB	0 ms
chrome-extension://mooikfkahbdckldjjndioackbalphokd/assets/prompt.js	7 KiB	0 ms
icons8.com	5 KiB	0 ms

☐ Lazy load third-party resources with facades ^

Some third-party embeds can be lazy loaded. Consider replacing them with a facade until they are required. [Learn how to defer third-parties with a facade](#). TBT

Largest Contentful Paint image was not lazily loaded ^

Above-the-fold images that are lazily loaded render later in the page lifecycle, which can delay the largest contentful paint. [Learn more about optimal lazy loading](#). LCP

Element



section.TopBar

Uses passive listeners to improve scrolling performance ^

Consider marking your touch and wheel event listeners as passive to improve your page's scroll performance. [Learn more about adopting passive event listeners](#).

Avoids `document.write()` ^

For users on slow connections, external scripts dynamically injected via `document.write()` can delay page load by tens of seconds. [Learn how to avoid document.write\(\)](#).

☐ Avoid non-composited animations ^

Animations which are not composited can be janky and increase CLS. [Learn how to avoid non-composited animations](#). CLS

Has a `<meta name="viewport">` tag with `width` or `initial-scale` ^

A `<meta name="viewport">` not only optimizes your app for mobile screen sizes, but also prevents [a 300 millisecond delay to user input](#). [Learn more about using the viewport meta tag](#). TBT

Page didn't prevent back/forward cache restoration ^

Many navigations are performed by going back to a previous page, or forwards again. The back/forward cache (bfcache) can speed up these return navigations. [Learn more about the bfcache](#)




Best Practices

USER EXPERIENCE

▲ Displays images with incorrect aspect ratio

Image display dimensions should match natural aspect ratio. [Learn more about image aspect ratio.](#)

URL	Aspect Ratio (Displayed)	Aspect Ratio (Actual)
netlify.app 1st Party		
 img	...media/Logo.97b8712....png (common-ground.netlify.app) 254 x 40 (6.35)	2000 x 186 (10.75)

BROWSER COMPATIBILITY

▲ Page lacks the HTML doctype, thus triggering quirks-mode Document must contain a doctype

Specifying a doctype prevents the browser from switching to quirks-mode. [Learn more about the doctype declaration.](#)

TRUST AND SAFETY

○ Ensure CSP is effective against XSS attacks

A strong Content Security Policy (CSP) significantly reduces the risk of cross-site scripting (XSS) attacks. [Learn how to use a CSP to prevent XSS](#)

Description	Directive	Severity
No CSP found in enforcement mode		High

GENERAL

○ Detected JavaScript libraries

All front-end JavaScript libraries detected on the page. [Learn more about this JavaScript library detection diagnostic audit.](#)

Name	Version
Bootstrap	3.3.7
jQuery	1.11.1

▲ Missing source maps for large first-party JavaScript

Source maps translate minified code to the original source code. This helps developers debug in production. In addition, Lighthouse is able to provide further insights. Consider deploying source maps to take advantage of these benefits. [Learn more about source maps.](#)

☒ Show 3rd-party resources (6)

URL	Map URL
netlify.app 1st Party	
...js/main.21131e23.js (common-ground.netlify.app)	...js/main.21131e23.js.map (common-ground.netlify.app)
Large JavaScript file is missing a source map	
Error: Timed out fetching resource	
Selenium IDE Chrome Extension	
chrome-extension://mooikfkahbdckldjjndioackbalphokd/assets/record.js	chrome-extension://mooikfkahbdckldjjndioackbalphokd/assets/record.js.map
Error: Failed fetching source map (null)	
chrome-extension://mooikfkahbdckldjjndioackbalphokd/assets/polyfills.js	chrome-extension://mooikfkahbdckldjjndioackbalphokd/assets/polyfills.js.map
Error: Failed fetching source map (null)	
chrome-extension://mooikfkahbdckldjjndioackbalphokd/assets/playback.js	chrome-extension://mooikfkahbdckldjjndioackbalphokd/assets/playback.js.map
Error: Failed fetching source map (null)	
chrome-extension://mooikfkahbdckldjjndioackbalphokd/assets/escape.js	chrome-extension://mooikfkahbdckldjjndioackbalphokd/assets/escape.js.map

URL	Map URL
Error: Failed fetching source map (null)	
chrome-extension://mooikfkahbdckldjjndioackbalphokd/assets/atoms.js	chrome-extension://mooikfkahbdckldjjndioackbalphokd/assets/atoms.js.map
Error: Failed fetching source map (null)	
Loom – Screen Recorder & Screen Capture	
Chrome Extension	
chrome-extension://liecbddmkiihnedobmlmillhodjdkmb/js/companionBubble.js	chrome-extension://liecbddmkiihnedobmlmillhodjdkmb/js/companionBubble.js.map
Error: Failed fetching source map (null)	

PASSED AUDITS (10)

Hide

Uses HTTPS	^
All sites should be protected with HTTPS, even ones that don't handle sensitive data. This includes avoiding mixed content , where some resources are loaded over HTTP despite the initial request being served over HTTPS. HTTPS prevents intruders from tampering with or passively listening in on the communications between your app and your users, and is a prerequisite for HTTP/2 and many new web platform APIs. Learn more about HTTPS .	
Avoids deprecated APIs	^
Deprecated APIs will eventually be removed from the browser. Learn more about deprecated APIs .	
Allows users to paste into input fields	^
Preventing input pasting is a bad practice for the UX, and weakens security by blocking password managers. Learn more about user-friendly input fields .	
Avoids requesting the geolocation permission on page load	^
Users are mistrustful of or confused by sites that request their location without context. Consider tying the request to a user action instead. Learn more about the geolocation permission .	
Avoids requesting the notification permission on page load	^
Users are mistrustful of or confused by sites that request to send notifications without context. Consider tying the request to user gestures instead. Learn more about responsibly getting permission for notifications .	
Serves images with appropriate resolution	^

Image natural dimensions should be proportional to the display size and the pixel ratio to maximize image clarity. Learn how to provide responsive images.	
Properly defines charset	^
A character encoding declaration is required. It can be done with a <meta> tag in the first 1024 bytes of the HTML or in the Content-Type HTTP response header. Learn more about declaring the character encoding.	
Avoids <code>unload</code> event listeners	^
The unload event does not fire reliably and listening for it can prevent browser optimizations like the Back-Forward Cache. Use <code>pagehide</code> or <code>visibilitychange</code> events instead. Learn more about unload event listeners	
No browser errors logged to the console	^
Errors logged to the console indicate unresolved problems. They can come from network request failures and other browser concerns. Learn more about this errors in console diagnostic audit	
No issues in the <code>Issues</code> panel in Chrome Devtools	^
Issues logged to the Issues panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.	

NOT APPLICABLE (1)

Hide

<input type="radio"/> Fonts with <code>font-display: optional</code> are preloaded	^
Preload optional fonts so first-time visitors may use them. Learn more about preloading fonts	



SEO

These checks ensure that your page is following basic search engine optimization advice. There are many additional factors Lighthouse does not score here that may affect your search ranking, including performance on [Core Web Vitals](#). [Learn more about Google Search Essentials.](#)

CONTENT BEST PRACTICES

▲ Document does not have a meta description <code>Description text is empty.</code>	^
---	---

Meta descriptions may be included in search results to concisely summarize page content. [Learn more about the meta description.](#)

Format your HTML in a way that enables crawlers to better understand your app’s content.

ADDITIONAL ITEMS TO MANUALLY CHECK (1)

Hide

○

Structured data is valid

^

Run the [Structured Data Testing Tool](#) and the [Structured Data Linter](#) to validate structured data. [Learn more about Structured Data.](#)

Run these additional validators on your site to check additional SEO best practices.

PASSED AUDITS (10)

Hide

Has a `<meta name="viewport">` tag with `width` or `initial-scale`

^

A `<meta name="viewport">` not only optimizes your app for mobile screen sizes, but also prevents [a 300 millisecond delay to user input](#). [Learn more about using the viewport meta tag.](#) TBT

Document has a `<title>` element

^

The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. [Learn more about document titles.](#)

Page has successful HTTP status code

^

Pages with unsuccessful HTTP status codes may not be indexed properly. [Learn more about HTTP status codes.](#)

Links have descriptive text

^

Descriptive link text helps search engines understand your content. [Learn how to make links more accessible.](#)

Links are crawlable

^

Search engines may use href attributes on links to crawl websites. Ensure that the href attribute of anchor elements links to an appropriate destination, so more pages of the site can be discovered. [Learn how to make links crawlable](#)

Page isn’t blocked from indexing

^

Search engines are unable to include your pages in search results if they don’t have permission to crawl them. [Learn more about crawler directives.](#)

robots.txt is valid

^

If your robots.txt file is malformed, crawlers may not be able to understand how you want your website to be crawled or indexed. Learn more about robots.txt.	
Image elements have <code>[alt]</code> attributes	^
Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. Learn more about the alt attribute.	
Document has a valid <code>hreflang</code>	^
hreflang links tell search engines what version of a page they should list in search results for a given language or region. Learn more about hreflang.	
Document avoids plugins	^
Search engines can't index plugin content, and many devices restrict plugins or don't support them. Learn more about avoiding plugins.	

NOT APPLICABLE (3)

Hide

<input type="radio"/> Document has a valid <code>rel=canonical</code>	^
Canonical links suggest which URL to show in search results. Learn more about canonical links.	
<input type="radio"/> Document uses legible font sizes	^
Font sizes less than 12px are too small to be legible and require mobile visitors to “pinch to zoom” in order to read. Strive to have >60% of page text ≥12px. Learn more about legible font sizes.	
<input type="radio"/> Tap targets are sized appropriately	^
Interactive elements like buttons and links should be large enough (48x48px), or have enough space around them, to be easy enough to tap without overlapping onto other elements. Learn more about tap targets.	

Captured at Dec 2, 2023, 6:44 PM GMT+5:30

Initial page load

Emulated Desktop with Lighthouse 11.1.0

Custom throttling

Single page load

Using Chromium 119.0.0.0 with devtools