
HUANDENG

Slides that stay editable while the science changes

A desktop slide editor where researchers and AI agents revise one project through one reviewable writer.



Introduction · HUANDENG Editor 0.18 · November 2026

Worked example in this talk: DNA dodecamer, PDB 1BNA, drawn from its deposited coordinates.

Copies drift; references stay in step

Copied decks


group-meeting.pptx
Fig. 2 with the original axis range

conference-talk.pptx
Fig. 2 re-plotted after new data

thesis-defence.pptx
Fig. 2 cropped for a smaller slot

Three files, three versions of one figure. Which one is current?


One HUANDENG project



Each Presentation references slides, with its own order and notes.

Edit the slide once and every Presentation that references it shows the change. Pin a named version only where a talk must stay frozen.

The HUANDENG Editor



1 Pages
Thumbnails with Position and a permanent Slide ID

2 Views
Normal, Browse, Outline, Sections, Notes page, History

3 Canvas
Text, images, shapes, tables, charts, equations

4 Inspector
Properties, Layout, Layers, Story, Checks

5 Agent setup · Activity
Connect an AI client; see its reports and real saves


6 Export · Present
PDF, PPTX or MP4; F5 / Shift+F5

Real capture: HUANDENG Editor 0.18, English interface, public example project “HUANDENG showcase”.


A worked example

1BNA: twelve base-pair distances, kept as data

A native chart built from the source CSV, next to the structure the values were measured in.




— Chain A — Chain B



	Å	Pair
Shortest	10.23	7 · T–A
Longest	10.89	12 · G–C

Source: RCSB PDB 1BNA, Dickerson–Drew dodecamer, 1.90 Å X-ray (Drew et al., PNAS 78:2179–2183, 1981; doi:10.1073/pnas.78.4.2179). Distances computed from the deposited coordinates. Twelve positions in one structure: not replicates, uncertainties or hydrogen-bond lengths.

Story records what each slide must keep



Story tab in the Inspector. Real capture from the public example project.

Story recorded for the 1BNA chart slide in this deck

Purpose	Show the twelve measured C1′–C1′ distances beside the structure they were measured in.
Keep	Values exactly as in paired-c1-distances.csv Labelled non-zero y-axis, units in Å PDB 1BNA citation on the slide No replicate, error-bar or trend claims
This change	First authoring for the English introduction


An agent reads this before it edits the slide. People see it in Outline and in the Inspector.

Four Story levels


Main · whole project | Section · one argument | Presentation · one talk | Slide · purpose and keep

One requested change, before and after

Before




After



Object	Before	After
Title	Tell the next editor what matters	Leave a clear brief
Lead	Write the purpose and constraints next to the page.	Keep the purpose beside the page.
Everything else	Purpose and Keep columns, footer, layout	Unchanged

Story for this change: “Shorten the title and explanation.” Keep: the layout, all other objects, the main message. Real captures, public example project.

Every saved change can be reviewed



Review saved changes dialog. Real capture, public example project.

1 Receipt

Which operation, in which project, and when

2 Before / After

The real slide on both sides, changed object outlined

3 Saved changes

Each object and field written, here two content.text edits

4 Story and scope

The slide's purpose and every talk that uses it

Review is read-only. Restoring a slide is a separate, explicit History action.

One source, many talks

A slide keeps its ID when it moves


Status bar before the move

Position 2 / 6 · Slide ID C014

After moving the slide two places later

Position 4 / 6 · Slide ID C014


Position changed from 2 to 4. Slide ID C014 did not.



Browse view: every card shows Position and Slide ID. Real capture.

Identifier	What it names	Changes when
Slide ID	One slide's content, e.g. C014	Never; use it in search, notes and requests to an agent
Position	Its place in the current order	Slides are added, removed or moved
Occurrence	One appearance of a slide in a Presentation	That Presentation is rearranged

Read the argument before polishing slides



Outline view: Section, Position, title, Story summary and Slide ID for each slide. Real capture, public example project.

Outline

Titles and Story in order: does the argument hold?

Browse


Thumbnails: density and rhythm across the deck

Sections

Each starts at a stable first slide and runs to the next

Versions and delivery

Name a milestone; restore one slide



History view of slide N014, previewing the named version “Before copy edit”. Real capture, public example project.

1 Saved versions

Named by you, such as “Before copy edit”. Each keeps the slide, its Story and its images, and travels with the project folder.


2 Operation history

Every saved operation on this slide, each with its review.


3 Restore


Changes only this slide. Other slides, and talks that reference them, are untouched.

Check, present and export



Design check: read-only observations on type sizes, backgrounds, Section title slides and image resolution. It never edits or approves slides.






Present menu: start from the beginning or from the current slide.

Output	What it carries
PPTD project	The editable source: slides, notes, Story, Presentations and named versions
PPTX	Native text, images, shapes, tables, equations and basic charts; animation is exported static
PDF	Static pages for sharing and archiving
MP4	Timed playback of click builds, 720p or 1080p, no audio

Real captures from HUANDENG Editor 0.18, public example project.

Connect and contribute

Agents work through the same writer as you



Preview first

The agent sees the exact fields, slides and reuse affected before anything is written.

No silent overwrite

If a slide changed after it was read, the write is refused and must be prepared again.

Reports are not saves

Activity shows what a client says it is doing apart from what was actually saved.

Built on open work, with clear gaps

Built on



OpenSlide

Editor foundation, MIT licence

github.com/open-slide/open-slide



OpenPPTD

Equation conversion code reused

github.com/Shingwha/open-pptd



PptxGenJS

PowerPoint export library

github.com/gitbrent/PptxGenJS

The GitHub mark identifies the OpenPPTD repository; it is not an OpenPPTD logo. Third-party marks belong to their owners.

Not implemented yet

- Importing arbitrary PPTX files, and round trips
- Editing Google Slides directly
- A separate presenter window on a second screen
- Inheritable slide masters
- Native PowerPoint animation in exported PPTX
- A plugin marketplace for the Editor

Listed in the project README. Each is a concrete place to contribute.

Try it on your next results deck

Use it

1. Open the Editor. Choose Home › New project, or open an existing deck.pptd.
2. In Agent setup, copy the configuration for Codex, Claude Code, DeepSeek Harness or ChatGPT.
3. Ask for one change. Read its preview, apply it, then review the receipt.

Build it from source

```
corepack pnpm install --frozen-lockfile
corepack pnpm --filter @open-slide/core build
corepack pnpm desktop
```

Create a project from the command line

```
node packages/core/huandeng.js init Talks/LabMeeting --title
"Lab meeting"
```

Requires Node 22.12+ and pnpm 10.17. The Windows build and shortcuts are made by scripts/Package-Huandeng.ps1.

---

github.com/JaytonKogeru/huandeng

Editor and plugin 0.18. Issues, tests and pull requests are most useful where the previous slide lists gaps. This introduction is itself a HUANDENG project you can open and edit.