

# ADVANTAGE Daily Drilling Fluids Report - 33



INTEQ

|                                         |  |                                   |  |                                    |  |                                       |  |
|-----------------------------------------|--|-----------------------------------|--|------------------------------------|--|---------------------------------------|--|
| Rpt Date 24/Dec/2005                    |  | Well Name/No Bilabri DX 1         |  | Section Name/No 17 1/2" Section #3 |  | Mud System AQUA-DRILL                 |  |
| Job# 1                                  |  | Spud Date 22/Nov/2005             |  | MD 1550.00 m                       |  | Progress 0.00 m                       |  |
| Operator Peak Petroleum Indust. Limited |  | Company Rep Tex Richards          |  | Contractor Dolphin Drilling Ltd    |  | Contractor Rep Troy Nolan / Blair Don |  |
| Field/Lease Bilabri                     |  | Blk/Co/Parish OML - 122 / Nigeria |  | Area Offshore                      |  | Country/State Nigeria                 |  |
|                                         |  |                                   |  |                                    |  | Rig BULFORD DOLPHIN                   |  |

| Drilling Assembly |       |           | Casing     |       |          | Volumes     | Pump Information          |          |           |       |             |              |                     |
|-------------------|-------|-----------|------------|-------|----------|-------------|---------------------------|----------|-----------|-------|-------------|--------------|---------------------|
| Bit Gauge in      | Mfr   | Bit Model | OD in      | ID in | Depth m  | bbl         | Model                     | Liner in | Stroke in | Eff % | Vol/Stk bbl | Stk Rate SPM | Circ Rate USgal/min |
| 0                 |       |           |            | 19    | 168.00   | Total Hole  | Continental Ensco FA-1600 | 6 1/2    | 12.00     | 93.00 | 0.1145      | 0            |                     |
| Drill Collars     |       |           | Drill Pipe |       |          | 874.64      | Continental Ensco FA-1600 | 6 1/2    | 12.00     | 93.00 | 0.1145      | 0            |                     |
| OD in             | ID in | Length m  | OD in      | ID in | Length m | Active Pits | Continental Ensco FA-1600 | 6 1/2    | 12.00     | 93.00 | 0.1145      | 0            |                     |
|                   |       |           |            |       |          | 305         |                           |          |           |       |             |              |                     |
|                   |       |           |            |       |          | Tot Active  |                           |          |           |       |             |              |                     |
|                   |       |           |            |       |          | 1179.64     |                           |          |           |       |             |              |                     |
|                   |       |           |            |       |          | In Storage  | Circulation Times         |          |           |       |             |              |                     |
|                   |       |           |            |       |          | 495         | Surface to Bit            | min/stks |           |       |             | Total System | min/stks            |
|                   |       |           |            |       |          |             | Bottoms Up                | min/stks |           |       |             |              |                     |

| Mud Properties         |            |            |   | Max Ann Velocity |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Hole Information |                       |           |                    |
|------------------------|------------|------------|---|------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|-----------------------|-----------|--------------------|
| Property               | Fluid Spec | 1          | 2 | 3                | AV Riser                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | ft/min           | Standpipe Pressure    | 0 psi     | Water Depth        |
| Sample From            |            | Active Pit |   |                  | AV Casing                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | ft/min           | Hole Flow             | USgal/min | Riser Booster Rate |
| Check Time             |            | 23:45      |   |                  | AV Open Hole                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | ft/min           | Solids Analysis       |           |                    |
| MD m                   |            | 1550.00    |   |                  | Vc Open Hole                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | ft/min           | Property              | 1         | 2                  |
| TVD m                  |            | 1550.00    |   |                  | Vc Drill Pipe                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | ft/min           | LGS %                 | 3.60      | 3                  |
| Bit Depth m            |            | 0.00       |   |                  | Min Ann Velocity                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                  | LGS lb/bbl            | 32.77     | 4                  |
| Density ppg            | 0.0        | 9.1        |   |                  | AV Riser                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | ft/min           | HGS %                 | 0.00      |                    |
| Funnel Visc. sec/quart | 0.0        | 42.0       |   |                  | AV Casing                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | ft/min           | HGS lb/bbl            | 0.00      |                    |
| Test Temp degF         |            | 85.0       |   |                  | AV Open Hole                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | ft/min           | Bentonite %           | 0.00      |                    |
| Rheol Temp degF        |            | 85.0       |   |                  | Bit Information                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                  | Bentonite lb/bbl      | 0.00      |                    |
| PV cP                  |            | 10         |   |                  | Size                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                  | Drill Sol %           | 3.60      |                    |
| YP lbf/100ft^2         | 0          | 20         |   |                  | Hours On Bit                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                  | Drill Sol lb/bbl      | 32.77     |                    |
| 10sec Gel lbf/100ft^2  |            | 4          |   |                  | Bit Number                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                  | Avg Dens Sol sg       | 3.0629    |                    |
| 10min Gel lbf/100ft^2  |            | 5          |   |                  | BHA Number                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                  | Rheology              |           |                    |
| API Filtrate cc        |            | 5.2        |   |                  | Depth In                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                  | 600 RPM               | 40        |                    |
| API Cake in/32         |            | 1.0        |   |                  | Bit RPM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                  | 300 RPM               | 30        |                    |
| pH                     |            | 8.4        |   |                  | WOB                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                  | 200 RPM               | 24        |                    |
| Pm                     |            | 0.2        |   |                  | Nozzles                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                  | 100 RPM               | 17        |                    |
| PF                     |            | 0.1        |   |                  | Bit Hydraulics                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                  | 6 RPM                 | 5         |                    |
| Excess Lime lb/bbl     |            | 0.0        |   |                  | TFA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                  | 3 RPM                 | 4         |                    |
| Hardness mg/l          |            | 240.0      |   |                  | Nozzle Vel                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | ft/sec           |                       |           |                    |
| Chlorides mg/l         |            | 34500.0    |   |                  | Bit Press Loss                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | psi              |                       |           |                    |
| K mg/l                 |            | 22300.0    |   |                  | HHP / Area                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | HP/in^2          | Hydraulic Analysis    |           |                    |
| NaCl mg/l              |            | 23675.2    |   |                  | HHP                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | %                | Behavior Index (n)    |           |                    |
| KCl mg/l               |            | 42519.4    |   |                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                  | Consistency Index (k) |           |                    |
| MBT lb/bbl             |            | 4.0        |   |                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                  | ECD @ Bit Depth       |           |                    |
| Retort Water %         |            | 95.00      |   |                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                  | ECD @ Casing Shoe     |           |                    |
| Glycol %               |            | 0.40       |   |                  | Fluid Comments/ Recommendations                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                  |                       |           |                    |
| Retort Solids %        |            | 4.60       |   |                  | Dumped water base mud in pit #3 & cleaned same in preparation for SBM take on from boat. Prepared 60 bbls hi-vis pill & pumped same while milling/dressing cut 13-3/8" csg for patch job. Prepared another 40 bbls for jetting well head.                                                                                                                                                                                                                                                                                                                                                                           |                  |                       |           |                    |
| Corrected Solids %     |            | 2.60       |   |                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                  |                       |           |                    |
|                        |            |            |   |                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                  |                       |           |                    |
|                        |            |            |   |                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                  |                       |           |                    |
|                        |            |            |   |                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                  |                       |           |                    |
|                        |            |            |   |                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                  |                       |           |                    |
|                        |            |            |   |                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                  |                       |           |                    |
|                        |            |            |   |                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                  |                       |           |                    |
|                        |            |            |   |                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                  |                       |           |                    |
|                        |            |            |   |                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                  |                       |           |                    |
|                        |            |            |   |                  | Drilling Comments                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                  |                       |           |                    |
|                        |            |            |   |                  | M/U & threadlock hanger & seal assy to csg pup jnt for csg patch. M/U csg patct & RIH w/3 jnts 13-3/8" csg, pup jnt & hanger. Torque hanger. Engage RT in hanger, test same t/7500 psi - ok. RIH w/DP to top of 13-3/8 csg @ 220m. Make various attempts to wk csg patch guide over stump - no go. POOH. M/U csg mill assy & RIH t/220m. Establish parameters, mill csg stump, pump 30 bbls hi-vis pill & circulate same out. POOH mill assy. M/U & RIH w/jetting sub to hanger setting depth at 173.65m. Pump 25 bbls hi-vis pill, jet hanger setting area, POOH. P/U csg spear, remove grapple & rack in derrick. |                  |                       |           |                    |

|                           |                 |                    |                 |               |             |                 |                 |        |
|---------------------------|-----------------|--------------------|-----------------|---------------|-------------|-----------------|-----------------|--------|
| BHDF Fluids Rep           | BHDF Rep Phone  | Warehouse          | Warehouse Phone | Coordinator   | Daily Cost  | Cumulative Cost | Inventory Value | Page 1 |
| Maisonneeuve J/ Waboso P. | 234-803-4020440 | Onne Port Harcourt | 234-84-462609   | Ogaree Lawson | 1755.00 USD | 567152.29 USD   | 141654.19 USD   |        |

Any opinion and/or recommendation, expressed orally or written herein, has been prepared carefully and may be used if the user so elects, however, no representative or warranty is made by ourselves or our agents as to the correctness or completeness, and no liability is assumed for any damages resulting from the use of same.

# ADVANTAGE Daily Drilling Fluids Report - 33

INTEQ

|                                         |                       |                                   |                    |                                    |                        |                                       |                           |
|-----------------------------------------|-----------------------|-----------------------------------|--------------------|------------------------------------|------------------------|---------------------------------------|---------------------------|
| Rpt Date 24/Dec/2005                    |                       | Well Name/No Bilabri DX 1         |                    | Section Name/No 17 1/2" Section #3 |                        | Mud System AQUA-DRILL                 |                           |
| Job# 1                                  | Spud Date 22/Nov/2005 |                                   | MD 1550.00 m       |                                    | Progress 0.00 m        |                                       | Present Activity Tripping |
| Operator Peak Petroleum Indust. Limited |                       | Company Rep Tex Richards          |                    | Contractor Dolphin Drilling Ltd    |                        | Contractor Rep Troy Nolan / Blair Don |                           |
| Field/Lease Bilabri                     |                       | Blk/Co/Parish OML - 122 / Nigeria |                    | Area Offshore                      |                        | Country/State Nigeria                 |                           |
|                                         |                       |                                   |                    |                                    |                        | Rig BULFORD DOLPHIN                   |                           |
| Solids Control Equipment                |                       |                                   |                    |                                    |                        |                                       |                           |
| Name                                    | #                     | Mfr                               | Hours<br>hours     | Screen Sizes                       | Act Volume Lost<br>bbl | Res Volume Lost<br>bbl                | Comments                  |
| CENTRIFUGE                              | 1                     | SWACO                             | 0.0                |                                    | 0.00                   | 0.00                                  |                           |
| CENTRIFUGE                              | 2                     | SWACO                             | 0.0                |                                    | 0.00                   | 0.00                                  |                           |
| DESANDER                                | 1                     | SWACO                             | 0.0                |                                    | 0.00                   | 0.00                                  |                           |
| DESILTER                                | 1                     | SWACO                             | 0.0                |                                    | 0.00                   | 0.00                                  |                           |
| MUD CLEANER                             | 1                     | SWACO                             | 0.0                | 2x175                              | 0.00                   | 0.00                                  |                           |
| SHALE SHAKER                            | 1                     | Brandt                            | 0.0                | 20/40                              | 0.00                   | 0.00                                  |                           |
| SHALE SHAKER                            | 1                     | SWACO                             | 0.0                |                                    | 0.00                   | 0.00                                  |                           |
| SHALE SHAKER                            | 2                     | Brandt                            | 0.0                | 20/40                              | 0.00                   | 0.00                                  |                           |
| SHALE SHAKER                            | 3                     | Brandt                            | 0.0                | 20/40                              | 0.00                   | 0.00                                  |                           |
| SHALE SHAKER                            | 4                     | Derrick Equipments Co             | 0.0                | 3x175                              | 0.00                   | 0.00                                  |                           |
| SHALE SHAKER                            | 5                     | Derrick Equipments Co             | 0.0                | 3x175                              | 0.00                   | 0.00                                  |                           |
| SHALE SHAKER                            | 6                     | Derrick Equipments Co             | 0.0                | 3x175                              | 0.00                   | 0.00                                  |                           |
|                                         |                       |                                   |                    | Total Volume Lost                  | 0                      | 0                                     |                           |
| Volumes                                 |                       |                                   |                    |                                    |                        |                                       |                           |
| Additions bbl                           |                       |                                   | Losses bbl         |                                    | Total Volumes bbl      |                                       |                           |
| Mud Added                               | Weight Materials      |                                   | Downhole           | Left In Pit                        | Starting Volume        | 1908                                  | Riser w/o Pipe 193.29     |
| Brine                                   | Water                 |                                   | Cased Off          | Trip Losses                        | Daily Additions        | 0.34                                  | Casing w/o Pipe 667.68    |
| Base Fluid                              | Product               | 0.34                              | Left In Hole       | Injected                           | Daily Losses           | 234                                   | Open Hole w/o Pipe 13.66  |
| Recycled                                | Other                 |                                   | Discharged         | Spill To Environment               | Ending Volume          | 1674.34                               | String Displacement       |
|                                         |                       |                                   | SCE                | Onshore Disposal                   | Net Change             | -233.66                               | String Capacity           |
|                                         |                       |                                   | Evaporation        | Returned                           |                        |                                       | Total Hole w/ Pipe 874.64 |
|                                         |                       |                                   | Other Losses       |                                    |                        |                                       | Total Active 1179.64      |
|                                         |                       |                                   |                    |                                    |                        |                                       | Total Reserve 495.00      |
| IADC Hours                              |                       |                                   |                    |                                    |                        |                                       |                           |
| Tripping                                |                       | 8                                 | Milling            |                                    | 2                      | Circulate                             |                           |
|                                         |                       |                                   |                    |                                    |                        | Miscellaneous                         |                           |
|                                         |                       |                                   |                    |                                    |                        | 12                                    |                           |
| BHDF Fluids Rep                         |                       | BHDF Rep Phone                    | Warehouse          | Warehouse Phone                    | Coordinator            | Daily Cost                            | Cumulative Cost           |
| Maisonneeuve J/ Waboso P.               |                       | 234-803-4020440                   | Onne Port Harcourt | 234-84-462609                      | Ogaree Lawson          | 1755.00 USD                           | 567152.29 USD             |
|                                         |                       |                                   |                    |                                    |                        |                                       | Inventory Value           |
|                                         |                       |                                   |                    |                                    |                        |                                       | 141654.19 USD             |
| Page 2                                  |                       |                                   |                    |                                    |                        |                                       |                           |

Any opinion and/or recommendation, expressed orally or written herein, has been prepared carefully and may be used if the user so elects, however, no representative or warranty is made by ourselves or our agents as to the correctness or completeness, and no liability is assumed for any damages resulting from the use of same.

# ADVANTAGE Daily Drilling Fluids Report - 33



INTEQ

|                                                                                                                                                                                                                                                                                                                                        |                       |                                   |                            |                                    |                                 |                              |                                       |               |                                     |                                      |                 |                 |        |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|-----------------------------------|----------------------------|------------------------------------|---------------------------------|------------------------------|---------------------------------------|---------------|-------------------------------------|--------------------------------------|-----------------|-----------------|--------|
| Rpt Date 24/Dec/2005                                                                                                                                                                                                                                                                                                                   |                       | Well Name/No Bilabri DX 1         |                            | Section Name/No 17 1/2" Section #3 |                                 |                              | Mud System AQUA-DRILL                 |               |                                     |                                      |                 |                 |        |
| Job# 1                                                                                                                                                                                                                                                                                                                                 | Spud Date 22/Nov/2005 |                                   | MD 1550.00 m               |                                    | Progress 0.00 m                 |                              | Present Activity Tripping             |               |                                     |                                      |                 |                 |        |
| Operator Peak Petroleum Indust. Limited                                                                                                                                                                                                                                                                                                |                       |                                   | Company Rep Tex Richards   |                                    | Contractor Dolphin Drilling Ltd |                              | Contractor Rep Troy Nolan / Blair Don |               |                                     |                                      |                 |                 |        |
| Field/Lease Bilabri                                                                                                                                                                                                                                                                                                                    |                       | Blk/Co/Parish OML - 122 / Nigeria |                            |                                    | Area Offshore                   |                              | Country/State Nigeria                 |               | Rig BULFORD DOLPHIN                 |                                      |                 |                 |        |
| Primary Currency USD                                                                                                                                                                                                                                                                                                                   |                       |                                   | Secondary Currency         |                                    |                                 | Totals USD                   |                                       |               |                                     |                                      |                 |                 |        |
| Daily Product Cost 405.00                                                                                                                                                                                                                                                                                                              |                       |                                   | Daily Product Cost 0.00    |                                    |                                 | Primary Product 505580.61    |                                       |               |                                     |                                      |                 |                 |        |
| Daily Tax 0.00                                                                                                                                                                                                                                                                                                                         |                       |                                   | Daily Tax 0.00             |                                    |                                 | Secondary Product 0.00       |                                       |               |                                     |                                      |                 |                 |        |
| Debit/Credit 0.00                                                                                                                                                                                                                                                                                                                      |                       |                                   | Debit/Credit 0.00          |                                    |                                 | Primary Engineering 51975.00 |                                       |               |                                     |                                      |                 |                 |        |
| Daily Engineering Cost 1350.00                                                                                                                                                                                                                                                                                                         |                       |                                   | Daily Engineering Cost     |                                    |                                 | Secondary Engineering 0.00   |                                       |               |                                     |                                      |                 |                 |        |
| Total Daily Cost 1755.00                                                                                                                                                                                                                                                                                                               |                       |                                   | Total Daily Cost 0.00      |                                    |                                 | Primary Total 567152.29      |                                       |               |                                     |                                      |                 |                 |        |
| Total Inventory Value 141654.19                                                                                                                                                                                                                                                                                                        |                       |                                   | Total Inventory Value 0.00 |                                    |                                 | Secondary Total 0.00         |                                       |               |                                     |                                      |                 |                 |        |
|                                                                                                                                                                                                                                                                                                                                        |                       |                                   |                            |                                    |                                 | Deck Load                    |                                       | 444964 lb     |                                     |                                      |                 |                 |        |
| Products and Services                                                                                                                                                                                                                                                                                                                  |                       |                                   |                            |                                    |                                 |                              |                                       |               |                                     |                                      |                 |                 |        |
| Product                                                                                                                                                                                                                                                                                                                                | Units                 | Start                             | Transferred In             | Received                           | Returned                        | Lost                         | Daily Use                             | Final         | Active Ending Concentrations lb/bbl | Reserve Ending Concentrations lb/bbl |                 |                 |        |
| Bulk                                                                                                                                                                                                                                                                                                                                   |                       |                                   |                            |                                    |                                 |                              |                                       |               |                                     |                                      |                 |                 |        |
| BARITE - Imported                                                                                                                                                                                                                                                                                                                      | 1000 kg               | 191                               |                            |                                    |                                 |                              |                                       | 191           | 5.33                                | 15.90                                |                 |                 |        |
| Oil Based Product                                                                                                                                                                                                                                                                                                                      |                       |                                   |                            |                                    |                                 |                              |                                       |               |                                     |                                      |                 |                 |        |
| PARA-TEQ BASE FLUID                                                                                                                                                                                                                                                                                                                    | 1 bbl                 |                                   |                            |                                    |                                 |                              |                                       |               | 14.91                               | 1.83                                 |                 |                 |        |
| Water Based Product                                                                                                                                                                                                                                                                                                                    |                       |                                   |                            |                                    |                                 |                              |                                       |               |                                     |                                      |                 |                 |        |
| AQUA-COL D                                                                                                                                                                                                                                                                                                                             | 1 m^3                 |                                   |                            |                                    |                                 |                              |                                       |               |                                     |                                      |                 |                 |        |
| AQUA-COL D                                                                                                                                                                                                                                                                                                                             | 1 m^3                 |                                   |                            |                                    |                                 |                              |                                       |               | 5.78                                | 8.55                                 |                 |                 |        |
| BENTONITE                                                                                                                                                                                                                                                                                                                              | 50 kg                 | 5                                 |                            |                                    |                                 |                              |                                       | 5             |                                     |                                      |                 |                 |        |
| CALCIUM CARBONATE - FINE                                                                                                                                                                                                                                                                                                               | 50 kg                 | 20                                |                            |                                    |                                 |                              |                                       | 20            | 5.01                                | 3.18                                 |                 |                 |        |
| CAUSTIC SODA                                                                                                                                                                                                                                                                                                                           | 25 kg                 | 4                                 |                            |                                    |                                 |                              |                                       | 4             | 0.38                                | 0.68                                 |                 |                 |        |
| LD-8                                                                                                                                                                                                                                                                                                                                   | 55 USgal              |                                   |                            |                                    |                                 |                              |                                       |               | 0.11                                | 0.07                                 |                 |                 |        |
| LIME                                                                                                                                                                                                                                                                                                                                   | 25 kg                 | 80                                |                            |                                    |                                 |                              |                                       | 80            |                                     |                                      |                 |                 |        |
| MIL-GUAR                                                                                                                                                                                                                                                                                                                               | 25 kg                 | 28                                |                            |                                    |                                 |                              | 3                                     | 25            | 0.16                                | 0.45                                 |                 |                 |        |
| MIL-PAC R                                                                                                                                                                                                                                                                                                                              | 25 kg                 | 20                                |                            |                                    |                                 |                              |                                       | 20            | 1.07                                | 1.21                                 |                 |                 |        |
| MIL-PAC LV                                                                                                                                                                                                                                                                                                                             | 25 kg                 | 59                                |                            |                                    |                                 |                              |                                       | 59            | -0.57                               | 1.92                                 |                 |                 |        |
| ML 1013 (BIOCIDE)                                                                                                                                                                                                                                                                                                                      | 55 USgal              | 1                                 |                            |                                    |                                 |                              |                                       | 1             |                                     | 0.48                                 |                 |                 |        |
| NEW-DRILL PLUS                                                                                                                                                                                                                                                                                                                         | 25 kg                 | 30                                |                            |                                    |                                 |                              |                                       | 30            | 0.49                                | 0.51                                 |                 |                 |        |
| NUT PLUG F                                                                                                                                                                                                                                                                                                                             | 25 lb                 | 40                                |                            |                                    |                                 |                              |                                       | 40            |                                     |                                      |                 |                 |        |
| POTASSIUM CHLORIDE                                                                                                                                                                                                                                                                                                                     | 1000 kg               |                                   |                            |                                    |                                 |                              |                                       |               |                                     |                                      |                 |                 |        |
| POTASSIUM CHLORIDE                                                                                                                                                                                                                                                                                                                     | 50 kg                 | 47                                |                            |                                    |                                 |                              |                                       | 47            | 0.64                                | 0.75                                 |                 |                 |        |
| POTASSIUM CHLORIDE BRINE                                                                                                                                                                                                                                                                                                               | 1 bbl                 |                                   |                            |                                    |                                 |                              |                                       |               | 67.12                               | 130.04                               |                 |                 |        |
| SODA ASH                                                                                                                                                                                                                                                                                                                               | 25 kg                 | 20                                |                            |                                    |                                 |                              |                                       | 20            |                                     |                                      |                 |                 |        |
| SOLTEX                                                                                                                                                                                                                                                                                                                                 | 50 lb                 |                                   |                            |                                    |                                 |                              |                                       |               | 1.96                                | 1.22                                 |                 |                 |        |
| XANTHANGUM D                                                                                                                                                                                                                                                                                                                           | 25 kg                 | 24                                |                            |                                    |                                 |                              |                                       | 24            | 1.23                                | 1.56                                 |                 |                 |        |
| XCIDE 102                                                                                                                                                                                                                                                                                                                              | 55 USgal              |                                   |                            |                                    |                                 |                              |                                       |               |                                     |                                      |                 |                 |        |
| Other                                                                                                                                                                                                                                                                                                                                  |                       |                                   |                            |                                    |                                 |                              |                                       |               |                                     |                                      |                 |                 |        |
| BLACK MAGIC SF T                                                                                                                                                                                                                                                                                                                       | 50 lb                 |                                   |                            |                                    |                                 |                              |                                       |               |                                     |                                      |                 |                 |        |
| BHDF Fluids Rep                                                                                                                                                                                                                                                                                                                        |                       | BHDF Rep Phone                    |                            | Warehouse                          |                                 | Warehouse Phone              |                                       | Coordinator   |                                     | Daily Cost                           | Cumulative Cost | Inventory Value | Page 3 |
| Maisonneeuve J/ Waboso P.                                                                                                                                                                                                                                                                                                              |                       | 234-803-4020440                   |                            | Onne Port Harcourt                 |                                 | 234-84-462609                |                                       | Ogaree Lawson |                                     | 1755.00 USD                          | 567152.29 USD   | 141654.19 USD   |        |
| Any opinion and/or recommendation, expressed orally or written herein, has been prepared carefully and may be used if the user so elects, however, no representative or warranty is made by ourselves or our agents as to the correctness or completeness, and no liability is assumed for any damages resulting from the use of same. |                       |                                   |                            |                                    |                                 |                              |                                       |               |                                     |                                      |                 |                 |        |