

**BAKER
HUGHES**

Rpt Date 09/Dec/2005			Well Name/No Bilabri DX 1			Section Name/No 17 1/2" Section #3			Mud System AQUA-DRILL								
Job# 1		Spud Date 22/Nov/2005			MD 508.00 m		Progress 49.00 m		Present Activity Drilling Formation								
Operator Peak Petroleum Indust. Limited				Company Rep Steeve Green			Contractor Dolphin Drilling Ltd		Contractor Rep Troy Nolan / Blair Don								
Field/Lease Bilabri			Blk/Co/Parish OML - 122 / Nigeria				Area Offshore		Country/State Nigeria		Rig BULFORD DOLPHIN						
Drilling Assembly						Casing		Volumes	Pump Information								
Bit Gauge in		Mfr		Bit Model		OD in	ID in	Depth m	bbl	Model	Liner in	Stroke in	Eff %	Vol/Stk bbl	Stk Rate SPM	Circ Rate USgal/min	
17 1/2		Smith International		S35P			18 3/4	156.96	Total Hole	Continental Ensco FA-1600	6 1/2	12.00	94.0	0.1157	65	316	
Drill Collars			Drill Pipe			20	18.542	453.00	516.5	Continental Ensco FA-1600	6 1/2	12.00	94.0	0.1157	65	316	
OD in	ID in	Length m	OD in	ID in	Length m		17 1/2	508.00	Active Pits	Continental Ensco FA-1600	6 1/2	12.00	94.0	0.1157	0		
9 1/2	3 1/8	32.05	5	4	233.22				359.7								
8 1/2	2 3/4	36.89	5	3 1/2	166.88				Tot Active								
8	2 13/16	10.79							876.2	Circulation Times							
									In Storage	Surface to Bit		1.4 min/186stks		Total System		58.9 min/7651stks	
									877	Bottoms Up		33.3 min/4324stks					
Mud Properties						Max Ann Velocity			Hole Information								
Property		Fluid Spec		1	2	3	AV Riser		ft/min	Standpipe Pressure		850 psi	Water Depth				168.25 m
Sample From				Active Pit	Active Pit		AV Casing		0.00 ft/min	Hole Flow		625 USgal/min	Riser Booster Rate				USgal/min
Check Time				07:00	23:00		AV Open Hole		0.00 ft/min	Solids Analysis							
MD m				453.00	508.00		Vc Open Hole		0.00 ft/min	Property		1	2	3	4		
TVD m				453.00	508.00		Vc Drill Pipe		0.00 ft/min	LGS %		0.30	0.58				
Bit Depth m				453.00	508.00		Min Ann Velocity			LGS lb/bbl		2.74	5.29				
Density ppg		0.00		8.90	8.90		AV Riser		ft/min	HGS %		0.00	0.00				
Funnel Visc. sec/quart		0.0		50.0	40.0		AV Casing		0.00 ft/min	HGS lb/bbl		0.00	0.00				
Test Temp degF				808.0	82.0		AV Open Hole		0.00 ft/min	Bentonite %		0.00	0.00				
Rheol Temp degF				80.0	82.0		Bit Information			Bentonite lb/bbl		0.00	0.00				
PV cP				12	8		Size		17 1/2 in	Drill Sol %		0.30	0.58				
YP lbf/100ft^2		0		27	22		Hours On Bit			Drill Sol lb/bbl		2.74	5.29				
10sec Gel lbf/100ft^2				6	5		Bit Number			Avg Dens Sol sg		2.1260	1.8073				
10min Gel lbf/100ft^2				8	8		BHA Number		3	Rheology							
API Filtrate cc				6.0	7.0		Depth In		453.00 m	600 RPM		51	38				
API Cake in/32					1.0		Bit RPM			300 RPM		39	30				
pH				8.8	8.5		WOB		klbf	200 RPM		30	23				
Pm				0.1	0.1		Nozzles			100 RPM		20	17				
PF				0.1	0.1		Bit Hydraulics			6 RPM		8	6				
Excess Lime lb/bbl				0.0	0.0		TFA		in^2	3 RPM		7	4				
Hardness mg/l				240.0	260.0		Nozzle Vel		61.5 ft/sec								
Chlorides mg/l				60000	56000		Bit Press Loss		0 psi								
K mg/l				476870	43017		HHP / Area		0.00 HP/in^2	Hydraulic Analysis							
NaCl mg/l					28261		HHP		675.0 %	Behavior Index (n)						0.000	
KCl mg/l				909248	82021					Consistency Index (k)						0.000 #sec^n/100ft^2	
Retort Water %				95.5	95.0					ECD @ Bit Depth						0.68 ppg	
Sand %					1.00					ECD @ Casing Shoe						0.61 ppg	
Glycol %				0.9	1.0		Fluid Comments/ Recommendations										
Retort Solids %				3.6	4.0		Condition mud w/polymers and added sea water for dilution while drilling. Drilled trough sand (coarse to fine) and observed losses to the formation. build hi-vis sweeps w/ 15										

ADVANTAGE Daily Drilling Fluids Report - 18



INTEQ

Rpt Date 09/Dec/2005			Well Name/No Bilabri DX 1			Section Name/No 17 1/2" Section #3			Mud System AQUA-DRILL					
Job# 1		Spud Date 22/Nov/2005			MD 508.00 m		Progress 49.00 m			Present Activity Drilling Formation				
Operator Peak Petroleum Indust. Limited				Company Rep Steeve Green			Contractor Dolphin Drilling Ltd			Contractor Rep Troy Nolan / Blair Don				
Field/Lease Bilabri			Blk/Co/Parish OML - 122 / Nigeria				Area Offshore		Country/State Nigeria			Rig BULFORD DOLPHIN		
Solids Control Equipment														
Name		#	Mfr		Hours hours	Screen Sizes		Act Volume Lost bbl		Res Volume Lost bbl		Comments		
CENTRIFUGE		1	SWACO		0.0			0.0		0.0				
CENTRIFUGE		2	SWACO		0.0			0.0		0.0				
DESANDER		1	SWACO		0.0			0.0		0.0				
DESILTER		1	SWACO		0.0			0.0		0.0				
MUD CLEANER		1	SWACO		0.0	2x175		0.0		0.0				
SHALE SHAKER		1	Brandt		0.0			0.0		0.0				
SHALE SHAKER		1	Derrick Equipments Co		0.0	3x125		0.0		0.0				
SHALE SHAKER		1	Derrick Equipments Co		0.0	3x110		0.0		0.0				
SHALE SHAKER		2	Brandt		0.0	20/40		0.0		0.0				
SHALE SHAKER		2	Derrick Equipments Co		0.0	20/40		0.0		0.0				
SHALE SHAKER		3	Derrick Equipments Co		0.0	3x110		0.0		0.0				
SHALE SHAKER		3	Brandt		0.0	20/40		0.0		0.0				
					Total Volume Lost		0		0					
Volumes														
Additions bbl			Losses bbl					Total Volumes bbl						
Mud Added	Weight Materials			Downhole		Left In Pit	Starting Volume	1543.8	Riser w/o Pipe		175.9			
Brine	Water		960	Cased Off		Trip Losses	Daily Additions	970.2	Casing w/o Pipe		324.4			
Base Fluid	Product		10.2	Left In Hole		Injected	Daily Losses	761	Open Hole w/o Pipe		53.7			
Recycled	Other			Discharged	761	Spill To Environment	Ending Volume	1753.0	String Displacement		37.5			
				SCE		Onshore Disposal	Net Change	209.2	String Capacity		21.3			
				Evaporation		Returned			Total Hole w/ Pipe		516.5			
				Other Losses					Total Active		876.2			
									Total Reserve		877.0			
IADC Hours														
Miscellaneous				6	Drilling Formation				18					
Primary Currency USD				Secondary Currency				Totals USD						
Daily Product Cost			29020.20	Daily Product Cost			0.00	Primary Product			293468.44			
Daily Tax			0.00	Daily Tax			0.00	Secondary Product			0.00			
Debit/Credit			44039.00	Debit/Credit			0.00	Primary Engineering			28350.00			
Daily Engineering Cost			1350.00	Daily Engineering Cost				Secondary Engineering			0.00			
Total Daily Cost			74409.20	Total Daily Cost			0.00	Primary Total			329689.24			
Total Inventory Value			325087.83	Total Inventory Value			0.00	Secondary Total			0.00			
								Deck Load			254.22 UK ton			
Products and Services														
Product		Units	Start	Transferred In	Received	Returned	Lost	Daily Use	Final	Active Ending Concentrations lb/bbl	Reserve Ending Concentrations lb/bbl			
Bulk														
BARITE - Imported		1000 kg	207						207					
Water Based Product														
AQUA-COL D		1 m^3												
AQUA-COL D		1 m^3	11						11		12.15			
BENTONITE		50 kg												
CALCIUM CARBONATE - FINE		50 kg			240			40	200	2.39				
CAUSTIC SODA		25 kg	41						41		0.61			
LIME		25 kg	80						80					
MIL-GUAR		25 kg	80						80					
MIL-PAC R		25 kg	87		80			17	150	0.51	1.12			
MIL-PAC LV		25 kg	118					10	108	0.30	3.65			
ML 1013 (BIOCIDE)		55 USgal	2						2					
NEW-DRILL PLUS		25 kg	131		40				171		0.66			
NUT PLUG F		25 lb			40				40					
POTASSIUM CHLORIDE		1000 kg												
POTASSIUM CHLORIDE		50 kg	105						105					
POTASSIUM CHLORIDE BRINE		1 bbl	344					344			289.39			
SODA ASH		25 kg	20						20					
SOLTEX		50 lb	160						160					
XANTHANGUM D		25 kg	119		40			20	139	0.60	0.66			
XCIDE 102		55 USgal			4				4					
Other														
BLACK MAGIC SF T		50 lb												
BHDF Fluids Rep		BHDF Rep Phone		Warehouse		Warehouse Phone		Coordinator		Daily Cost		Cumulative Cost	Inventory Value	Page 2
Maisonneeuve J / oguguvwe B		234-803-4020440		Onne Port Harcourt		234-84-462609		Ogaree Lawson		74409.20 USD		329689.24 USD	325087.83 USD	

Any opinion and/or recommendation, expressed orally or written herein, has been prepared carefully and may be used if the user so elects, however, no representative or warranty is made by ourselves or our agents as to the correctness or completeness, and no liability is assumed for any damages resulting from the use of same.