

Rpt Date 12/11/2005			Well Name/No Bilabri DX1			Section Name/No 17 1/2" section #3			Mud System AQUA-DRILL								
Job# 1		Spud Date 11/25/2005			MD 762.00 m		Progress 204.00 m		Present Activity Drilling Formation								
Operator Peak Petroleum Industries Limited			Company Rep Steve Green /Texas Richards			Contractor Dolphin Drilling Ltd		Contractor Rep Troy Nolan/ Blair Don									
Field/Lease Bilabri			Blk/Co/Parish OML -122, /Nigeria			Area OML - 122		Country/State Nigeria		Rig Bulford Dolphin							
Drilling Assembly				Casing		Volumes	Pump Information										
Bit Gauge in		Mfr		Bit Model		OD in	ID in	Depth m	bbl	Model	Liner in	Stroke in	Eff %	Vol/ Stk bbl	Stk Rate SPM	Circ Rate USgal/min	
17 1/2							18 3/4	156.96	Total Hole	Continental Ensco FA-1600	6 1/2	12.00	93.00	0.1145	71	341	
Drill Collars			Drill Pipe			20	18.542	453.00	760.55	Continental Ensco FA-1600	6 1/2	12.00	93.00	0.1145	76	366	
OD in	ID in	Length m	OD in	ID in	Length m		17 1/2	762.00	Active Pits	Continental Ensco FA-1600	6 1/2	12.00	93.00	0.1145	0		
9 1/2	2 13/16	17.56	5	4	502.43				398								
8 1/2	2 3/4	46.69	5	3 1/2	166.88				Tot Active								
									1158.55	Circulation Times							
									In Storage	Surface to Bit		2.1 min/302stks		Total System		68.8 min/10118stks	
									744	Bottoms Up		43.1 min/6340stks					
Mud Properties					Max Ann Velocity			Hole Information									
Property		Fluid Spec	1	2	3	AV Riser		ft/min	Standpipe Pressure		1510 psi		Water Depth			145.00 m	
Sample From			Active Pit	Flow Line	Active Pit	AV Casing		0.00 ft/min	Hole Flow		707 USgal/min		Riser Booster Rate			USgal/min	
Check Time			06:00	15:00	23:45	AV Open Hole		0.00 ft/min	Solids Analysis								
MD m			601.00	676.00	762.00	Vc Open Hole		0.00 ft/min	Property	1	2	3	4				
TVD m			601.00	675.00	762.00	Vc Drill Pipe		0.00 ft/min	LGS %	1.41	2.82	3.33					
Bit Depth m			601.00	676.00	762.00	Min Ann Velocity		LGS g/cc	0.0	0.1	0.1						
Density ppg			8.90	9.10	9.20	AV Riser		ft/min	HGS %	0.00	0.00	0.00					
Funnel Visc. sec/ quart		0.0	40.0	39.0	42.0	AV Casing		0.00 ft/min	HGS g/cc	0.0	0.0	0.0					
Flow Line Temp degF			90.0	92.0	94.0	AV Open Hole		0.00 ft/min	Bentonite %	0.00	0.00	0.00					
Test Temp degF			80.0	80.0	92.0	Bit Information		Bentonite g/cc	0.0	0.0	0.0						
Rheol Temp degF			80.0	80.0	92.0	Size	17 1/2 in	Drill Sol %	1.41	2.82	3.33						
PV cP			8	7	5	Hours On Bit		Drill Sol g/cc	0.0	0.1	0.1						
YP lbf/100ft^2		0	12	17	22	Bit Number		Avg Dens Sol sg	2.1666	2.2378	2.3620						
10sec Gel lbf/100ft^2			4	3	4	BHA Number	2	Rheology									
10min Gel lbf/100ft^2			6	4	7	Depth In	m	600 RPM	28	31	32						
API Filtrate cc			6.5	6.5	6.0	Bit RPM		300 RPM	20	24	27						
API Cake in/32				1.0	1.0	WOB	klbf	200 RPM	16	18	21						
pH			8.8	8.8	8.5	Nozzles	26:3x22	100 RPM	11	13	15						
Pm			0.1	0.1	0.1	Bit Hydraulics		6 RPM	3	5	5						
PF			0.1	0.1	0.1	TFA	1.6322 in^2	3 RPM	3	4	4						
Excess Lime lb/bbl			0.0	0.0	0.0	Nozzle Vel		61.5 ft/sec									
Hardness mg/l			240.0	220.0	240.0	Bit Press Loss		0 psi									
Chlorides mg/l			44000.0	46000.0	50000.0	HHP / Area	0.00 HP/in^2	Hydraulic Analysis									
K mg/l			29076.0	34018.0	35516.0	HHP	675.00 %	Behavior Index (n)					0.000				
NaCl mg/l			29247.1	25178.4	29544.9												

					Drilling Comments				
					Continued to drill 17 1/2" hole from 558m to 762m while pumping hivis sweeps at intervals.				
BHDF Fluids Rep	BHDF Rep Phone	Warehouse	Warehouse Phone	Coordinator	Daily Cost	Cumulative Cost	Inventory Value	Page 1	
Maisonneuve J/Billy O./Wobo C	009-234-803-4020-440	Onne, Port Harcourt	009-234-84-462609	Ogaree Lawson	28719.43 USD	367490.65 USD	337255.28 USD		
Any opinion and/or recommendation, expressed orally or written herein, has been prepared carefully and may be used if the user so elects, however, no representative or warranty is made by ourselves or our agents as to the correctness or completeness, and no liability is assumed for any damages resulting from the use of same.									

**BAKER
HUGHES**

Rpt Date 12/11/2005	Well Name/No Bilabri DX1	Section Name/No 17 1/2" section #3	Mud System AQUA-DRILL	
Job# 1	Spud Date 11/25/2005	MD 762.00 m	Progress 204.00 m	Present Activity Drilling Formation
Operator Peak Petroleum Industries Limited	Company Rep Steve Green /Texas Richards	Contractor Dolphin Drilling Ltd	Contractor Rep Troy Nolan/ Blair Don	
Field/Lease Bilabri	Blk/Co/Parish OML -122, /Nigeria	Area OML - 122	Country/State Nigeria	Rig Bulford Dolphin

Name	#	Mfr	Hours hours	Screen Sizes	Act Volume Lost bbl	Res Volume Lost bbl	Comments
CENTRIFUGE	1	SWACO	0.0		0.00	0.00	
CENTRIFUGE	2	SWACO	0.0		0.00	0.00	
DEGASSER	1	Derrick Equipments Co	0.0		0.00	0.00	
DESANDER	1	SWACO	24.0		0.00	0.00	
DESILTER	1	SWACO	24.0		20.00	0.00	
MUD CLEANER	1	SWACO	24.0	2 X 175	20.00	0.00	
SHALE SHAKER	1	Brandt	0.0	20/40	0.00	0.00	
SHALE SHAKER	2	Brandt	0.0	20/40	0.00	0.00	
SHALE SHAKER	3	Brandt	0.0	20/40	0.00	0.00	
SHALE SHAKER	4	Derrick Equipments Co	24.0	3 X 150	10.00	0.00	
SHALE SHAKER	5	Derrick Equipments Co	24.0	3 X 150	10.00	0.00	
SHALE SHAKER	6	Derrick Equipments Co	24.0	3 X 150	10.00	0.00	
				Total Volume Lost	70	0	

Additions bbl				Losses bbl				Total Volumes bbl			
Mud Added		Weight Materials		Downhole		Left In Pit		Starting Volume	1804.29	Riser w/o Pipe	175.87
Brine	320	Water		Cased Off		Trip Losses		Daily Additions	333.35	Casing w/o Pipe	324.38
Base Fluid		Product	13.35	Left In Hole		Injected		Daily Losses	235	Open Hole w/o Pipe	301.60
Recycled		Other		Discharged	160	Spill To Environment		Ending Volume	1902.64	String Displacement	41.30
				SCE	70	Onshore Disposal		Net Change	98.35	String Capacity	34.53
				Evaporation		Returned				Total Hole w/ Pipe	760.55
				Other Losses	5					Total Active	1158.55
										Total Reserve	744.00

Miscellaneous		4.5	Drilling Formation				19.5				
BHDF Fluids Rep	BHDF Rep Phone	Warehouse	Warehouse Phone	Coordinator	Daily Cost	Cumulative Cost	Inventory Value	Page 2			
Maisonneuve J/Billy O./Wobo C	009-234-803-4020-440	Onne, Port Harcourt	009-234-84-462609	Ogaree Lawson	28719.43 USD	367490.65 USD	337255.28 USD				

Any opinion and/or recommendation, expressed orally or written herein, has been prepared carefully and may be used if the user so elects, however, no representative or warranty is made by ourselves or our agents as to the correctness or completeness, and no liability is assumed for any damages resulting from the use of same.

ADVANTAGE Daily Drilling Fluids Report - 20



INTEQ

Rpt Date 12/11/2005		Well Name/No Bilabri DX1		Section Name/No 17 1/2" section #3		Mud System AQUA-DRILL	
Job# 1	Spud Date 11/25/2005		MD 762.00 m		Progress 204.00 m		Present Activity Drilling Formation
Operator Peak Petroleum Industries Limited		Company Rep Steve Green /Texas Richards		Contractor Dolphin Drilling Ltd		Contractor Rep Troy Nolan/ Blair Don	
Field/Lease Bilabri		Blk/Co/Parish OML -122, /Nigeria		Area OML - 122		Country/State Nigeria	
						Rig Bulford Dolphin	

Primary Currency USD		Secondary Currency		Totals USD	
Daily Product Cost	26694.43	Daily Product Cost	0.00	Primary Product	274935.25
Daily Tax	0.00	Daily Tax	0.00	Secondary Product	0.00
Debit/Credit	0.00	Debit/Credit	0.00	Primary Engineering	32400.00
Daily Engineering Cost	2025.00	Daily Engineering Cost		Secondary Engineering	0.00
Total Daily Cost	28719.43	Total Daily Cost	0.00	Primary Total	367490.65
Total Inventory Value	337255.28	Total Inventory Value	0.00	Secondary Total	0.00
				Deck Load	602218 lb

Products and Services												
Product	Units	Start	Transferred In	Received	Returned	Lost	Daily Use	Final	Unit Price USD	Daily Cost USD	Active Ending Concentrations lb/bbl	Reserve Ending Concentrations lb/bbl
Bulk												
BARITE - Imported	1000 kg	207						207	540.00			
Water Based Product												
AQUA-COL D	1 m^3	11					1	10	3589.90	3589.90	4.25	1.72
AQUA-COL D	55 USgal								746.70			
BENTONITE	50 kg	5						5	35.53			
CaCO3 F	50 kg	200						200	45.36		1.25	
CAUSTIC SODA	25 kg	41					9	32	37.89	341.01	0.49	0.09
LD-8	55 USgal	1						1	1580.41			
LIME	25 kg	80						80	34.25			
MIL-GUAR	25 kg	76						76	135.00		0.13	
MIL-PAC LV	25 kg	105					6	99	155.00	930.00	1.30	0.52
MIL-PAC R	25 kg	131					2	129	155.00	310.00	1.22	0.16
ML 1013 (BIOCIDE)	55 USgal	2						2	2508.30			
NEW-DRILL PLUS	25 kg	171						171	110.66		0.15	0.09
NUT PLUG F	25 kg	40						40	27.01			
POTASSIUM CHLORIDE	50 kg	105					21	84	48.00	1008.00	1.66	
POTASSIUM CHLORIDE	tonne	16						16	960.00			
POTASSIUM CHLORIDE BRINE	1 bbl											
POTASSIUM CHLORIDE BRINE	1 bbl			320			320		46.85	14992.00	38.29	74.47
SODA ASH	50 kg	20						20	73.40			
SOLTEX	50 lb	160						160	125.73			
X-CIDE 102	55 USgal	4						4	2508.30			
XANTHAN GUM D	25 kg	170					16	154	345.22	5523.52	1.39	0.09

BHDF Fluids Rep	BHDF Rep Phone	Warehouse	Warehouse Phone	Coordinator	Daily Cost	Cumulative Cost	Inventory Value	Page
Maisonneuve J/Billy O./Wobo C	009-234-803-4020-440	Onne, Port Harcourt	009-234-84-462609	Ogaree Lawson	28719.43 USD	367490.65 USD	337255.28 USD	3

Any opinion and/or recommendation, expressed orally or written herein, has been prepared carefully and may be used if the user so elects, however, no representative or warranty is made by ourselves or our agents as to the correctness or completeness, and no liability is assumed for any damages resulting from the use of same.