

ADVANTAGE Daily Drilling Fluids Report - 28



INTEQ

Rpt Date 19/Dec/2005		Well Name/No Bilabri DX 1		Section Name/No 17 1/2" Section #3		Mud System AQUA-DRILL	
Job# 1		Spud Date 22/Nov/2005		MD 1550.00 m		Progress 0.00 m	
Operator Peak Petroleum Indust. Limited		Company Rep Steve Green / Tex Richards		Contractor Dolphin Drilling Ltd		Contractor Rep Troy Nolan/ Blair Don	
Field/Lease Bilabri		Blk/Co/Parish OML - 122 / Nigeria		Area Offshore		Country/State Nigeria	
						Rig BULFORD DOLPHIN	

Drilling Assembly			Casing			Volumes	Pump Information								
Bit Gauge in	Mfr	Bit Model	OD in	ID in	Depth m	bbl	Model	Liner in	Stroke in	Eff %	Vol/Stk bbl	Stk Rate SPM	Circ Rate USgal/min		
0				19	168.00	Total Hole	Continental Ensco FA-1600	6 1/2	12.00	94.0	0.1157	0			
Drill Collars			Drill Pipe			1444.5	Continental Ensco FA-1600	6 1/2	12.00	94.0	0.1157	0			
OD in	ID in	Length m	OD in	ID in	Length m	Active Pits	Continental Ensco FA-1600	6 1/2	12.00	94.0	0.1157	0			
		414.00			17 1/2	1550.00									
						Tot Active									
						1806.5									
						In Storage									
						567									
						Circulation Times									
						Surface to Bit				min/stks		Total System		min/stks	
						Bottoms Up				min/stks					

Mud Properties				Max Ann Velocity		Hole Information				
Property	Fluid Spec	1	2	3	AV Riser	ft/min	Standpipe Pressure	0 psi	Water Depth	168.25 m
Sample From		Active Pit	Active Pit		AV Casing	ft/min	Hole Flow	USgal/min	Riser Booster Rate	USgal/min
Check Time		17:45	17:45		AV Open Hole	ft/min	Solids Analysis			
MD m		1550.00	1550.00		Vc Open Hole	ft/min	Property	1	2	3
TVD m		1550.00	1550.00		Vc Drill Pipe	ft/min	LGS %	4.26	3.63	
Bit Depth m		1536.00	1536.00		Min Ann Velocity		LGS lb/bbl	38.86	33.07	
Density ppg	0.00	9.20	9.10		AV Riser	ft/min	HGS %	0.00	0.00	
Funnel Visc. sec/quart	0.0	40.0	44.0		AV Casing	ft/min	HGS lb/bbl	0.00	0.00	
Flow Line Temp degF		95.0	95.0		AV Open Hole	ft/min	Bentonite %	0.00	0.00	
Test Temp degF		80.0	80.0		Bit Information		Bentonite lb/bbl	0.00	0.00	
Rheol Temp degF		80.0	800.0		Size		Drill Sol %	4.26	3.63	
PV cP		8	9		Hours On Bit		Drill Sol lb/bbl	38.86	33.07	
YP lbf/100ft^2	0	16	18		Bit Number		Avg Dens Sol sg	2.8737	3.0601	
10sec Gel lbf/100ft^2		3	6		BHA Number		Rheology			
10min Gel lbf/100ft^2		5	9		Depth In		600 RPM	32	36	
API Filtrate cc		5.0	5.4		Bit RPM		300 RPM	24	27	
API Cake in/32		1.0	1.0		WOB		200 RPM	18	21	
pH		8.5	8.5		Nozzles		100 RPM	13	15	
Pm		0.1	0.1		Bit Hydraulics		6 RPM	5	7	
PF			0.1		TFA		3 RPM	3	5	
Excess Lime lb/bbl		0.0	0.0		Nozzle Vel	ft/sec				
Hardness mg/l		240.0	220.0		Bit Press Loss	psi				
Chlorides mg/l		36000	34000		HHP / Area	HP/in^2	Hydraulic Analysis			
K mg/l		23000	22000		HHP	%	Behavior Index (n)			
NaCl mg/l		25107	23298				Consistency Index (k)			
KCl mg/l		43854	41947				ECD @ Bit Depth			
MBT lb/bbl		5.0	5.0				ECD @ Casing Shoe			
Retort Water %		94.0	95.0		Fluid Comments/ Recommendations					
Sand %		0.50	0.50		Cut back mud wt f/9.2 t/9.1 ppg on the fly & displace seawater in hole with 9.1 ppg mud. While conditioning mud, dumped seawater. While monitoring & maintaining wt in at 9.1 ppg. Line back returns to active when 9.1 ppg mud came around. Continue conditioning mud & stabilize wt in/out at 9.1 ppg. Took on 134 bbls Parateq Base oil f/Maesrk Advancer into Chemical pit & Slug pit					
Glycol %		0.5	0.4							
Retort Solids %		5.5	4.6							
Corrected Solids %		3.4	2.6							
					Drilling Comments					
					Continue to service hanger assy. RIH csg on DP. M/U cmt std t/TDS. RIH t/1526m. Attempt to wk pipe free w/varying pump rates. Mix & displace Soltex. Wk pipe. Pump 300 bbls seawater. F/C w/seawater, ok. Wk pipe, displace seawater to suspected zone. continue to wk pipe while disp SW. Circ well & cont t/wk pipe, no go. Pump 450 bbls seawater, displace same w/216 bbls 9.2 ppg mud. Attempt to free, no go. Displace seawatewr with 9.1 ppg mud. Circ & condition mud.					

BHDF Fluids Rep	BHDF Rep Phone	Warehouse	Warehouse Phone	Coordinator	Daily Cost	Cumulative Cost	Inventory Value	Page 1
Maisonneeuve J/ Waboso P.	234-803-4020440	Onne Port Harcourt	234-84-462609	Ogaree Lawson	26197.75 USD	519066.12 USD	205603.76 USD	

Any opinion and/or recommendation, expressed orally or written herein, has been prepared carefully and may be used if the user so elects, however, no representative or warranty is made by ourselves or our agents as to the correctness or completeness, and no liability is assumed for any damages resulting from the use of same.

ADVANTAGE Daily Drilling Fluids Report - 28



INTEQ

Rpt Date 19/Dec/2005		Well Name/No Bilabri DX 1		Section Name/No 17 1/2" Section #3		Mud System AQUA-DRILL	
Job# 1		Spud Date 22/Nov/2005		MD 1550.00 m		Progress 0.00 m	
Operator Peak Petroleum Indust. Limited		Company Rep Steeve Green / Tex Richards		Contractor Dolphin Drilling Ltd		Contractor Rep Troy Nolan/ Blair Don	
Field/Lease Bilabri		Blk/Co/Parish OML - 122 / Nigeria		Area Offshore		Country/State Nigeria	
Rig BULFORD DOLPHIN							
Solids Control Equipment							
Name	#	Mfr	Hours hours	Screen Sizes	Act Volume Lost bbl	Res Volume Lost bbl	Comments
CENTRIFUGE	1	SWACO	0.0		0.0	0.0	
CENTRIFUGE	2	SWACO	0.0		0.0	0.0	
DESANDER	1	SWACO	0.0		0.0	0.0	
DESILTER	1	SWACO	0.0		0.0	0.0	
MUD CLEANER	1	SWACO	0.0	2x175	0.0	0.0	
SHALE SHAKER	1	Brandt	0.0		0.0	0.0	
SHALE SHAKER	1	Derrick Equipments Co	0.0	3x175	0.0	0.0	
SHALE SHAKER	1	Derrick Equipments Co	0.0	3x175	0.0	0.0	
SHALE SHAKER	2	Brandt	0.0	20/40	0.0	0.0	
SHALE SHAKER	2	Derrick Equipments Co	0.0	20/40	0.0	0.0	
SHALE SHAKER	3	Derrick Equipments Co	0.0	3x175	0.0	0.0	
SHALE SHAKER	3	Brandt	0.0	20/40	0.0	0.0	
Total Volume Lost					0	0	
Volumes							
Additions bbl			Losses bbl			Total Volumes bbl	
Mud Added	Weight Materials		Downhole	Left In Pit	Starting Volume	2386.5	Riser w/o Pipe
Brine	Water	750	Cased Off	Trip Losses	Daily Additions	761.1	Casing w/o Pipe
Base Fluid	Product	11.1	Left In Hole	Injected	Daily Losses	774	Open Hole w/o Pipe
Recycled	Other		Discharged	Spill To Environment	Ending Volume	2373.6	String Displacement
			SCE	Onshore Disposal	Net Change	-12.9	String Capacity
			Evaporation	Returned			Total Hole w/ Pipe
			Other Losses	24			Total Active
							Total Reserve
							567.0
IADC Hours							
Run Casing		6	Work Tubulars		10	Circulate	
BHDF Fluids Rep		BHDF Rep Phone	Warehouse	Warehouse Phone	Coordinator	Daily Cost	Cumulative Cost
Maisonneeuve J/ Waboso P.		234-803-4020440	Onne Port Harcourt	234-84-462609	Ogaree Lawson	26197.75 USD	519066.12 USD
						Inventory Value	Page 2
Any opinion and/or recommendation, expressed orally or written herein, has been prepared carefully and may be used if the user so elects, however, no representative or warranty is made by ourselves or our agents as to the correctness or completeness, and no liability is assumed for any damages resulting from the use of same.							

ADVANTAGE Daily Drilling Fluids Report - 28



INTEQ

Rpt Date 19/Dec/2005		Well Name/No Bilabri DX 1		Section Name/No 17 1/2" Section #3				Mud System AQUA-DRILL			
Job# 1	Spud Date 22/Nov/2005			MD 1550.00 m		Progress 0.00 m			Present Activity Circulate		
Operator Peak Petroleum Indust. Limited			Company Rep Steeve Green / Tex Richards			Contractor Dolphin Drilling Ltd			Contractor Rep Troy Nolan/ Blair Don		
Field/Lease Bilabri		Blk/Co/Parish OML - 122 / Nigeria			Area Offshore		Country/State Nigeria			Rig BULFORD DOLPHIN	
Primary Currency USD				Secondary Currency				Totals USD			
Daily Product Cost		17139.75		Daily Product Cost		0.00		Primary Product		467632.32	
Daily Tax		0.00		Daily Tax		0.00		Secondary Product		0.00	
Debit/Credit		7708.00		Debit/Credit		0.00		Primary Engineering		45225.00	
Daily Engineering Cost		1350.00		Daily Engineering Cost				Secondary Engineering		0.00	
Total Daily Cost		26197.75		Total Daily Cost		0.00		Primary Total		519066.12	
Total Inventory Value		205603.76		Total Inventory Value		0.00		Secondary Total		0.00	
								Deck Load		226.78 UK ton	
Products and Services											
Product		Units	Start	Transferred In	Received	Returned	Lost	Daily Use	Final	Active Ending Concentrations lb/bbl	Reserve Ending Concentrations lb/bbl
Bulk											
BARITE - Imported		1000 kg	197						197	6.64	1.44
Water Based Product											
AQUA-COL D		1 m^3									
AQUA-COL D		1 m^3								6.41	11.26
BENTONITE		50 kg	5						5		
CALCIUM CARBONATE - FINE		50 kg	20						20	6.22	1.60
CAUSTIC SODA		25 kg	7						7	0.42	0.67
LD-8		55 USgal								0.14	0.03
LIME		25 kg	80						80		
MIL-GUAR		25 kg	76						76	0.03	0.03
MIL-PAC R		25 kg	70					10	60	1.25	1.37
MIL-PAC LV		25 kg	60					59	1	2.27	2.40
ML 1013 (BIOCID)		55 USgal	2						2		
NEW-DRILL PLUS		25 kg	148					10	138	0.57	0.54
NUT PLUG F		25 lb	40						40		
POTASSIUM CHLORIDE		1000 kg	16						16		
POTASSIUM CHLORIDE		50 kg	63						63	0.73	0.88
POTASSIUM CHLORIDE BRINE		1 bbl								69.46	190.30
SODA ASH		25 kg	20						20		
SOLTEX		50 lb	15					15		2.43	0.59
XANTHANGUM D		25 kg	80					10	70	1.45	1.29
XCIDE 102		55 USgal	4						4		
Other											
BLACK MAGIC SF T		50 lb									
BHDF Fluids Rep		BHDF Rep Phone		Warehouse		Warehouse Phone		Coordinator		Daily Cost	
Maisonneeue J/ Waboso P.		234-803-4020440		Onne Port Harcourt		234-84-462609		Ogaree Lawson		26197.75 USD	
										Cumulative Cost	
										519066.12 USD	
										Inventory Value	
										205603.76 USD	
										Page 3	
Any opinion and/or recommendation, expressed orally or written herein, has been prepared carefully and may be used if the user so elects, however, no representative or warranty is made by ourselves or our agents as to the correctness or completeness, and no liability is assumed for any damages resulting from the use of same.											

Any opinion and/or recommendation, expressed orally or written herein, has been prepared carefully and may be used if the user so elects, however, no representative or warranty is made by ourselves or our agents as to the correctness or completeness, and no liability is assumed for any damages resulting from the use of same.