

ADVANTAGE Daily Drilling Fluids Report - 35



INTEQ

Rpt Date 26/Dec/2005		Well Name/No Bilabri DX 1		Section Name/No 17 1/2" Section #3		Mud System AQUA-DRILL	
Job# 1	Spud Date 22/Nov/2005		MD 1550.00 m		Progress 0.00 m		Present Activity Drill Cement and/or Float Eqpt.
Operator Peak Petroleum Indust. Limited			Company Rep Tex Richards		Contractor Dolphin Drilling Ltd		Contractor Rep Troy Nolan / Blair Don
Field/Lease Bilabri		Blk/Co/Parish OML - 122 / Nigeria			Area Offshore		Country/State Nigeria
Rig BULFORD DOLPHIN							

Drilling Assembly			Casing			Volumes	Pump Information						
Bit Gauge in	Mfr	Bit Model	OD in	ID in	Depth m	bbl	Model	Liner in	Stroke in	Eff %	Vol/Stk bbl	Stk Rate SPM	Circ Rate USgal/min
12 1/4				19	168.00	Total Hole	Continental Ensco FA-1600	6 1/2	12.00	93.00	0.1145	70	337
Drill Collars			Drill Pipe			819.45	Continental Ensco FA-1600	6 1/2	12.00	93.00	0.1145	70	337
OD in	ID in	Length m	OD in	ID in	Length m	Active Pits	Continental Ensco FA-1600	6 1/2	12.00	93.00	0.1145	0	
8	2.810	8.38	5	4.200	1317.30	360							
			6.630	3	158.40	Tot Active							
			6 1/2	3	28.15	1179.45							
In Storage						77	Circulation Times						
							Surface to Bit			5.0 min/698stks		Total System 72.7 min/10178stks	
							Bottoms Up			44.9 min/6292stks			

Mud Properties				Max Ann Velocity		Hole Information				
Property	Fluid Spec	1	2	3	AV Riser	ft/min	Standpipe Pressure	1400 psi	Water Depth	168.25 m
Sample From		Active Pit			AV Casing	0.00 ft/min	Hole Flow	673 USgal/min	Riser Booster Rate	USgal/min
Check Time		23:45			AV Open Hole	0.00 ft/min	Solids Analysis			
MD m		1550.00			Vc Open Hole	0.00 ft/min	Property	1	2	3
TVD m		1550.00			Vc Drill Pipe	0.00 ft/min	LGS %	3.60		
Bit Depth m		1525.00			Min Ann Velocity		LGS lb/bbl	32.77		
Density ppg	0.0	9.1			AV Riser	ft/min	HGS %	0.00		
Funnel Visc. sec/quart	0.0	42.0			AV Casing	0.00 ft/min	HGS lb/bbl	0.00		
Test Temp degF		85.0			AV Open Hole	0.00 ft/min	Bentonite %	0.00		
Rheol Temp degF		85.0			Bit Information		Bentonite lb/bbl	0.00		
PV cP		10			Size	12 1/4 in	Drill Sol %	3.60		
YP lbf/100ft^2	0	21			Hours On Bit		Drill Sol lb/bbl	32.77		
10sec Gel lbf/100ft^2		5			Bit Number		Avg Dens Sol sg	3.0629		
10min Gel lbf/100ft^2		6			BHA Number	6	Rheology			
API Filtrate cc		5.2			Depth In	1536.00 m	600 RPM	41		
API Cake in/32		1.0			Bit RPM		300 RPM	31		
pH		8.4			WOB	klbf	200 RPM	24		
Pm		0.1			Nozzles	8x18	100 RPM	19		
Excess Lime lb/bbl		0.0			Bit Hydraulics		6 RPM	6		
Hardness mg/l		300.0			TFA	1.9880 in^2	3 RPM	4		
Chlorides mg/l		34500.0			Nozzle Vel	61.5 ft/sec				
K mg/l		22300.0			Bit Press Loss	0 psi				
NaCl mg/l		23675.2			HHP / Area	0.00 HP/in^2	Hydraulic Analysis			
KCl mg/l		42519.4			HHP	675.00 %	Behavior Index (n)		0.000	
MBT lb/bbl		4.0					Consistency Index (k)		0.000 #sec^n/100ft^2	
Retort Water %		95.00					ECD @ Bit Depth		0.7 ppg	
Glycol %		0.40					ECD @ Casing Shoe		0.6 ppg	
Retort Solids %		4.60			Fluid Comments/ Recommendations					
Corrected Solids %		2.60			Transferred mud from pit 2 & topped up pit 1 & the slug pit. Dumped rest of water base mud in pit 2 & commence claeing same for taking SBM. Dump returns of water base mud while running in hole to drill out cmt & 13-3/8" csg shoe track to 1525m. Included 790 bbls of KCl Brine & 860 bbls of Parateq Base Oil on board the rig fluid in inventory.					
					Drilling Comments					
					M/U & RIH w/jet sub & Wear bushing t/173m & jet WB seating area. Cont RIH & land WB. POOH. R/U testing gears & continue test BOP & surface systems. M/U bit & fit sub, RIH t/190m, test diverter system. Cont RIH w/BHA to top of cmt @ 1497m. M/U TDS, drill cmt, plug, float collar t/1525m. Cmt very soft from below fit @ 1504m - WOB - 0-2k. Circulate hole clean @ 140 spm/1400 psi.					

BHDF Fluids Rep	BHDF Rep Phone	Warehouse	Warehouse Phone	Coordinator	Daily Cost	Cumulative Cost	Inventory Value	Page 1
Maisonneeuve J/ Waboso P.	234-803-4020440	Onne Port Harcourt	234-84-462609	Ogaree Lawson	1890.00 USD	570392.29 USD	524639.73 USD	

Any opinion and/or recommendation, expressed orally or written herein, has been prepared carefully and may be used if the user so elects, however, no representative or warranty is made by ourselves or our agents as to the correctness or completeness, and no liability is assumed for any damages resulting from the use of same.

ADVANTAGE Daily Drilling Fluids Report - 35

INTEQ

Rpt Date 26/Dec/2005		Well Name/No Bilabri DX 1		Section Name/No 17 1/2" Section #3		Mud System AQUA-DRILL	
Job# 1	Spud Date 22/Nov/2005		MD 1550.00 m	Progress 0.00 m	Present Activity Drill Cement and/or Float Eqpt.		
Operator Peak Petroleum Indust. Limited		Company Rep Tex Richards		Contractor Dolphin Drilling Ltd		Contractor Rep Troy Nolan / Blair Don	
Field/Lease Bilabri		Blk/Co/Parish OML - 122 / Nigeria		Area Offshore	Country/State Nigeria		Rig BULFORD DOLPHIN

Solids Control Equipment							
Name	#	Mfr	Hours hours	Screen Sizes	Act Volume Lost bbl	Res Volume Lost bbl	Comments
CENTRIFUGE	1	SWACO	0.0		0.00	0.00	
CENTRIFUGE	2	SWACO	0.0		0.00	0.00	
DESANDER	1	SWACO	0.0		0.00	0.00	
DESILTER	1	SWACO	0.0		0.00	0.00	
MUD CLEANER	1	SWACO	0.0	2x175	0.00	0.00	
SHALE SHAKER	1	Brandt	0.0	20/40	0.00	0.00	
SHALE SHAKER	1	SWACO	0.0		0.00	0.00	
SHALE SHAKER	2	Brandt	0.0	20/40	0.00	0.00	
SHALE SHAKER	3	Brandt	0.0	20/40	0.00	0.00	
SHALE SHAKER	4	Derrick Equipments Co	6.0	3x175	0.00	0.00	
SHALE SHAKER	5	Derrick Equipments Co	6.0	3x175	0.00	0.00	
SHALE SHAKER	6	Derrick Equipments Co	6.0	3x175	0.00	0.00	
				Total Volume Lost	0	0	

Volumes									
Additions bbl			Losses bbl			Total Volumes bbl			
Mud Added	Weight Materials		Downhole		Left In Pit	Starting Volume	1668.64	Riser w/o Pipe	193.29
Brine	Water		Cased Off		Trip Losses	Daily Additions	0.45	Casing w/o Pipe	667.68
Base Fluid	Product	0.45	Left In Hole		Injected	Daily Losses	413	Open Hole w/o Pipe	13.66
Recycled	Other		Discharged	413	Spill To Environment	Ending Volume	1256.09	String Displacement	55.19
			SCE		Onshore Disposal	Net Change	-412.55	String Capacity	79.94
			Evaporation		Returned			Total Hole w/ Pipe	819.45
			Other Losses					Total Active	1179.45
								Total Reserve	77.00

IADC Hours									
Tripping	2.5	Test Equipment	6	Tripping	9	Drill Cement and/or Float Eqpt.			3.5
Circulate	3								

BHDF Fluids Rep Maisonneuve J/ Waboso P.	BHDF Rep Phone 234-803-4020440	Warehouse Onne Port Harcourt	Warehouse Phone 234-84-462609	Coordinator Ogaree Lawson	Daily Cost 1890.00 USD	Cumulative Cost 570392.29 USD	Inventory Value 524639.73 USD	Page 2
---	-----------------------------------	---------------------------------	----------------------------------	------------------------------	---------------------------	----------------------------------	----------------------------------	--------

Any opinion and/or recommendation, expressed orally or written herein, has been prepared carefully and may be used if the user so elects, however, no representative or warranty is made by ourselves or our agents as to the correctness or completeness, and no liability is assumed for any damages resulting from the use of same.

**BAKER
HUGHES**

Rpt Date 26/Dec/2005		Well Name/No Bilabri DX 1		Section Name/No 17 1/2" Section #3			Mud System AQUA-DRILL										
Job# 1	Spud Date 22/Nov/2005	MD 1550.00 m		Progress 0.00 m		Present Activity Drill Cement and/or Float Eqpt.											
Operator Peak Petroleum Indust. Limited		Company Rep Tex Richards		Contractor Dolphin Drilling Ltd		Contractor Rep Troy Nolan / Blair Don											
Field/Lease Bilabri		Blk/Co/Parish OML - 122 / Nigeria		Area Offshore		Country/State Nigeria		Rig BULFORD DOLPHIN									
Primary Currency USD			Secondary Currency			Totals USD											
Daily Product Cost		540.00		Daily Product Cost		0.00		Primary Product 506120.61									
Daily Tax		0.00		Daily Tax		0.00		Secondary Product 0.00									
Debit/Credit		0.00		Debit/Credit		0.00		Primary Engineering 54675.00									
Daily Engineering Cost		1350.00		Daily Engineering Cost				Secondary Engineering 0.00									
Total Daily Cost		1890.00		Total Daily Cost		0.00		Primary Total 570392.29									
Total Inventory Value		524639.73		Total Inventory Value		0.00		Secondary Total 0.00									
								Deck Load 1055016 lb									
Products and Services																	
Product		Units	Start	Transferred In	Received	Returned	Lost	Daily Use	Final	Active Ending Concentrations lb/bbl	Reserve Ending Concentrations lb/bbl						
Bulk																	
BARITE - Imported		1000 kg	191						191	5.81	14.85						
Oil Based Product																	
CALCIUM CHLORIDE (97%)		25 kg	240						240								
CARBO-GEL 2		25 kg	180						180								
CARBO-TROL HT		25 kg	200						200								
OMNI-COTE		55 USgal	8						8								
OMNI-MUL		55 USgal	16						16								
OMNI-PLEX		55 USgal	12						12								
OMNI-TECH		55 USgal	12						12								
PARA-TEQ BASE FLUID		1 bbl		860					860	14.31	3.13						
Water Based Product																	
AQUA-COL D		1 m^3															
AQUA-COL D		1 m^3								5.91	8.27						
BENTONITE		50 kg	5						5								
CALCIUM CARBONATE - FINE		50 kg	20						20	4.93	3.36						
CAUSTIC SODA		25 kg	4						4	0.39	0.65						
LD-8		55 USgal								0.11	0.07						
LIME		25 kg	240						240								
MIL-GUAR		25 kg	25					4	21	0.35	0.42						
MIL-PAC R		25 kg	20						20	1.08	1.20						
MIL-PAC LV		25 kg	59						59	-0.46	1.68						
ML 1013 (BIOCID)		55 USgal	1						1	0.02	0.43						
NEW-DRILL PLUS		25 kg	30						30	0.49	0.51						
NUT PLUG F		25 lb	40						40								
POTASSIUM CHLORIDE		1000 kg															
POTASSIUM CHLORIDE		50 kg								0.64	0.74						
POTASSIUM CHLORIDE BRINE		1 bbl		790					790	69.95	123.79						
SODA ASH		25 kg	20						20								
SOLTEX		50 lb								1.92	1.30						
XANTHANGUM D		25 kg	24						24	1.24	1.53						
XCIDE 102		55 USgal															
Other																	
BLACK MAGIC SF T		50 lb															
OM SEAL		25 lb	52						52								
BHDF Fluids Rep Maisonneeue J/ Waboso P.		BHDF Rep Phone 234-803-4020440		Warehouse Onne Port Harcourt		Warehouse Phone 234-84-462609		Coordinator Ogaree Lawson		Daily Cost 1890.00 USD		Cumulative Cost 570392.29 USD		Inventory Value 524639.73 USD		Page 3	
Any opinion and/or recommendation, expressed orally or written herein, has been prepared carefully and may be used if the user so elects, however, no representative or warranty is made by ourselves or our agents as to the correctness or completeness, and no liability is assumed for any damages resulting from the use of same.																	