

**BAKER
HUGHES**

Rpt Date 05/Jan/2006				Well Name/No Bilabri DX 1				Section Name/No 12-1/4" Section #4				Mud System SYN-TEQ (PARA)							
Job# 1		Spud Date 22/Nov/2005				MD 2630.00 m		Progress 314.00 m		Present Activity Drilling Formation									
Operator Peak Petroleum Indust. Limited				Company Rep Tex Richards				Contractor Dolphin Drilling Ltd				Contractor Rep Troy Nolan / Blair Don							
Field/Lease Bilabri				Blk/Co/Parish OML - 122 / Nigeria				Area Offshore		Country/State Nigeria				Rig BULFORD DOLPHIN					
Drilling Assembly						Casing		Volumes	Pump Information										
Bit Gauge in		Mfr		Bit Model		OD in	ID in	Depth m	bbl	Model		Liner in	Stroke in	Eff %	Vol/Stk bbl	Stk Rate SPM	Circ Rate USgal/min		
12 1/4		HCC		PDC			19	168.00	Total Hole	Continental Ensco FA-1600		6 1/2	12.00	93.00	0.1145	0			
Drill Collars				Drill Pipe		20	18.700	453.00	1306.68	Continental Ensco FA-1600		6 1/2	12.00	93.00	0.1145	68	327		
OD in	ID in	Length m	OD in	ID in	Length m	13 3/8	12 3/8	1536.00	Active Pits	Continental Ensco FA-1600		6 1/2	12.00	93.00	0.1145	75	361		
8 1/2	2 3/4	55.48	5	4.276	2405.10		12 1/4	2630.00	410										
8	2 13/16	9.80	5	3	111.27				Tot Active										
			7 3/4	3 3/4	8.94				1716.68	Circulation Times									
									In Storage	Surface to Bit		8.9 min/1275stks		Total System		104.6 min/14958stks			
									774	Bottoms Up		70.6 min/10102stks							
Mud Properties						Max Ann Velocity			Hole Information										
Property		1	2	3	4	AV Riser	54.03 ft/min		Standpipe Pressure		2980 psi		Water Depth					168.25 m	
Sample From		Active Pit	Active Pit	Flow Line	Active Pit	AV Casing	161.86 ft/min		Hole Flow		688 USgal/min		Riser Booster Rate					USgal/min	
Check Time		05:00	11:00	17:00	23:30	AV Open Hole	166.79 ft/min		Solids Analysis										
MD m		2410.00	2475.00	2556.00	2622.00	Vc Open Hole	425.99 ft/min		Property		1	2	3	4					
TVD m		2311.60	2318.00	2436.00	2489.00	Vc Drill Pipe	0.00 ft/min		LGS %		5.19		6.60		6.04		5.98		
TDC deg m		2410.00	2475.00	2556.00	2622.00	Min Ann Velocity		LGS lb/bbl		47.32		60.11		55.04		54.48			
Inc deg		33.47	33.68	33.40	32.84	AV Riser	54.03 ft/min		HGS %		6.11		5.79		6.89		6.68		
Density ppg		10.1	10.2	10.4	10.4	AV Casing	161.86 ft/min		HGS lb/bbl		89.91		85.29		101.37		98.33		
Funnel Visc. sec/quart		77.0	78.0	81.0	83.0	AV Open Hole	166.79 ft/min		Avg Dens Sol sg		3.4648		3.3482		3.4524		3.4443		
Circ BHTdegF		173.0	174.0	183.0	183.0	Bit Information													
Flow Line Temp degF		140.0	140.0	137.0	137.0	Size	12 1/4 in												
Test Temp degF		130.0	130.0	137.0	137.0	Hours On Bit													
Rheol Temp degF		130.0	130.0	137.0	135.0	Bit Number													
PV cP		31	32	33	38	BHA Number		8		Rheology									
YP lbf/100ft^2		29	28	29	34	Depth In		1575.00 m		600 RPM		91		92		95		110	
10sec Gel lbf/100ft^2		11	9	12	13	Bit RPM				300 RPM		60		60		62		72	
10min Gel lbf/100ft^2		19	17	25	26	WOB		klbf		200 RPM		46		47		56		57	
HTHP Filtrate cc		2.6	2.6	2.6	2.8	Nozzles		7x16		100 RPM		33		33		38		38	
HTHP Cake in/32		2.0	2.0	2.0	2.0	Bit Hydraulics		6 RPM		10		9		12		12			
HTHP Temp degF		250.0	250.0	250.0	250.0	TFA		1.3744 in^2		3 RPM		8		8		10		10	
HTHP Pressure psi		500	500	500	500	Nozzle Vel		160.5 ft/sec											
Retort Water %		22.00	22.00	21.00	21.50	Bit Press Loss		240 psi											
Retort Base Fluid %		65.00	64.00	64.50	64.00	HHP / Area		0.83 HP/in^2		Hydraulic Analysis									
Retort Solids %		13.00	14.00	14.50	14.50	HHP		22.76 %		Behavior Index (n)								0.411</	

Any opinion and/or recommendation, expressed orally or written herein, has been prepared carefully and may be used if the user so elects, however, no representative or warranty is made by ourselves or our agents as to the correctness or completeness, and no liability is assumed for any damages resulting from the use of same.

ADVANTAGE Daily Drilling Fluids Report - 45



INTEQ

Rpt Date 05/Jan/2006		Well Name/No Bilabri DX 1		Section Name/No 12-1/4" Section #4		Mud System SYN-TEQ (PARA)	
Job# 1	Spud Date 22/Nov/2005		MD 2630.00 m		Progress 314.00 m		Present Activity Drilling Formation
Operator Peak Petroleum Indust. Limited		Company Rep Tex Richards		Contractor Dolphin Drilling Ltd		Contractor Rep Troy Nolan / Blair Don	
Field/Lease Bilabri		Blk/Co/Parish OML - 122 / Nigeria		Area Offshore		Country/State Nigeria	
Rig BULFORD DOLPHIN							
Solids Control Equipment							
Name	#	Mfr	Hours hours	Screen Sizes	Act Volume Lost bbl	Res Volume Lost bbl	Comments
CENTRIFUGE	1	SWACO	12.0		5.00	0.00	
CENTRIFUGE	2	SWACO	0.0		0.00	0.00	
DESANDER	1	SWACO	0.0		0.00	0.00	
DESILTER	1	SWACO	0.0		0.00	0.00	
MUD CLEANER	1	SWACO	22.0	2 x 210	3.00	0.00	
SHALE SHAKER	1	Brandt	0.0		0.00	0.00	
SHALE SHAKER	1	SWACO	0.0		0.00	0.00	
SHALE SHAKER	2	Brandt	0.0		0.00	0.00	
SHALE SHAKER	3	Brandt	0.0		0.00	0.00	
SHALE SHAKER	4	Derrick Equipments Co	24.0	3 x 200	5.00	0.00	
SHALE SHAKER	5	Derrick Equipments Co	24.0	200, 2 x 175	5.00	0.00	
SHALE SHAKER	6	Derrick Equipments Co	24.0	3 x 175	5.00	0.00	
				Total Volume Lost	23	0	
Volumes							
Additions bbl				Losses bbl		Total Volumes bbl	
Mud Added	Weight Materials	Downhole	20	Left In Pit	Starting Volume	2459.63	Riser w/o Pipe
Brine	Water	Cased Off		Trip Losses	Daily Additions	105.19	Casing w/o Pipe
Base Fluid	93 Product	12.19 Left In Hole		Injected	Daily Losses	74	Open Hole w/o Pipe
Recycled	Other	Discharged		Spill To Environment	Ending Volume	2490.82	String Displacement
		SCE	23	Onshore Disposal	Net Change	31.19	String Capacity
		Evaporation	4	Returned			Total Hole w/ Pipe
		Other Losses	27				Total Active
							Total Reserve
							774.00
IADC Hours							
Drilling Formation				21.5	Circulate		2.5
BHDF Fluids Rep	BHDF Rep Phone	Warehouse	Warehouse Phone	Coordinator	Daily Cost	Cumulative Cost	Inventory Value
Jose R / Wobo C	234-803-4020440	Onne Port Harcourt	234-84-462609	Ogaree Lawson	34380.90 USD	1784290.29 USD	382147.45 USD
Page 2							

Any opinion and/or recommendation, expressed orally or written herein, has been prepared carefully and may be used if the user so elects, however, no representative or warranty is made by ourselves or our agents as to the correctness or completeness, and no liability is assumed for any damages resulting from the use of same.

ADVANTAGE Daily Drilling Fluids Report - 45



INTEQ

Rpt Date 05/Jan/2006		Well Name/No Bilabri DX 1		Section Name/No 12-1/4" Section #4		Mud System SYN-TEQ (PARA)				
Job# 1	Spud Date 22/Nov/2005	MD 2630.00 m		Progress 314.00 m		Present Activity Drilling Formation				
Operator Peak Petroleum Indust. Limited		Company Rep Tex Richards		Contractor Dolphin Drilling Ltd		Contractor Rep Troy Nolan / Blair Don				
Field/Lease Bilabri		Blk/Co/Parish OML - 122 / Nigeria		Area Offshore		Country/State Nigeria				
						Rig BULFORD DOLPHIN				
Primary Currency USD		Secondary Currency		Totals USD						
Daily Product Cost 33030.90		Daily Product Cost 0.00		Primary Product		1706518.61				
Daily Tax 0.00		Daily Tax 0.00		Secondary Product		0.00				
Debit/Credit 0.00		Debit/Credit 0.00		Primary Engineering		68175.00				
Daily Engineering Cost 1350.00		Daily Engineering Cost		Secondary Engineering		0.00				
Total Daily Cost 34380.90		Total Daily Cost 0.00		Primary Total		1784290.29				
Total Inventory Value 382147.45		Total Inventory Value 0.00		Secondary Total		0.00				
				Deck Load		843280 lb				
Products and Services										
Product	Units	Start	Transferred In	Received	Returned	Lost	Daily Use	Final	Active Ending Concentrations lb/bbl	Reserve Ending Concentrations lb/bbl
Bulk										
BARITE - Imported	1000 kg	144						144	46.65	5.22
Oil Based Product										
CALCIUM CHLORIDE (97%)	1000 kg									
CALCIUM CHLORIDE (97%)	25 kg	120					80	40	5.56	
CARBO-GEL	25 kg									
CARBO-GEL 2	25 kg	170					2	168	0.28	
CARBO-TROL HT	25 kg	100						100	2.12	
OMNI-COTE	55 USgal	8						8		
OMNI-MUL	55 USgal	20						20	2.98	0.54
OMNI-PLEX	55 USgal	14					2	12	1.55	0.02
OMNI-TEC	55 USgal	22						22	1.21	0.55
PARA-TEQ BASE FLUID	1 bbl	500					93	407	57.37	38.42
SA-58	50 lb									
Water Based Product										
AQUA-COL D	1 m^3									
AQUA-COL D	1 m^3									
BENTONITE	50 kg	5						5		
CALCIUM CARBONATE - FINE	50 kg	174						174	5.12	4.43
CALCIUM CARBONATE - MED	50 kg	80						80		
CAUSTIC SODA	25 kg	4						4		
LD-8	55 USgal									
LIME	25 kg	200					50	150	6.35	
MIL-GUAR	25 kg	19						19		
MIL-PAC R	25 kg	20						20		
MIL-PAC LV	25 kg	59						59		
ML 1013 (BIOCIDE)	55 USgal	1						1		
NEW-DRILL PLUS	25 kg	29						29		
NUT PLUG F	25 lb	40						40		
POTASSIUM CHLORIDE	1000 kg									
POTASSIUM CHLORIDE	50 kg	4						4		
POTASSIUM CHLORIDE BRINE	1 bbl	790						790		
SODA ASH	25 kg	20						20		
SOLTEX	50 lb									
XANTHANGUM D	25 kg	24						24		
XCIDE 102	55 USgal									
LCM										
SOLUFLAKE F	25 kg	40						40		
Other										
BLACK MAGIC SF T	50 lb									
QM SEAL	25 lb	52						52		
BHDF Fluids Rep Jose R / Wobo C	BHDF Rep Phone 234-803-4020440	Warehouse Onne Port Harcourt	Warehouse Phone 234-84-462609	Coordinator Ogaree Lawson	Daily Cost 34380.90 USD	Cumulative Cost 1784290.29 USD	Inventory Value 382147.45 USD	Page 3		
Any opinion and/or recommendation, expressed orally or written herein, has been prepared carefully and may be used if the user so elects, however, no representative or warranty is made by ourselves or our agents as to the correctness or completeness, and no liability is assumed for any damages resulting from the use of same.										