

**BAKER
HUGHES**

Rpt Date 08/Jan/2006			Well Name/No Bilabri DX 1			Section Name/No 12-1/4" Section #4			Mud System SYN-TEQ (PARA)						
Job# 1		Spud Date 22/Nov/2005			MD 2779.00 m		Progress 0.00 m		Present Activity Wireline Logs						
Operator Peak Petroleum Indust. Limited			Company Rep Tex Richards			Contractor Dolphin Drilling Ltd			Contractor Rep Troy Nolan / Blair Don						
Field/Lease Bilabri		Blk/Co/Parish OML - 122 / Nigeria			Area Offshore		Country/State Nigeria		Rig BULFORD DOLPHIN						
Drilling Assembly			Casing			Volumes	Pump Information								
Bit Gauge in	Mfr		Bit Model	OD in	ID in	Depth m	bbl	Model	Liner in	Stroke in	Eff %	Vol/Stk bbl	Stk Rate SPM	Circ Rate USgal/min	
12 1/4					19	168.00	Total Hole	Continental Ensco FA-1600	6 1/2	12.00	93.00	0.1145	0		
Drill Collars		Drill Pipe		20	18.700	453.00	1455.46	Continental Ensco FA-1600	6 1/2	12.00	93.00	0.1145	0		
OD in	ID in	Length m	OD in	ID in	Length m	13 3/8	12 3/8	1536.00	Active Pits	6 1/2	12.00	93.00	0.1145	0	
							12 1/4	2779.00	387						
									Tot Active						
									1842.46						
									In Storage						
								357	Surface to Bit		min/stks	Total System		min/stks	
									Bottoms Up		min/stks				
Mud Properties						Max Ann Velocity		Hole Information							
Property			Fluid Spec	1	2	3	AV Riser	ft/min	Standpipe Pressure		psi	Water Depth		168.25 m	
Sample From				Active Pit			AV Casing	ft/min	Hole Flow		USgal/min	Riser Booster Rate		USgal/min	
Check Time				06:00			AV Open Hole	ft/min	Solids Analysis						
MD m				2779.00			Vc Open Hole	ft/min	Property		1	2	3	4	
TVD m				2620.00			Vc Drill Pipe	ft/min	LGS %		6.64				
Bit Depth m				0.00			Min Ann Velocity		LGS lb/bbl		60.50				
Inc deg				32.90			AV Riser	ft/min	HGS %		7.11				
Density ppg			0.0	10.6			AV Casing	ft/min	HGS lb/bbl		104.68				
Funnel Visc. sec/quart			0.0	100.0			AV Open Hole	ft/min	Avg Dens Sol sg		3.4275				
Test Temp degF				100.0			Bit Information								
Rheol Temp degF				130.0			Size								
PV cP				47			Hours On Bit								
YP lbf/100ft^2			0	32			Bit Number								
10sec Gel lbf/100ft^2				15			BHA Number		Rheology						
10min Gel lbf/100ft^2				30			Depth In		600 RPM		126				
HTHP Filtrate cc				2.8			Bit RPM		300 RPM		79				
HTHP Cake in/32				2.0			WOB		200 RPM		58				
HTHP Temp degF				250.0			Nozzles		100 RPM		41				
HTHP Pressure psi				500			Bit Hydraulics		6 RPM		12				
Retort Water %				21.50			TFA		3 RPM		10				

ADVANTAGE Daily Drilling Fluids Report - 48



INTEQ

Rpt Date 08/Jan/2006		Well Name/No Bilabri DX 1		Section Name/No 12-1/4" Section #4		Mud System SYN-TEQ (PARA)	
Job# 1	Spud Date 22/Nov/2005		MD 2779.00 m		Progress 0.00 m		Present Activity Wireline Logs
Operator Peak Petroleum Indust. Limited		Company Rep Tex Richards		Contractor Dolphin Drilling Ltd		Contractor Rep Troy Nolan / Blair Don	
Field/Lease Bilabri		Blk/Co/Parish OML - 122 / Nigeria		Area Offshore		Country/State Nigeria	
Rig BULFORD DOLPHIN							
Solids Control Equipment							
Name	#	Mfr	Hours	Screen Sizes	Act Volume Lost bbl	Res Volume Lost bbl	Comments
CENTRIFUGE	1	SWACO	0.0		0.00	0.00	
CENTRIFUGE	2	SWACO	0.0		0.00	0.00	
DESANDER	1	SWACO	0.0		0.00	0.00	
DESILTER	1	SWACO	0.0		0.00	0.00	
MUD CLEANER	1	SWACO	0.0	2 x 210	0.00	0.00	
SHALE SHAKER	1	Brandt	0.0		0.00	0.00	
SHALE SHAKER	1	SWACO	0.0		0.00	0.00	
SHALE SHAKER	2	Brandt	0.0		0.00	0.00	
SHALE SHAKER	3	Brandt	0.0		0.00	0.00	
SHALE SHAKER	4	Derrick Equipments Co	0.0	3 x 200	0.00	0.00	
SHALE SHAKER	5	Derrick Equipments Co	0.0	200, 2 x 175	0.00	0.00	
SHALE SHAKER	6	Derrick Equipments Co	0.0	3 x 175	0.00	0.00	
				Total Volume Lost	0	0	
Volumes							
Additions bbl		Losses bbl			Total Volumes bbl		
Mud Added	Weight Materials	Downhole	Left In Pit		Starting Volume	2428.46	Riser w/o Pipe
Brine	Water	Cased Off	Trip Losses		Daily Additions		Casing w/o Pipe
Base Fluid	Product	Left In Hole	Injected		Daily Losses	229	Open Hole w/o Pipe
Recycled	Other	Discharged	Spill To Environment		Ending Volume	2199.46	String Displacement
		SCE	Onshore Disposal		Net Change	-229.00	String Capacity
		Evaporation	Returned	229			Total Hole w/ Pipe
		Other Losses					Total Active
							Total Reserve
IADC Hours							
Wireline Logs					24		
BHDF Fluids Rep		BHDF Rep Phone	Warehouse	Warehouse Phone	Coordinator	Daily Cost	Cumulative Cost
Jose Rodriguez / Wobo Chimeka		234-803-4020440	Onne Port Harcourt	234-84-462609	Ogaree Lawson	1350.00 USD	1812087.93 USD
						Inventory Value	Page 2
						398930.69 USD	

Any opinion and/or recommendation, expressed orally or written herein, has been prepared carefully and may be used if the user so elects, however, no representative or warranty is made by ourselves or our agents as to the correctness or completeness, and no liability is assumed for any damages resulting from the use of same.

ADVANTAGE Daily Drilling Fluids Report - 48



INTEQ

Rpt Date 08/Jan/2006		Well Name/No Bilabri DX 1		Section Name/No 12-1/4" Section #4		Mud System SYN-TEQ (PARA)											
Job# 1	Spud Date 22/Nov/2005	MD 2779.00 m	Progress 0.00 m	Present Activity Wireline Logs													
Operator Peak Petroleum Indust. Limited		Company Rep Tex Richards	Contractor Dolphin Drilling Ltd		Contractor Rep Troy Nolan / Blair Don												
Field/Lease Bilabri	Blk/Co/Parish OML - 122 / Nigeria	Area Offshore	Country/State Nigeria		Rig BULFORD DOLPHIN												
Primary Currency USD		Secondary Currency		Totals USD													
Daily Product Cost	0.00	Daily Product Cost	0.00	Primary Product		1730266.25											
Daily Tax	0.00	Daily Tax	0.00	Secondary Product		0.00											
Debit/Credit	0.00	Debit/Credit	0.00	Primary Engineering		72225.00											
Daily Engineering Cost	1350.00	Daily Engineering Cost		Secondary Engineering		0.00											
Total Daily Cost	1350.00	Total Daily Cost	0.00	Primary Total		1812087.93											
Total Inventory Value	398930.69	Total Inventory Value	0.00	Secondary Total		0.00											
				Deck Load		932884 lb											
Products and Services																	
Product	Units	Start	Transferred In	Received	Returned	Lost	Daily Use	Final	Active Ending Concentrations lb/bbl	Reserve Ending Concentrations lb/bbl							
Bulk																	
BARITE - Imported	1000 kg	184						184	52.83	5.22							
Oil Based Product																	
CALCIUM CHLORIDE (97%)	1000 kg																
CALCIUM CHLORIDE (97%)	25 kg	280						280	4.82								
CARBO-GEL	25 kg																
CARBO-GEL 2	25 kg	164						164	0.36								
CARBO-TROL HT	25 kg	100						100	1.84								
OMNI-COTE	55 USgal	8						8									
OMNI-MUL	55 USgal	24						24	3.50	0.52							
OMNI-PLEX	55 USgal	12						12	1.34	0.02							
OMNI-TEC	55 USgal	22						22	1.11	0.53							
PARA-TEQ BASE FLUID	1 bbl	357						357	57.15	46.90							
SA-58	50 lb																
Water Based Product																	
AQUA-COL D	1 m^3																
AQUA-COL D	1 m^3																
BENTONITE	50 kg	5						5									
CALCIUM CARBONATE - FINE	50 kg	174						174	4.93	4.27							
CALCIUM CARBONATE - MED	50 kg	80						80									
CAUSTIC SODA	25 kg	4						4									
LD-8	55 USgal																
LIME	25 kg	150						150	5.50								
MIL-GUAR	25 kg	19						19									
MIL-PAC R	25 kg	20						20									
MIL-PAC LV	25 kg	59						59									
ML 1013 (BIOCIDE)	55 USgal	1						1									
NEW-DRILL PLUS	25 kg	29						29									
NUT PLUG F	25 lb	40						40									
POTASSIUM CHLORIDE	1000 kg																
POTASSIUM CHLORIDE	50 kg	4						4									
POTASSIUM CHLORIDE BRINE	1 bbl	790						790									
SODA ASH	25 kg	20						20									
SOLTEX	50 lb																
XANTHANGUM D	25 kg	24						24									
XCIDE 102	55 USgal																
LCM																	
SOLUFLAKE F	25 kg	40						40									
Other																	
BLACK MAGIC SF T	50 lb																
QM SEAL	25 lb	52						52									
BHDF Fluids Rep		BHDF Rep Phone		Warehouse		Warehouse Phone		Coordinator		Daily Cost		Cumulative Cost		Inventory Value		Page 3	
Jose Rodriguez / Wobo Chimeka		234-803-4020440		Onne Port Harcourt		234-84-462609		Ogaree Lawson		1350.00 USD		1812087.93 USD		398930.69 USD			
Any opinion and/or recommendation, expressed orally or written herein, has been prepared carefully and may be used if the user so elects, however, no representative or warranty is made by ourselves or our agents as to the correctness or completeness, and no liability is assumed for any damages resulting from the use of same.																	