

**BAKER
HUGHES**

Rpt Date 12/Jan/2006			Well Name/No Bilabri DX 1			Section Name/No 12-1/4" Section #4			Mud System SYN-TEQ (PARA)									
Job# 1		Spud Date 22/Nov/2005			MD 2779.00 m			Progress 0.00 m		Present Activity Run Casing								
Operator Peak Petroleum Indust. Limited			Company Rep Tex Richards			Contractor Dolphin Drilling Ltd			Contractor Rep Brian Meechan / Ally Tough									
Field/Lease Bilabri		Blk/Co/Parish OML - 122 / Nigeria			Area Offshore		Country/State Nigeria		Rig BULFORD DOLPHIN									
Drilling Assembly				Casing			Volumes	Pump Information										
Bit Gauge in	Mfr		Bit Model		OD in	ID in	Depth m	bbl	Model	Liner in	Stroke in	Eff %	Vol/Stk bbl	Stk Rate SPM	Circ Rate USgal/min			
0						19	168.00	Total Hole 1302.9	Continental Ensco FA-1600	5 1/2	12.00	97.00	0.0855	0				
Drill Collars		Drill Pipe			20	18.700	453.00	1302.9	Continental Ensco FA-1600	5 1/2	12.00	97.00	0.0855	0				
OD in	ID in	Length m		OD in	ID in	Length m		13 3/8	12 3/8	1536.00	Active Pits 475	Continental Ensco FA-1600	5 1/2	12.00	97.00	0.0855	0	
									12 1/4	2779.00								
											Tot Active 1777.9							
											In Storage 249	Surface to Bit	min/stks		Total System		min/stks	
												Bottoms Up	min/stks					
Mud Properties						Max Ann Velocity				Hole Information								
Property			Fluid Spec		1	2	3	AV Riser	ft/min	Standpipe Pressure psi		Water Depth 168.25 m						
Sample From					Active Pit			AV Casing	ft/min	Hole Flow USgal/min		Riser Booster Rate USgal/min						
Check Time					06:00			AV Open Hole	ft/min	Solids Analysis								
MD m					2779.00			Vc Open Hole	ft/min	Property		1	2	3	4			
TVD m					2620.00			Vc Drill Pipe	ft/min	LGS %		6.73						
Bit Depth m					0.00			Min Ann Velocity		LGS lb/bbl		61.37						
Inc deg					32.90			AV Riser	ft/min	HGS %		7.50						
Density ppg			0.0		10.7			AV Casing	ft/min	HGS lb/bbl		110.39						
Funnel Visc. sec/quart			0.0		98.0			AV Open Hole	ft/min	Avg Dens Sol sg		3.4429						
Test Temp degF					101.0			Bit Information										
Rheol Temp degF					130.0			Size										
PV cP					40			Hours On Bit										
YP lbf/100ft^2			0		38			Bit Number										
10sec Gel lbf/100ft^2					15			BHA Number		Rheology								
10min Gel lbf/100ft^2					30			Depth In		600 RPM		118						
HTHP Filtrate cc					2.8			Bit RPM		300 RPM		78						
HTHP Cake in/32					2.0			WOB		200 RPM		62						
HTHP Temp degF					250.0			Nozzles		100 RPM		40						
HTHP Pressure psi					500			Bit Hydraulics		6 RPM		13						
Retort Water %					20.00			TFA		3 RPM		11						
Retort Base Fluid %					64.00			Nozzle Vel	ft/sec									
Retort Solids %					16.00			Bit Press Loss	psi									
Corrected Solids %					14.23			HHP / Area	HP/in^2	Hydraulic Analysis								
Oil:Water Ratio					76:24			HHP	%	Behavior Index (n)								
Alk (Whole Mud-POM) cc																		

ADVANTAGE Daily Drilling Fluids Report - 52



INTEQ

Rpt Date 12/Jan/2006		Well Name/No Bilabri DX 1		Section Name/No 12-1/4" Section #4		Mud System SYN-TEQ (PARA)	
Job# 1	Spud Date 22/Nov/2005		MD 2779.00 m		Progress 0.00 m		Present Activity Run Casing
Operator Peak Petroleum Indust. Limited		Company Rep Tex Richards		Contractor Dolphin Drilling Ltd		Contractor Rep Brian Meechan / Ally Tough	
Field/Lease Bilabri		Blk/Co/Parish OML - 122 / Nigeria		Area Offshore		Country/State Nigeria	
Rig BULFORD DOLPHIN							
Solids Control Equipment							
Name	#	Mfr	Hours hours	Screen Sizes	Act Volume Lost bbl	Res Volume Lost bbl	Comments
CENTRIFUGE	1	SWACO	0.0		0.00	0.00	
CENTRIFUGE	2	SWACO	0.0		0.00	0.00	
DESANDER	1	SWACO	0.0		0.00	0.00	
DESILTER	1	SWACO	0.0		0.00	0.00	
MUD CLEANER	1	SWACO	0.0	2 x 210	0.00	0.00	
SHALE SHAKER	1	Brandt	0.0		0.00	0.00	
SHALE SHAKER	1	SWACO	0.0		0.00	0.00	
SHALE SHAKER	2	Brandt	0.0		0.00	0.00	
SHALE SHAKER	3	Brandt	0.0		0.00	0.00	
SHALE SHAKER	4	Derrick Equipments Co	24.0	3 x 200	0.00	0.00	
SHALE SHAKER	5	Derrick Equipments Co	24.0	200, 2 x 175	0.00	0.00	
SHALE SHAKER	6	Derrick Equipments Co	0.0	3 x 175	0.00	0.00	
				Total Volume Lost	0	0	
Volumes							
Additions bbl		Losses bbl		Total Volumes bbl			
Mud Added	Weight Materials	Downhole	Left In Pit	Starting Volume	2026.46	Riser w/o Pipe	193.29
Brine	Water	Cased Off	Trip Losses	Daily Additions		Casing w/o Pipe	667.68
Base Fluid	Product	Left In Hole	Injected	Daily Losses		Open Hole w/o Pipe	594.48
Recycled	Other	Discharged	Spill To Environment	Ending Volume	2026.46	String Displacement	152.56
		SCE	Onshore Disposal	Net Change		String Capacity	665.29
		Evaporation	Returned			Total Hole w/ Pipe	1302.90
		Other Losses				Total Active	1777.90
						Total Reserve	249.00
IADC Hours							
Run Casing		23	Surface String Handling			1	
BHDF Fluids Rep		BHDF Rep Phone	Warehouse	Warehouse Phone	Coordinator	Daily Cost	Cumulative Cost
Jose Rodriguez / Wobo Chimeka		234-803-4020440	Onne Port Harcourt	234-84-462609	Ogaree Lawson	1350.00 USD	1817855.33 USD
						Inventory Value	Page 2
						398563.29 USD	

Any opinion and/or recommendation, expressed orally or written herein, has been prepared carefully and may be used if the user so elects, however, no representative or warranty is made by ourselves or our agents as to the correctness or completeness, and no liability is assumed for any damages resulting from the use of same.

ADVANTAGE Daily Drilling Fluids Report - 52



INTEQ

Rpt Date 12/Jan/2006		Well Name/No Bilabri DX 1		Section Name/No 12-1/4" Section #4				Mud System SYN-TEQ (PARA)			
Job# 1	Spud Date 22/Nov/2005			MD 2779.00 m		Progress 0.00 m		Present Activity Run Casing			
Operator Peak Petroleum Indust. Limited			Company Rep Tex Richards		Contractor Dolphin Drilling Ltd			Contractor Rep Brian Meechan / Ally Tough			
Field/Lease Bilabri		Blk/Co/Parish OML - 122 / Nigeria			Area Offshore		Country/State Nigeria		Rig BULFORD DOLPHIN		
Primary Currency USD				Secondary Currency			Totals USD				
Daily Product Cost		0.00		Daily Product Cost		0.00		Primary Product		1730633.65	
Daily Tax		0.00		Daily Tax		0.00		Secondary Product		0.00	
Debit/Credit		0.00		Debit/Credit		0.00		Primary Engineering		77625.00	
Daily Engineering Cost		1350.00		Daily Engineering Cost				Secondary Engineering		0.00	
Total Daily Cost		1350.00		Total Daily Cost		0.00		Primary Total		1817855.33	
Total Inventory Value		398563.29		Total Inventory Value		0.00		Secondary Total		0.00	
								Deck Load		932664 lb	
Products and Services											
Product		Units	Start	Transferred In	Received	Returned	Lost	Daily Use	Final	Active Ending Concentrations lb/bbl	Reserve Ending Concentrations lb/bbl
Bulk											
BARITE - Imported		1000 kg	184						184	52.82	10.59
Oil Based Product											
CALCIUM CHLORIDE (97%)		1000 kg									
CALCIUM CHLORIDE (97%)		25 kg	280						280	4.82	0.54
CARBO-GEL		25 kg									
CARBO-GEL 2		25 kg	160						160	0.48	0.04
CARBO-TROL HT		25 kg	100						100	1.84	0.21
OMNI-COTE		55 USgal	8						8		
OMNI-MUL		55 USgal	24						24	3.50	0.85
OMNI-PLEX		55 USgal	12						12	1.34	0.17
OMNI-TEC		55 USgal	22						22	1.11	0.59
PARA-TEQ BASE FLUID		1 bbl	357						357	57.14	48.06
SA-58		50 lb									
Water Based Product											
AQUA-COL D		1 m^3									
AQUA-COL D		1 m^3									
BENTONITE		50 kg	5						5		
CALCIUM CARBONATE - FINE		50 kg	174						174	4.93	4.34
CALCIUM CARBONATE - MED		50 kg	80						80		
CAUSTIC SODA		25 kg	4						4		
LD-8		55 USgal									
LIME		25 kg	150						150	5.50	0.62
MIL-GUAR		25 kg	19						19		
MIL-PAC R		25 kg	20						20		
MIL-PAC LV		25 kg	59						59		
ML 1013 (BIOCIDE)		55 USgal	1						1		
NEW-DRILL PLUS		25 kg	29						29		
NUT PLUG F		25 lb	40						40		
POTASSIUM CHLORIDE		1000 kg									
POTASSIUM CHLORIDE		50 kg	4						4		
POTASSIUM CHLORIDE BRINE		1 bbl	790						790		
SODA ASH		25 kg	20						20		
XANTHANGUM D		25 kg	24						24		
XCIDE 102		55 USgal									
LCM											
SOLUFLAKE F		25 kg	40						40		
Other											
BLACK MAGIC SF T		50 lb									
OM SEAL		25 lb	52						52		
BHDF Fluids Rep		BHDF Rep Phone		Warehouse		Warehouse Phone		Coordinator		Daily Cost	
Jose Rodriguez / Wobo Chimeka		234-803-4020440		Onne Port Harcourt		234-84-462609		Ogaree Lawson		1350.00 USD	
										Cumulative Cost	
										1817855.33 USD	
										Inventory Value	
										398563.29 USD	
										Page 3	
Any opinion and/or recommendation, expressed orally or written herein, has been prepared carefully and may be used if the user so elects, however, no representative or warranty is made by ourselves or our agents as to the correctness or completeness, and no liability is assumed for any damages resulting from the use of same.											