

**BAKER
HUGHES**

Rpt Date 15/Jan/2006			Well Name/No Bilabri DX 1			Section Name/No 8 1/2" Section #5			Mud System SYN-TEQ (PARA)							
Job# 1		Spud Date 22/Nov/2005			MD 2770.00 m			Progress 0.00 m		Present Activity Surface String Handling						
Operator Peak Petroleum Indust. Limited					Company Rep Tex Richards			Contractor Dolphin Drilling Ltd		Contractor Rep Brian Meechan / Ally Tough						
Field/Lease Bilabri			Blk/Co/Parish OML - 122 / Nigeria			Area Offshore		Country/State Nigeria		Rig BULFORD DOLPHIN						
Drilling Assembly				Casing			Volumes	Pump Information								
Bit Gauge in		Mfr	Bit Model		OD in	ID in	Depth m	bbl	Model		Liner in	Stroke in	Eff %	Vol/Stk bbl	Stk Rate SPM	Circ Rate USgal/min
0						19	168.00	Total Hole	Continental Ensco FA-1600		5 1/2	12.00	97.00	0.0855	0	
Drill Collars		Drill Pipe		20	18.700	453.00	818.24	Continental Ensco FA-1600		5 1/2	12.00	97.00	0.0855	0		
OD in	ID in	Length m	OD in	ID in	Length m	13 3/8	12 3/8	1536.00	Active Pits	Continental Ensco FA-1600	5 1/2	12.00	97.00	0.0855	0	
						9 5/8	8.681	2770.00	460							
									Tot Active							
									1278.24							
									In Storage	Surface to Bit	min/stks		Total System		min/stks	
									529	Bottoms Up	min/stks					
Mud Properties						Max Ann Velocity			Hole Information							
Property			Fluid Spec		1	2	3	AV Riser	ft/min	Standpipe Pressure		psi	Water Depth		168.25 m	
Sample From					Active Pit			AV Casing	ft/min	Hole Flow		USgal/min	Riser Booster Rate		USgal/min	
Check Time					06:00			AV Open Hole	ft/min	Solids Analysis						
MD m					2770.00			Vc Open Hole	ft/min	Property		1	2	3	4	
TVD m					2620.00			Vc Drill Pipe	ft/min	LGS %		6.68				
Bit Depth m					0.00			Min Ann Velocity		LGS lb/bbl		60.92				
Inc deg					32.90			AV Riser	ft/min	HGS %		7.46				
Density ppg			10.7-16.0		10.7			AV Casing	ft/min	HGS lb/bbl		109.75				
Funnel Visc. sec/quart			70.0-100.0		100.0			AV Open Hole	ft/min	Avg Dens Sol sg		3.4436				
Test Temp degF					95.0			Bit Information								
Rheol Temp degF					130.0			Size								
PV cP					38			Hours On Bit								
YP lbf/100ft^2			20-25		34			Bit Number								
10sec Gel lbf/100ft^2					15			BHA Number								
10min Gel lbf/100ft^2					33			Depth In				600 RPM	110			
HTHP Filtrate cc					3.0			Bit RPM				300 RPM	72			
HTHP Cake in/32					2.0			WOB				200 RPM	41			
HTHP Temp degF					250.0			Nozzles				100 RPM	29			
HTHP Pressure psi					500			Bit Hydraulics				6 RPM	13			
Retort Water %					20.00			TFA				3 RPM	11			
Retort Base Fluid %					64.00			Nozzle Vel		ft/sec						
Retort Solids %					16.00			Bit Press Loss		psi						
Corrected Solids %																

ADVANTAGE Daily Drilling Fluids Report - 55



INTEQ

Rpt Date 15/Jan/2006		Well Name/No Bilabri DX 1		Section Name/No 8 1/2" Section #5		Mud System SYN-TEQ (PARA)	
Job# 1	Spud Date 22/Nov/2005		MD 2770.00 m		Progress 0.00 m		Present Activity Surface String Handling
Operator Peak Petroleum Indust. Limited			Company Rep Tex Richards		Contractor Dolphin Drilling Ltd		Contractor Rep Brian Meechan / Ally Tough
Field/Lease Bilabri		Blk/Co/Parish OML - 122 / Nigeria		Area Offshore		Country/State Nigeria	
Rig BULFORD DOLPHIN							
Solids Control Equipment							
Name	#	Mfr	Hours hours	Screen Sizes	Act Volume Lost bbl	Res Volume Lost bbl	Comments
CENTRIFUGE	1	SWACO	0.0		0.00	0.00	
CENTRIFUGE	2	SWACO	0.0		0.00	0.00	
DESANDER	1	SWACO	0.0		0.00	0.00	
DESILTER	1	SWACO	0.0		0.00	0.00	
MUD CLEANER	1	SWACO	0.0	2 x 210	0.00	0.00	
SHALE SHAKER	1	Brandt	0.0		0.00	0.00	
SHALE SHAKER	1	SWACO	0.0		0.00	0.00	
SHALE SHAKER	2	Brandt	0.0		0.00	0.00	
SHALE SHAKER	3	Brandt	0.0		0.00	0.00	
SHALE SHAKER	4	Derrick Equipments Co	0.0	3 x 200	0.00	0.00	
SHALE SHAKER	5	Derrick Equipments Co	0.0	200, 2 x 175	0.00	0.00	
SHALE SHAKER	6	Derrick Equipments Co	0.0	3 x 175	0.00	0.00	
				Total Volume Lost	0	0	
Volumes							
Additions bbl		Losses bbl		Total Volumes bbl			
Mud Added	Weight Materials	Downhole	Left In Pit	Starting Volume	1807.24	Riser w/o Pipe	193.29
Brine	Water	Cased Off	Trip Losses	Daily Additions		Casing w/o Pipe	624.94
Base Fluid	Product	Left In Hole	Injected	Daily Losses		Open Hole w/o Pipe	
Recycled	Other	Discharged	Spill To Environment	Ending Volume	1807.24	String Displacement	
		SCE	Onshore Disposal	Net Change		String Capacity	
		Evaporation	Returned			Total Hole w/ Pipe	818.24
		Other Losses				Total Active	1278.24
						Total Reserve	529.00
IADC Hours							
Surface String Handling					24		
BHDF Fluids Rep		BHDF Rep Phone	Warehouse	Warehouse Phone	Coordinator	Daily Cost	Cumulative Cost
Jose Rodriguez / Wobo Chimeka		234-803-4020440	Onne Port Harcourt	234-84-462609	Ogaree Lawson	1350.00 USD	1825646.03 USD
						Inventory Value	Page 2
						394822.59 USD	

Any opinion and/or recommendation, expressed orally or written herein, has been prepared carefully and may be used if the user so elects, however, no representative or warranty is made by ourselves or our agents as to the correctness or completeness, and no liability is assumed for any damages resulting from the use of same.

**BAKER
HUGHES**

Rpt Date 15/Jan/2006		Well Name/No Bilabri DX 1		Section Name/No 8 1/2" Section #5				Mud System SYN-TEQ (PARA)						
Job# 1	Spud Date 22/Nov/2005		MD 2770.00 m		Progress 0.00 m		Present Activity		Surface String Handling					
Operator Peak Petroleum Indust. Limited			Company Rep Tex Richards		Contractor Dolphin Drilling Ltd			Contractor Rep Brian Meechan / Ally Tough						
Field/Lease Bilabri		Blk/Co/Parish OML - 122 / Nigeria			Area Offshore		Country/State Nigeria		Rig BULFORD DOLPHIN					
Primary Currency USD				Secondary Currency				Totals USD						
Daily Product Cost		0.00		Daily Product Cost		0.00		Primary Product		1734374.35				
Daily Tax		0.00		Daily Tax		0.00		Secondary Product		0.00				
Debit/Credit		0.00		Debit/Credit		0.00		Primary Engineering		81675.00				
Daily Engineering Cost		1350.00		Daily Engineering Cost				Secondary Engineering		0.00				
Total Daily Cost		1350.00		Total Daily Cost		0.00		Primary Total		1825646.03				
Total Inventory Value		394822.59		Total Inventory Value		0.00		Secondary Total		0.00				
								Deck Load		931390 lb				
Products and Services														
Product		Units	Start	Transferred In	Received	Returned	Lost	Daily Use	Final	Active Ending Concentrations lb/bbl	Reserve Ending Concentrations lb/bbl			
Bulk														
BARITE - Imported		1000 kg	184						184	52.71	32.95			
Oil Based Product														
CALCIUM CHLORIDE (97%)		1000 kg												
CALCIUM CHLORIDE (97%)		25 kg	280						280	4.81	2.81			
CARBO-GEL		25 kg												
CARBO-GEL 2		25 kg	160						160	0.48	0.27			
CARBO-TROL HT		25 kg	100						100	1.83	1.07			
OMNI-COTE		55 USgal	7						7	0.24				
OMNI-MUL		55 USgal	22						22	3.97	2.26			
OMNI-PLEX		55 USgal	12						12	1.34	0.79			
OMNI-TEC		55 USgal	22						22	1.11	0.86			
PARA-TEQ BASE FLUID		1 bbl	357						357	57.01	52.86			
SA-58		50 lb												
Water Based Product														
BENTONITE		50 kg	5						5					
CALCIUM CARBONATE - FINE		50 kg	174						174	4.92	4.65			
CALCIUM CARBONATE - MED		50 kg	80						80					
CAUSTIC SODA		25 kg	4						4					
LD-8		55 USgal												
LIME		25 kg	150						150	5.49	3.21			
MIL-GUAR		25 kg	19						19					
MIL-PAC R		25 kg	20						20					
MIL-PAC LV		25 kg	59						59					
ML 1013 (BIOCID)		55 USgal	1						1					
NEW-DRILL PLUS		25 kg	29						29					
NUT PLUG F		25 lb	40						40					
POTASSIUM CHLORIDE		1000 kg												
POTASSIUM CHLORIDE		50 kg	4						4					
POTASSIUM CHLORIDE BRINE		1 bbl	790						790					
SODA ASH		25 kg	20						20					
XANTHANGUM D		25 kg	24						24					
LCM														
SOLUFLAKE F		25 kg	40						40					
Other														
BLACK MAGIC SF T		50 lb												
OM SEAL		25 lb	52						52					
BHDF Fluids Rep		BHDF Rep Phone		Warehouse		Warehouse Phone		Coordinator		Daily Cost		Cumulative Cost	Inventory Value	Page 3
Jose Rodriguez / Wobo Chimeka		234-803-4020440		Onne Port Harcourt		234-84-462609		Ogaree Lawson		1350.00 USD		1825646.03 USD	394822.59 USD	
Any opinion and/or recommendation, expressed orally or written herein, has been prepared carefully and may be used if the user so elects, however, no representative or warranty is made by ourselves or our agents as to the correctness or completeness, and no liability is assumed for any damages resulting from the use of same.														