

**BAKER
HUGHES**

Rpt Date 18/Jan/2006			Well Name/No Bilabri DX 1			Section Name/No 8 1/2" Section #5			Mud System SYN-TEQ (PARA)								
Job# 1	Spud Date 22/Nov/2005			MD 3105.00 m		Progress 334.00 m			Present Activity Drilling Formation								
Operator Peak Petroleum Indust. Limited			Company Rep Tex Richards			Contractor Dolphin Drilling Ltd			Contractor Rep Brian Meechan / Ally Tough								
Field/Lease Bilabri		Blk/Co/Parish OML - 122 / Nigeria				Area Offshore		Country/State Nigeria		Rig BULFORD DOLPHIN							
Drilling Assembly			Casing			Volumes	Pump Information										
Bit Gauge in	Mfr		Bit Model		OD in	ID in	Depth m	bbl	Model		Liner in	Stroke in	Eff %	Vol/Stk bbl	Stk Rate SPM	Circ Rate USgal/min	
8 1/2	HC		HCM408/HCC			19	168.00	Total Hole	Continental Ensco FA-1600		5 1/2	12.00	97.00	0.0855	56	201	
Drill Collars		Drill Pipe		20	18.700	453.00	829.83	Continental Ensco FA-1600		5 1/2	12.00	97.00	0.0855	64	230		
OD in	ID in	Length m	OD in	ID in	Length m	13 3/8	12 3/8	1536.00	Active Pits	Continental Ensco FA-1600		5 1/2	12.00	97.00	0.0855	55	198
			5	4.276	3006.86	9 5/8	8.681	3105.00	420								
			5	3	64.88				Tot Active								
			5	3	9.28				1249.83	Circulation Times							
			6 11/16	3	9.02				In Storage	Surface to Bit		11.9 min/2086stks		Total System		83.5 min/14618stks	
								928	Bottoms Up	43.5 min/7620stks							
Mud Properties					Max Ann Velocity			Hole Information									
Property		Fluid Spec	1	2	3	AV Riser	45.85 ft/min		Standpipe Pressure		3800 psi		Water Depth 168.25 m				
Sample From				Active Pit	Active Pit	Active Pit	AV Casing	305.90 ft/min		Hole Flow		629 USgal/min		Riser Booster Rate USgal/min			
Check Time				05:00	11:00	22:00	AV Open Hole	577.23 ft/min		Solids Analysis							
MD m				2885.00	2991.00	3105.00	Vc Open Hole	0.00 ft/min		Property	1	2	3	4			
TVD m				2625.00	2802.00	2985.00	Vc Drill Pipe	421.01 ft/min		LGS %	6.32	6.32	6.27				
Bit Depth m				2885.00	2991.00	3105.00	Min Ann Velocity		LGS lb/bbl	57.57	57.57	57.12					
Inc deg				32.90	32.80	32.97	AV Riser	45.85 ft/min		HGS %	8.46	8.46	12.10				
Density ppg			10.7-16.0	10.9	10.9	11.9	AV Casing	305.90 ft/min		HGS lb/bbl	124.58	124.58	178.19				
Funnel Visc. sec/quart			70.0-100.0	85.0	84.0	92.0	AV Open Hole	326.03 ft/min		Avg Dens Sol sg	3.5161	3.5161	3.6542				
Circ BHTdegF				175.0	191.0	193.0	Bit Information										
Flow Line Temp degF				135.0	145.0	145.0	Size	8 1/2 in									
Test Temp degF				125.0	130.0	130.0	Hours On Bit										
Rheol Temp degF				140.0	140.0	140.0	Bit Number										
PV cP				30	31	39	BHA Number	11		Rheology							
YP lbf/100ft^2			20-25	37	36	37	Depth In	2770.00 m		600 RPM	97	98	115				
10sec Gel lbf/100ft^2				12	11	15	Bit RPM			300 RPM	67	67	76				
10min Gel lbf/100ft^2				23	23	28	WOB	klbf		200 RPM	52	52	51				
HTHP Filtrate cc				3.0	3.0	3.0	Nozzles	3x20:18		100 RPM	35	36	36				
HTHP Cake in/32				2.0													

ADVANTAGE Daily Drilling Fluids Report - 58



INTEQ

Rpt Date 18/Jan/2006		Well Name/No Bilabri DX 1		Section Name/No 8 1/2" Section #5		Mud System SYN-TEQ (PARA)				
Job# 1		Spud Date 22/Nov/2005		MD 3105.00 m		Progress 334.00 m		Present Activity Drilling Formation		
Operator Peak Petroleum Indust. Limited			Company Rep Tex Richards		Contractor Dolphin Drilling Ltd		Contractor Rep Brian Meechan / Ally Tough			
Field/Lease Bilabri		Blk/Co/Parish OML - 122 / Nigeria			Area Offshore		Country/State Nigeria		Rig BULFORD DOLPHIN	
Solids Control Equipment										
Name	#	Mfr	Hours hours	Screen Sizes	Act Volume Lost bbl	Res Volume Lost bbl	Comments			
CENTRIFUGE	1	SWACO	0.0		0.00	0.00				
CENTRIFUGE	2	SWACO	0.0		0.00	0.00				
DESANDER	1	SWACO	0.0		0.00	0.00				
DESILTER	1	SWACO	0.0		0.00	0.00				
MUD CLEANER	1	SWACO	24.0	2 x 210	3.00	0.00				
SHALE SHAKER	1	Brandt	0.0		0.00	0.00				
SHALE SHAKER	1	SWACO	0.0		0.00	0.00				
SHALE SHAKER	2	Brandt	0.0		0.00	0.00				
SHALE SHAKER	3	Brandt	0.0		0.00	0.00				
SHALE SHAKER	4	Derrick Equipments Co	24.0	2x 175; 1 x 200	5.00	0.00				
SHALE SHAKER	5	Derrick Equipments Co	24.0	2 x 175; 1 x 200	5.00	0.00				
SHALE SHAKER	6	Derrick Equipments Co	24.0	3 x 175	5.00	0.00				
				Total Volume Lost	18	0				
Volumes										
Additions bbl				Losses bbl		Total Volumes bbl				
Mud Added	387	Weight Materials		Downhole		Left In Pit	Starting Volume	1740.97	Riser w/o Pipe	193.29
Brine		Water		Cased Off		Trip Losses	Daily Additions	460.07	Casing w/o Pipe	705.40
Base Fluid	63	Product	10.07	Left In Hole		Injected	Daily Losses	23	Open Hole w/o Pipe	
Recycled		Other		Discharged		Spill To Environment	Ending Volume	2178.04	String Displacement	68.86
				SCE	18	Onshore Disposal	Net Change	437.07	String Capacity	178.37
				Evaporation	5	Returned			Total Hole w/ Pipe	829.83
				Other Losses					Total Active	1249.83
									Total Reserve	928.00
IADC Hours										
Drilling Formation							24			
BHDF Fluids Rep		BHDF Rep Phone		Warehouse		Warehouse Phone		Coordinator		Daily Cost
Jose Rodriguez / Wobo Chimeka		234-803-4020440		Onne Port Harcourt		234-84-462609		Ogaree Lawson		23735.04 USD
										Cumulative Cost
										1868132.35 USD
										Inventory Value
										536156.27 USD
										Page 2

Any opinion and/or recommendation, expressed orally or written herein, has been prepared carefully and may be used if the user so elects, however, no representative or warranty is made by ourselves or our agents as to the correctness or completeness, and no liability is assumed for any damages resulting from the use of same.

ADVANTAGE Daily Drilling Fluids Report - 58



INTEQ

Rpt Date 18/Jan/2006		Well Name/No Bilabri DX 1		Section Name/No 8 1/2" Section #5		Mud System SYN-TEQ (PARA)	
Job# 1	Spud Date 22/Nov/2005	MD 3105.00 m		Progress 334.00 m		Present Activity Drilling Formation	
Operator Peak Petroleum Indust. Limited		Company Rep Tex Richards		Contractor Dolphin Drilling Ltd		Contractor Rep Brian Meechan / Ally Tough	
Field/Lease Bilabri		Blk/Co/Parish OML - 122 / Nigeria		Area Offshore		Country/State Nigeria	
						Rig BULFORD DOLPHIN	

Primary Currency USD		Secondary Currency		Totals USD	
Daily Product Cost	22385.04	Daily Product Cost	0.00	Primary Product	1772810.67
Daily Tax	0.00	Daily Tax	0.00	Secondary Product	0.00
Debit/Credit	0.00	Debit/Credit	0.00	Primary Engineering	85725.00
Daily Engineering Cost	1350.00	Daily Engineering Cost		Secondary Engineering	0.00
Total Daily Cost	23735.04	Total Daily Cost	0.00	Primary Total	1868132.35
Total Inventory Value	536156.27	Total Inventory Value	0.00	Secondary Total	0.00
				Deck Load	1147680 lb

Products and Services										
Product	Units	Start	Transferred In	Received	Returned	Lost	Daily Use	Final	Active Ending Concentrations lb/bbl	Reserve Ending Concentrations lb/bbl
Bulk										
BARITE - Imported	1000 kg	180		51				231	51.82	38.03
Oil Based Product										
CALCIUM CHLORIDE (97%)	1000 kg									
CALCIUM CHLORIDE (97%)	25 kg	280						280	4.21	3.32
CARBO-GEL 2	25 kg	160						160	0.42	0.33
CARBO-TROL HT	25 kg	100						100	1.61	1.27
OMNI-COTE	55 USgal	5						5	0.82	0.06
OMNI-MUL	55 USgal	20						20	4.11	2.70
OMNI-PLEX	55 USgal	12						12	1.18	0.93
OMNI-TEC	55 USgal	22						22	0.99	0.93
PARA-TEQ BASE FLUID	1 bbl	327		529			63	793	69.91	53.93
SA-58	50 lb									
Water Based Product										
BENTONITE	50 kg	5						5		
CALCIUM CARBONATE - FINE	50 kg	174					14	160	5.69	4.72
CALCIUM CARBONATE - MED	50 kg	80						80		
CAUSTIC SODA	25 kg	4						4		
LD-8	55 USgal									
LIME	25 kg	150		120			120	150	10.01	3.79
MIL-GUAR	25 kg	19						19		
MIL-PAC R	25 kg	20						20		
MIL-PAC LV	25 kg	59						59		
ML 1013 (BIOCIDE)	55 USgal	1						1		
NEW-DRILL PLUS	25 kg	29						29		
NUT PLUG F	25 lb	40						40		
POTASSIUM CHLORIDE	1000 kg									
POTASSIUM CHLORIDE	50 kg	4						4		
POTASSIUM CHLORIDE BRINE	1 bbl	790						790		
SODA ASH	25 kg	20						20		
XANTHANGUM D	25 kg	24						24		
LCM										
SOLUFLAKE F	25 kg	40						40		
Other										
BLACK MAGIC SF T	50 lb									
OM SEAL	25 lb	52						52		

BHDF Fluids Rep Jose Rodriguez / Wobo Chimeka	BHDF Rep Phone 234-803-4020440	Warehouse Onne Port Harcourt	Warehouse Phone 234-84-462609	Coordinator Ogaree Lawson	Daily Cost 23735.04 USD	Cumulative Cost 1868132.35 USD	Inventory Value 536156.27 USD	Page 3
---	--	--	---	-------------------------------------	-----------------------------------	--	---	---------------

Any opinion and/or recommendation, expressed orally or written herein, has been prepared carefully and may be used if the user so elects, however, no representative or warranty is made by ourselves or our agents as to the correctness or completeness, and no liability is assumed for any damages resulting from the use of same.