

**BAKER
HUGHES**

Rpt Date 20/Jan/2006				Well Name/No Bilabri DX 1				Section Name/No 8 1/2" Section #5				Mud System SYN-TEQ (PARA)					
Job# 1		Spud Date 22/Nov/2005				MD 3200.00 m		Progress 0.00 m		Present Activity Circulate							
Operator Peak Petroleum Indust. Limited				Company Rep Tex Richards		Contractor Dolphin Drilling Ltd		Contractor Rep Brian Meechan / Ally Tough									
Field/Lease Bilabri		Blk/Co/Parish OML - 122 / Nigeria				Area Offshore		Country/State Nigeria		Rig BULFORD DOLPHIN							
Drilling Assembly					Casing			Volumes	Pump Information								
Bit Gauge in	Mfr		Bit Model		OD in	ID in	Depth m	bbl	Model		Liner in	Stroke in	Eff %	Vol/Stk bbl	Stk Rate SPM	Circ Rate USgal/min	
8 1/2	HC		HCM408/HCC			19	168.00	Total Hole	Continental Ensco FA-1600		5 1/2	12.00	97.00	0.0855	0		
Drill Collars			Drill Pipe		20	18.700	453.00	856.7	Continental Ensco FA-1600		5 1/2	12.00	97.00	0.0855	0		
OD in	ID in	Length m	OD in	ID in	Length m	13 3/8	12 3/8	1536.00	Active Pits	Continental Ensco FA-1600		5 1/2	12.00	97.00	0.0855	0	
			5	4.276	2623.86	9 5/8	8.681	3200.00	434								
			5	3	64.88				Tot Active								
			5	3	9.28				1290.7	Circulation Times							
			6 11/16	3	9.02				In Storage	Surface to Bit		min/stks		Total System		min/stks	
									177	Bottoms Up		min/stks					
Mud Properties					Max Ann Velocity			Hole Information									
Property		Fluid Spec	1	2	3	AV Riser		ft/min	Standpipe Pressure		0 psi		Water Depth		168.25 m		
Sample From			Active Pit	Active Pit		AV Casing		ft/min	Hole Flow		USgal/min		Riser Booster Rate		USgal/min		
Check Time			05:30	18:30		AV Open Hole		ft/min	Solids Analysis								
MD m		3200.00	3200.00			Vc Open Hole		ft/min	Property		1	2	3	4			
TVD m		2884.00	2884.00			Vc Drill Pipe		ft/min	LGS %		5.96	5.72					
Bit Depth m		2785.00	2725.00			Min Ann Velocity			LGS lb/bbl		54.32	52.17					
Inc deg		32.80	32.80			AV Riser		ft/min	HGS %		15.89	15.64					
Density ppg		10.7-16.0	12.9	12.8		AV Casing		ft/min	HGS lb/bbl		233.99	230.19					
Funnel Visc. sec/quart		70.0-100.0	85.0	88.0		AV Open Hole		ft/min	Avg Dens Sol sg		3.7636	3.7712					
Test Temp degF		125.0	85.0			Bit Information											
Rheol Temp degF		140.0	140.0			Size		8 1/2 in									
PV cP		35	37			Hours On Bit											
YP lbf/100ft^2		20-25	37	36		Bit Number											
10sec Gel lbf/100ft^2		12	13			BHA Number		11	Rheology								
10min Gel lbf/100ft^2		24	26			Depth In		2770.00 m	600 RPM		107	110					
HTHP Filtrate cc		3.0	3.2			Bit RPM			300 RPM		72	73					
HTHP Cake in/32		2.0	2.0			WOB		klbf	200 RPM		56	56					
HTHP Temp degF		250.0	250.0			Nozzles		3x20:18	100 RPM		39	40					
HTHP Pressure psi		500	500			Bit Hydraulics			6 RPM		11	12					
Retort Water %		18.50	19.00			TFA		1.1689 in^2	3 RPM		9	10					

ADVANTAGE Daily Drilling Fluids Report - 60



INTEQ

Rpt Date 20/Jan/2006		Well Name/No Bilabri DX 1		Section Name/No 8 1/2" Section #5		Mud System SYN-TEQ (PARA)	
Job# 1		Spud Date 22/Nov/2005		MD 3200.00 m		Progress 0.00 m	
Operator Peak Petroleum Indust. Limited		Company Rep Tex Richards		Contractor Dolphin Drilling Ltd		Contractor Rep Brian Meechan / Ally Tough	
Field/Lease Bilabri		Blk/Co/Parish OML - 122 / Nigeria		Area Offshore		Country/State Nigeria	
						Rig BULFORD DOLPHIN	

Solids Control Equipment							
Name	#	Mfr	Hours hours	Screen Sizes	Act Volume Lost bbl	Res Volume Lost bbl	Comments
CENTRIFUGE	1	SWACO	0.0		0.00	0.00	
CENTRIFUGE	2	SWACO	0.0		0.00	0.00	
DESANDER	1	SWACO	0.0		0.00	0.00	
DESILTER	1	SWACO	0.0		0.00	0.00	
MUD CLEANER	1	SWACO	14.0	2 x 210	1.00	0.00	
SHALE SHAKER	1	Brandt	0.0		0.00	0.00	
SHALE SHAKER	1	SWACO	0.0		0.00	0.00	
SHALE SHAKER	2	Brandt	0.0		0.00	0.00	
SHALE SHAKER	3	Brandt	0.0		0.00	0.00	
SHALE SHAKER	4	Derrick Equipments Co	14.0	2x 175; 1 x 200	0.00	0.00	
SHALE SHAKER	5	Derrick Equipments Co	14.0	2 x 175; 1 x 200	1.00	0.00	
SHALE SHAKER	6	Derrick Equipments Co	14.0	3 x 175	1.00	0.00	
				Total Volume Lost	3	0	

Volumes									
Additions bbl			Losses bbl			Total Volumes bbl			
Mud Added	Weight Materials	186.07	Downhole	601	Left In Pit	Starting Volume	1886.62	Riser w/o Pipe	193.29
Brine	Water		Cased Off		Trip Losses	Daily Additions	190	Casing w/o Pipe	728.22
Base Fluid	Product	3.93	Left In Hole		Injected	Daily Losses	609	Open Hole w/o Pipe	
Recycled	Other		Discharged		Spill To Environment	Ending Volume	1467.62	String Displacement	64.81
			SCE	3	Onshore Disposal	Net Change	-419.00	String Capacity	156.05
			Evaporation	5	Returned			Total Hole w/ Pipe	856.70
			Other Losses					Total Active	1290.70
								Total Reserve	177.00

IADC Hours									
Well Control				14	Wait		10		
BHDF Fluids Rep		BHDF Rep Phone	Warehouse	Warehouse Phone	Coordinator	Daily Cost	Cumulative Cost	Inventory Value	Page 2
Jose Rodriguez / Waboso Peter		234-803-4020440	Onne Port Harcourt	234-84-462609	Ogaree Lawson	72050.70 USD	2028817.09 USD	378171.53 USD	

Any opinion and/or recommendation, expressed orally or written herein, has been prepared carefully and may be used if the user so elects, however, no representative or warranty is made by ourselves or our agents as to the correctness or completeness, and no liability is assumed for any damages resulting from the use of same.

ADVANTAGE Daily Drilling Fluids Report - 60



INTEQ

Rpt Date 20/Jan/2006		Well Name/No Bilabri DX 1		Section Name/No 8 1/2" Section #5		Mud System SYN-TEQ (PARA)	
Job# 1	Spud Date 22/Nov/2005		MD 3200.00 m		Progress 0.00 m		Present Activity Circulate
Operator Peak Petroleum Indust. Limited			Company Rep Tex Richards		Contractor Dolphin Drilling Ltd		Contractor Rep Brian Meechan / Ally Tough
Field/Lease Bilabri		Blk/Co/Parish OML - 122 / Nigeria		Area Offshore		Country/State Nigeria	
Rig BULFORD DOLPHIN							

Primary Currency USD		Secondary Currency		Totals USD	
Daily Product Cost	70700.70	Daily Product Cost	0.00	Primary Product	1930795.41
Daily Tax	0.00	Daily Tax	0.00	Secondary Product	0.00
Debit/Credit	0.00	Debit/Credit	0.00	Primary Engineering	88425.00
Daily Engineering Cost	1350.00	Daily Engineering Cost		Secondary Engineering	0.00
Total Daily Cost	72050.70	Total Daily Cost	0.00	Primary Total	2028817.09
Total Inventory Value	378171.53	Total Inventory Value	0.00	Secondary Total	0.00
				Deck Load	605353 lb

Products and Services										
Product	Units	Start	Transferred In	Received	Returned	Lost	Daily Use	Final	Active Ending Concentrations lb/bbl	Reserve Ending Concentrations lb/bbl
Bulk										
BARITE - Imported	1000 kg	124					124		266.32	37.97
Oil Based Product										
CALCIUM CHLORIDE (97%)	1000 kg									
CALCIUM CHLORIDE (97%)	25 kg	280						280	3.09	3.32
CARBO-GEL 2	25 kg	160						160	0.31	0.33
CARBO-TROL HT	25 kg	100						100	1.18	1.26
OMNI-COTE	55 USgal	5					1	4	0.61	0.06
OMNI-MUL	55 USgal	16					2	14	3.89	2.69
OMNI-PLEX	55 USgal	12						12	0.86	0.93
OMNI-TEC	55 USgal	21						21	0.91	1.41
PARA-TEQ BASE FLUID	1 bbl	723						723	57.64	53.85
SA-58	50 lb									
Water Based Product										
BENTONITE	50 kg	5						5		
CALCIUM CARBONATE - FINE	50 kg	100						100	6.66	4.71
CALCIUM CARBONATE - MED	50 kg	60						60	0.80	
CAUSTIC SODA	25 kg	4						4		
LD-8	55 USgal									
LIME	25 kg	110						110	6.68	3.79
MIL-GUAR	25 kg	19						19		
MIL-PAC R	25 kg	20						20		
MIL-PAC LV	25 kg	59						59		
ML 1013 (BIOCIDE)	55 USgal	1						1		
NEW-DRILL PLUS	25 kg	29						29		
NUT PLUG F	25 lb	40						40		
POTASSIUM CHLORIDE	1000 kg									
POTASSIUM CHLORIDE	50 kg	4						4		
POTASSIUM CHLORIDE BRINE	1 bbl	790						790		
SODA ASH	25 kg	20						20		
XANTHANGUM D	25 kg	24						24		
LCM										
SOLUFLAKE F	25 kg	40						40		
Other										
BLACK MAGIC SF T	50 lb									
OM SEAL	25 lb	52						52		

BHDF Fluids Rep Jose Rodriguez / Waboso Peter	BHDF Rep Phone 234-803-4020440	Warehouse Onne Port Harcourt	Warehouse Phone 234-84-462609	Coordinator Ogaree Lawson	Daily Cost 72050.70 USD	Cumulative Cost 2028817.09 USD	Inventory Value 378171.53 USD	Page 3
---	--	--	---	-------------------------------------	-----------------------------------	--	---	---------------

Any opinion and/or recommendation, expressed orally or written herein, has been prepared carefully and may be used if the user so elects, however, no representative or warranty is made by ourselves or our agents as to the correctness or completeness, and no liability is assumed for any damages resulting from the use of same.