

**BAKER
HUGHES**

Rpt Date 27/Jan/2006		Well Name/No Bilabri DX 1			Section Name/No 6" Section #6			Mud System SYN-TEQ (PARA)								
Job# 1		Spud Date 22/Nov/2005			MD 3200.00 m		Progress 0.00 m		Present Activity Tripping							
Operator Peak Petroleum Indust. Limited			Company Rep Robert Holst			Contractor Dolphin Drilling Ltd		Contractor Rep Brian Meechan / Paul Shepard								
Field/Lease Bilabri		Bik/Co/Parish OML - 122 / Nigeria			Area Offshore		Country/State Nigeria		Rig BULFORD DOLPHIN							
Drilling Assembly				Casing			Volumes	Pump Information								
Bit Gauge in		Mfr		Bit Model		OD in	ID in	Depth m	bbl	Model	Liner in	Stroke in	Eff %	Vol/Stk bbl	Stk Rate SPM	Circ Rate USgal/min
8 1/2		HC		HCM408/HCC			19	168.00	Total Hole	Continental Ensco FA-1600	5 1/2	12.00	97.00	0.0855	0	
Drill Collars			Drill Pipe			20	18.700	453.00	829.28	Continental Ensco FA-1600	5 1/2	12.00	97.00	0.0855	0	
OD in	ID in	Length m	OD in	ID in	Length m	13 3/8	12 3/8	1536.00	Active Pits	Continental Ensco FA-1600	5 1/2	12.00	97.00	0.0855	0	
6 1/2	2 13/16	82.76	5	4.276	910.79	9 5/8	8.681	2770.00	413							
			5	3	111.27	7	6.184	3200.00	Tot Active							
									1242.28							
									In Storage	Circulation Times						
									836	Surface to Bit	min/stks			Total System	min/stks	
										Bottoms Up	min/stks					
Mud Properties					Max Ann Velocity			Hole Information								
Property		Fluid Spec		1	2	3	AV Riser	ft/min	Standpipe Pressure	0 psi	Water Depth 168.25 m					
Sample From				Active Pit	Active Pit	Active Pit	AV Casing	ft/min	Hole Flow	USgal/min	Riser Booster Rate USgal/min					
Check Time				06:00	06:00	23:30	AV Open Hole	ft/min	Solids Analysis							
MD m				3200.00	3200.00	3200.00	Vc Open Hole	ft/min	Property	1	2	3	4			
TVD m				2974.00	2974.00	2974.00	Vc Drill Pipe	ft/min	LGS %	5.75	5.75	5.78				
Bit Depth m				0.00	0.00	914.00	Min Ann Velocity		LGS lb/bbl	52.43	52.43	52.69				
Inc deg				32.80	32.80	32.80	AV Riser	ft/min	HGS %	15.86	15.86	15.88				
Density ppg		12.9-13.5		12.9	12.9	12.9	AV Casing	ft/min	HGS lb/bbl	233.46	233.46	233.75				
Funnel Visc. sec/quart		95.0-100.0		78.0	78.0	80.0	AV Open Hole	ft/min	Avg Dens Sol sg	3.7741	3.7741	3.7729				
Test Temp degF				105.0	100.0	90.0	Bit Information									
Rheol Temp degF				130.0	130.0	130.0	Size	8 1/2 in								
PV cP				34	36	37	Hours On Bit									
YP lbf/100ft^2		15-25		28	26	26	Bit Number									
10sec Gel lbf/100ft^2				9	9	10	BHA Number	14	Rheology							
10min Gel lbf/100ft^2				15	14	14	Depth In	3200.00 m	600 RPM	96	98	100				
HTHP Filtrate cc				3.4	3.4	3.2	Bit RPM		300 RPM	62	62	63				
HTHP Cake in/32				2.0	2.0	2.0	WOB	klbf	200 RPM	45	45	45				
HTHP Temp degF				250.0	250.0	250.0	Nozzles	3x20:18	100 RPM	30	30	31				
HTHP Pressure psi				500	500	500	Bit Hydraulics		6 RPM	8	8	8				
Retort Water %				18.00	18.00	18.00	TFA	1.1689 in^2	3 RPM	6	6	6				
Retort Base Fluid %				58.50	58.50	58.50	Nozzle Vel	ft/sec								
Retort Solids %				23.50	23.50	23.50	Bit Press Loss	psi								
Corrected Solids %				21.61	21.61	21.66	HHP / Area	HP/in^2	Hydraulic Analysis							
Oil:Water Ratio				76:24	76:24	76:24	HHP	%	Behavior Index (n)							
Alk (Whole Mud-POM) cc/cc				1.1	1.0	1.0			Consistency Index (k)							
Cl (Whole Mud-Clom) cc/cc				45000	45000	44000			ECD @ Bit Depth ppg							
Ca (Whole Mud-Caom) cc/cc				0	0	0			ECD @ Casing Shoe ppg							
Excess Lime lb/bbl				1.4	1.3	1.3	Fluid Comments/ Recommendations									
Brine Density sg				1.26	1.26	1.25	Mixed 65 bbls cement spacer and pumped.									
NaCl % wt				0												

ADVANTAGE Daily Drilling Fluids Report - 67



INTEQ

Rpt Date 27/Jan/2006		Well Name/No Bilabri DX 1		Section Name/No 6" Section #6		Mud System SYN-TEQ (PARA)	
Job# 1		Spud Date 22/Nov/2005		MD 3200.00 m		Progress 0.00 m	
Operator Peak Petroleum Indust. Limited		Company Rep Robert Holst		Contractor Dolphin Drilling Ltd		Contractor Rep Brian Meechan / Paul Shepard	
Field/Lease Bilabri		Blk/Co/Parish OML - 122 / Nigeria		Area Offshore		Country/State Nigeria	
Rig BULFORD DOLPHIN							
Solids Control Equipment							
Name	#	Mfr	Hours	Screen Sizes	Act Volume Lost	Res Volume Lost	Comments
CENTRIFUGE	1	SWACO	0.0		0.00	0.00	
CENTRIFUGE	2	SWACO	0.0		0.00	0.00	
DESANDER	1	SWACO	0.0		0.00	0.00	
DESILTER	1	SWACO	0.0		0.00	0.00	
MUD CLEANER	1	SWACO	0.0	2 x 210	0.00	0.00	
SHALE SHAKER	1	Brandt	0.0		0.00	0.00	
SHALE SHAKER	1	SWACO	0.0		0.00	0.00	
SHALE SHAKER	2	Brandt	0.0		0.00	0.00	
SHALE SHAKER	3	Brandt	0.0		0.00	0.00	
SHALE SHAKER	4	Derrick Equipments Co	14.0	175, 200, 200	4.00	0.00	
SHALE SHAKER	5	Derrick Equipments Co	14.0	175, 175, 200	4.00	0.00	
SHALE SHAKER	6	Derrick Equipments Co	14.0	175, 175, 175	4.00	0.00	
				Total Volume Lost	12	0	
Volumes							
Additions bbl			Losses bbl			Total Volumes bbl	
Mud Added	Weight Materials	4.5	Downhole	82	Left In Pit	Starting Volume	2220.52
Brine	Water		Cased Off	40	Trip Losses	Daily Additions	6.83
Base Fluid	Product	2.33	Left In Hole		Injected	Daily Losses	149
Recycled	Other		Discharged		Spill To Environment	Ending Volume	2078.35
			SCE	12	Onshore Disposal	Net Change	-142.17
			Evaporation	5	Returned		
			Other Losses	5			
						Total Hole w/ Pipe	829.28
						Total Active	1242.28
						Total Reserve	836.00
IADC Hours							
Run Casing	6	Circulate	3	Surface String Handling	4	Wait	6
Tripping	5						
BHDF Fluids Rep	BHDF Rep Phone	Warehouse	Warehouse Phone	Coordinator	Daily Cost	Cumulative Cost	Inventory Value
Jose Rodriguez / Waboso Peter	234-803-4020440	Onne Port Harcourt	234-84-462609	Ogaree Lawson/Michael Harris	3877.20 USD	2473708.09 USD	770696.51 USD
Page 2							
Any opinion and/or recommendation, expressed orally or written herein, has been prepared carefully and may be used if the user so elects, however, no representative or warranty is made by ourselves or our agents as to the correctness or completeness, and no liability is assumed for any damages resulting from the use of same.							

ADVANTAGE Daily Drilling Fluids Report - 67



INTEQ

Rpt Date 27/Jan/2006		Well Name/No Bilabri DX 1		Section Name/No 6" Section #6		Mud System SYN-TEQ (PARA)							
Job# 1	Spud Date 22/Nov/2005		MD 3200.00 m		Progress 0.00 m		Present Activity Tripping						
Operator Peak Petroleum Indust. Limited		Company Rep Robert Holst		Contractor Dolphin Drilling Ltd		Contractor Rep Brian Meechan / Paul Shepard							
Field/Lease Bilabri		Blk/Co/Parish OML - 122 / Nigeria		Area Offshore		Country/State Nigeria		Rig BULFORD DOLPHIN					
Primary Currency USD			Secondary Currency			Totals USD							
Daily Product Cost		2527.20		Daily Product Cost		0.00		Primary Product 2366236.41					
Daily Tax		0.00		Daily Tax		0.00		Secondary Product 0.00					
Debit/Credit		0.00		Debit/Credit		0.00		Primary Engineering 97875.00					
Daily Engineering Cost		1350.00		Daily Engineering Cost				Secondary Engineering 0.00					
Total Daily Cost		3877.20		Total Daily Cost		0.00		Primary Total 2473708.09					
Total Inventory Value		770696.51		Total Inventory Value		0.00		Secondary Total 0.00					
								Deck Load 1279507 lb					
Products and Services													
Product	Units	Start	Transferred In	Received	Returned	Lost	Daily Use	Final	Active Ending Concentrations lb/bbl	Reserve Ending Concentrations lb/bbl			
Bulk													
BARITE - Imported	1000 kg	185					3	182	221.02	33.70			
Oil Based Product													
CALCIUM CHLORIDE (97%)	1000 kg												
CALCIUM CHLORIDE (97%)	25 kg	400						400	8.53	14.36			
CARBO-GEL 2	25 kg	110						110	2.62	4.39			
CARBO-TROL HT	25 kg	30						30	2.34	3.70			
OMNI-COTE	55 USgal	11						11	0.18	0.02			
OMNI-MUL	55 USgal	20						20	4.90	5.46			
OMNI-PLEX	55 USgal	7						7	2.35	3.62			
OMNI-TEC	55 USgal	9						9	3.10	5.38			
PARA-TEQ BASE FLUID	1 bbl	1527						1527	107.99	171.58			
SA-58	50 lb												
Water Based Product													
BENTONITE	50 kg												
CALCIUM CARBONATE - FINE	50 kg	280					20	260	5.40	1.24			
CALCIUM CARBONATE - MED	50 kg	220						220	2.02				
CAUSTIC SODA	25 kg	4						4					
LIME	25 kg	140						140	6.08	4.66			
MIL-GUAR	25 kg	19						19					
MIL-PAC R	25 kg	19						19					
MIL-PAC LV	25 kg	59						59					
ML 1013 (BIOCIDE)	55 USgal	1						1					
NEW-DRILL PLUS	25 kg	29						29					
NUT PLUG F	25 lb												
POTASSIUM CHLORIDE	50 kg												
POTASSIUM CHLORIDE BRINE	1 bbl	790						790					
SODA ASH	25 kg	20						20					
XANTHANGUM D	25 kg	24						24					
LCM													
CALCIUM CARBONATE COARSE	50 kg	100						100					
SOLUFLAKE C	25 kg	40						40	1.14				
SOLUFLAKE F	25 kg	40						40	2.26				
SOLUFLAKE M	25 kg								2.58				
X-LINK	40 lb	90						90					
X-LINK RTR	5 USgal	14						14					
Other													
BLACK MAGIC SF T	50 lb	200						200					
OM SEAL	25 lb												
BHDF Fluids Rep		BHDF Rep Phone		Warehouse		Warehouse Phone		Coordinator		Daily Cost	Cumulative Cost	Inventory Value	Page 3
Jose Rodriguez / Waboso Peter		234-803-4020440		Onne Port Harcourt		234-84-462609		Ogaree Lawson/Michael Harris		3877.20 USD	2473708.09 USD	770696.51 USD	
Any opinion and/or recommendation, expressed orally or written herein, has been prepared carefully and may be used if the user so elects, however, no representative or warranty is made by ourselves or our agents as to the correctness or completeness, and no liability is assumed for any damages resulting from the use of same.													