

ADVANTAGE Daily Drilling Fluids Report - 71



INTEQ

Rpt Date 31/Jan/2006			Well Name/No Bilabri DX 1			Section Name/No 6" Section #6			Mud System SYN-TEQ (PARA)							
Job# 1		Spud Date 22/Nov/2005		MD 3152.00 m		Progress 91.00 m		Present Activity Drilling Formation								
Operator Peak Petroleum Indust. Limited			Company Rep Texas Richards / Jerry Perczyk			Contractor Dolphin Drilling Ltd			Contractor Rep Brian Meechan / Paul Shepard							
Field/Lease Bilabri			Blk/Co/Parish OML - 122 / Nigeria			Area Offshore		Country/State Nigeria		Rig BULFORD DOLPHIN						
Drilling Assembly			Casing			Volumes		Pump Information								
Bit Gauge in	Mfr	Bit Model	OD in	ID in	Depth m	bbl	Model	Liner in	Stroke in	Eff %	Vol/Stk bbl	Stk Rate SPM	Circ Rate USgal/min			
6				19	168.00	Total Hole	Continental Ensco FA-1600	5 1/2	12.00	97.00	0.0855	53	190			
Drill Collars			Drill Pipe				Continental Ensco FA-1600	5 1/2	12.00	97.00	0.0855	47	169			
OD in	ID in	Length m	OD in	ID in	Length m	13 3/8	12 3/8	1536.00	Active Pits	Continental Ensco FA-1600	5 1/2	12.00	97.00	0.0855	0	
4 3/4	2 1/2	84.00	3 1/2	2.762	3011.99	9 5/8	8.681	2770.00	465							
						7	6.184	3061.00	Tot Active							
							8 1/2	3152.00	1281.08							
						Circulation Times										
						In Storage	Surface to Bit		8.9 min/889stks		Total System		149.8 min/14979stks			
						972	Bottoms Up		86.5 min/8652stks							
Mud Properties					Max Ann Velocity		Hole Information									
Property	Fluid Spec	1	2	3	AV Riser	ft/min	Standpipe Pressure	3750 psi		Water Depth				168.25 m		
Sample From		Active Pit	Flow Line	Flow Line	AV Casing	0.00 ft/min	Hole Flow	359 USgal/min		Riser Booster Rate				USgal/min		
Check Time		06:00	15:40	23:00	AV Open Hole	0.00 ft/min	Solids Analysis									
MD m		3062.00	3124.00	3152.00	Vc Open Hole	0.00 ft/min	Property	1	2	3	4					
TVD m		2974.00	2974.00	2974.00	Vc Drill Pipe	0.00 ft/min	LGS %	5.83	5.00	5.03						
Bit Depth m		3062.00	3124.00	3152.00	Min Ann Velocity		LGS lb/bbl	53.12	45.60	45.85						
Inc deg		32.80	32.80	32.80	AV Riser	ft/min	HGS %	15.79	19.28	19.31						
Density ppg	12.9-13.5	12.9	13.7	13.7	AV Casing	0.00 ft/min	HGS lb/bbl	232.45	283.90	284.20						
Funnel Visc. sec/quart	95.0-100.0	84.0	75.0	74.0	AV Open Hole	0.00 ft/min	Avg Dens Sol sg	3.7686	3.8704	3.8692						
Flow Line Temp degF			124.0	128.0	Bit Information											
Test Temp degF		120.0	110.0	110.0	Size	6 in										
Rheol Temp degF		140.0	142.0	140.0	Hours On Bit											
PV cP		35	38	40	Bit Number											
YP lbf/100ft^2	15-25	21	22	20	BHA Number	16	Rheology									
10sec Gel lbf/100ft^2		9	9	9	Depth In	m	600 RPM	91	98	100						
10min Gel lbf/100ft^2		15	17	17	Bit RPM		300 RPM	56	60	60						
HTHP Filtrate cc		2.4	2.4	2.4	WOB	klbf	200 RPM	41	44	45						
HTHP Cake in/32		2.0	2.0	2.0	Nozzles		100 RPM	27	28	29						
HTHP Temp degF		250.0	250.0	250.0	Bit Hydraulics		6 RPM	8	8	8						
HTHP Pressure psi		500	500	500	TFA	in^2	3 RPM	6	6	6						
Retort Water %		18.50	17.00	17.00	Nozzle Vel	61.5 ft/sec										
Retort Base Fluid %		58.00	57.00	57.00	Bit Press Loss	0 psi										
Retort Solids %		23.50	26.00	26.00	HHP / Area	0.00 HP/in^2	Hydraulic Analysis									
Corrected Solids %		21.62	24.29	24.34	HHP	0.25 %	Behavior Index (n)						0.000			
Oil:Water Ratio		76:24	77:23	77:23			Consistency Index (k)						0.000 #sec^n/100ft^2			
Alk (Whole Mud-POM) cc/cc		1.3	1.6	1.3			ECD @ Bit Depth						14.7 ppg			
Cl (Whole Mud-Clom) cc/cc		45000	41000	40000			ECD @ Casing Shoe						14.6 ppg			
Ca (Whole Mud-Caom) cc/cc		0	0	0	Fluid Comments/ Recommendations											
Excess Lime lb/bbl		1.7	2.0	1.7	Charged 1000 OSBM. Total chard till today 3057 bbls. Remaining 1000 bbls to complete 4057 bbls. Treated mud with Onmi-Mul plus Carbotrol. Increase mud weight to 13.5 ppg. Wash & reaming rate hole 8.5" with 6" assy. Had 1810 units of gas at 3087m. Increased mud wt to 13.7 ppg. Mixed 70 bbls sweep and pumped 50% every time it was necessary.											
Brine Density sg		1.25	1.25	1.25												
NaCl % wt		0	0	0												
CaCl2 % wt		28	27	27												
Elect. Stab.V		433.0	451.0	465.0												
Sand %		0.50	0.60	0.60	Drilling Comments											
BHDF Fluids Rep		BHDF Rep Phone		Warehouse		Warehouse Phone		Coordinator		Daily Cost		Cumulative Cost		Inventory Value		Page 1
Jose Rodriguez / Waboso Peter		234-803-4020440		Onne Port Harcourt		234-84-462609		Ogaree Lawson/Michael Harris		326176.61 USD		3469074.50 USD		704794.93 USD		
Any opinion and/or recommendation, expressed orally or written herein, has been prepared carefully and may be used if the user so elects, however, no representative or warranty is made by ourselves or our agents as to the correctness or completeness, and no liability is assumed for any damages resulting from the use of same.																

ADVANTAGE Daily Drilling Fluids Report - 71



INTEQ

Rpt Date 31/Jan/2006		Well Name/No Bilabri DX 1		Section Name/No 6" Section #6		Mud System SYN-TEQ (PARA)	
Job# 1	Spud Date 22/Nov/2005		MD 3152.00 m		Progress 91.00 m		Present Activity Drilling Formation
Operator Peak Petroleum Indust. Limited		Company Rep Texas Richards / Jerry Perczyk		Contractor Dolphin Drilling Ltd		Contractor Rep Brian Meechan / Paul Shepard	
Field/Lease Bilabri		Blk/Co/Parish OML - 122 / Nigeria		Area Offshore		Country/State Nigeria	
Rig BULFORD DOLPHIN							
Solids Control Equipment							
Name	#	Mfr	Hours	Screen Sizes	Act Volume Lost	Res Volume Lost	Comments
			hours		bbl	bbl	
CENTRIFUGE	1	SWACO	0.0		0.00	0.00	
CENTRIFUGE	2	SWACO	0.0		0.00	0.00	
DESANDER	1	SWACO	0.0		0.00	0.00	
DESILTER	1	SWACO	0.0		0.00	0.00	
MUD CLEANER	1	SWACO	12.0	2 x 210	5.00	0.00	
SHALE SHAKER	1	Brandt	0.0		0.00	0.00	
SHALE SHAKER	1	SWACO	0.0		0.00	0.00	
SHALE SHAKER	2	Brandt	0.0		0.00	0.00	
SHALE SHAKER	3	Brandt	0.0		0.00	0.00	
SHALE SHAKER	4	Derrick Equipments Co	24.0	175, 200, 200	5.00	0.00	
SHALE SHAKER	5	Derrick Equipments Co	24.0	175, 175, 200	5.00	0.00	
SHALE SHAKER	6	Derrick Equipments Co	24.0	175, 175, 175	5.00	0.00	
				Total Volume Lost	20	0	
Volumes							
Additions bbl			Losses bbl			Total Volumes bbl	
Mud Added	Weight Materials	66.03	Downhole	Left In Pit	Starting Volume	2214.59	Riser w/o Pipe
Brine	Water		Cased Off	Trip Losses	Daily Additions	77.8	Casing w/o Pipe
Base Fluid	Product	11.77	Left In Hole	Injected	Daily Losses	39	Open Hole w/o Pipe
Recycled	Other		Discharged	Spill To Environment	Ending Volume	2253.39	String Displacement
			SCE	Onshore Disposal	Net Change	38.80	String Capacity
			Evaporation	Returned			Total Hole w/ Pipe
			Other Losses				Total Active
							Total Reserve
IADC Hours							
Tripping	2	Circulate	1	Drill Cement and/or Float Eqpt.			2
							Reaming
							19
BHDF Fluids Rep		BHDF Rep Phone	Warehouse	Warehouse Phone	Coordinator	Daily Cost	Cumulative Cost
Jose Rodriguez / Waboso Peter		234-803-4020440	Onne Port Harcourt	234-84-462609	Ogaree Lawson/Michael Harris	326176.61 USD	3469074.50 USD
						Inventory Value	Page 2
						704794.93 USD	

Any opinion and/or recommendation, expressed orally or written herein, has been prepared carefully and may be used if the user so elects, however, no representative or warranty is made by ourselves or our agents as to the correctness or completeness, and no liability is assumed for any damages resulting from the use of same.

**BAKER
HUGHES**

Rpt Date 31/Jan/2006		Well Name/No Bilabri DX 1		Section Name/No 6" Section #6			Mud System SYN-TEQ (PARA)				
Job# 1	Spud Date 22/Nov/2005		MD 3152.00 m		Progress 91.00 m		Present Activity Drilling Formation				
Operator Peak Petroleum Indust. Limited		Company Rep Texas Richards / Jerry Perczyk		Contractor Dolphin Drilling Ltd		Contractor Rep Brian Meechan / Paul Shepard					
Field/Lease Bilabri		Blk/Co/Parish OML - 122 / Nigeria		Area Offshore		Country/State Nigeria		Rig BULFORD DOLPHIN			
Primary Currency USD			Secondary Currency			Totals USD					
Daily Product Cost		324826.61		Daily Product Cost		0.00		Primary Product		3356202.82	
Daily Tax		0.00		Daily Tax		0.00		Secondary Product		0.00	
Debit/Credit		0.00		Debit/Credit		0.00		Primary Engineering		103275.00	
Daily Engineering Cost		1350.00		Daily Engineering Cost				Secondary Engineering		0.00	
Total Daily Cost		326176.61		Total Daily Cost		0.00		Primary Total		3469074.50	
Total Inventory Value		704794.93		Total Inventory Value		0.00		Secondary Total		0.00	
								Deck Load		1101097 lb	
Products and Services											
Product		Units	Start	Transferred In	Received	Returned	Lost	Daily Use	Final	Active Ending Concentrations lb/bbl	Reserve Ending Concentrations lb/bbl
Bulk											
BARITE - Imported		1000 kg	158		96			140	114	284.54	67.99
Oil Based Product											
CALCIUM CHLORIDE (97%)		1000 kg			6			6			
CALCIUM CHLORIDE (97%)		25 kg	320		256			256	320	9.92	13.85
CARBO-GEL 2		25 kg	110		191			201	100	2.60	4.06
CARBO-TROL HT		25 kg	180					30	150	3.20	3.45
OMNI-COTE		55 USgal	11						11	0.15	0.04
OMNI-MUL		55 USgal	16		16			20	12	6.40	5.54
OMNI-PLEX		55 USgal	7		4			4	7	1.94	3.38
OMNI-TEC		55 USgal	17		9			9	17	2.58	4.96
PARA-TEQ BASE FLUID		1 bbl	1393		630			630	1393	113.69	161.01
SA-58		50 lb			17			17			
Water Based Product											
BENTONITE		50 kg									
CALCIUM CARBONATE - FINE		50 kg	260						260	4.32	1.89
CALCIUM CARBONATE - MED		50 kg	220						220	1.60	0.32
CAUSTIC SODA		25 kg	4						4		
LIME		25 kg	280		76			116	240	8.73	5.27
MIL-GUAR		25 kg	19						19		
MIL-PAC R		25 kg	19						19		
MIL-PAC LV		25 kg	55						55		
ML 1013 (BIOCIDE)		55 USgal	1						1		
NEW-DRILL PLUS		25 kg	29						29		
NUT PLUG F		25 lb									
POTASSIUM CHLORIDE		50 kg									
POTASSIUM CHLORIDE BRINE		1 bbl	790						790		
SODA ASH		25 kg	20						20		
XANTHANGUM D		25 kg	24						24		
LCM											
CALCIUM CARBONATE COARSE		50 kg	100						100		
SOLUFLAKE C		25 kg	40						40	0.91	0.18
SOLUFLAKE F		25 kg	40						40	1.80	0.36
SOLUFLAKE M		25 kg								2.05	0.41
X-LINK		40 lb	90						90		
X-LINK RTR		5 USgal	14						14		
Other											
BLACK MAGIC SF T		50 lb	200						200		
OM SEAL		25 lb									
BHDF Fluids Rep		BHDF Rep Phone		Warehouse	Warehouse Phone	Coordinator		Daily Cost	Cumulative Cost	Inventory Value	Page 3
Jose Rodriguez / Waboso Peter		234-803-4020440		Onne Port Harcourt	234-84-462609	Ogaree Lawson/Michael Harris		326176.61 USD	3469074.50 USD	704794.93 USD	
Any opinion and/or recommendation, expressed orally or written herein, has been prepared carefully and may be used if the user so elects, however, no representative or warranty is made by ourselves or our agents as to the correctness or completeness, and no liability is assumed for any damages resulting from the use of same.											