

ADVANTAGE Daily Drilling Fluids Report - 74



INTEQ

Rpt Date 03/Feb/2006		Well Name/No Bilabri DX 1		Section Name/No 6" Section #6		Mud System SYN-TEQ (PARA)	
Job# 1		Spud Date 22/Nov/2005		MD 3227.00 m		Progress 0.00 m	
Operator Peak Petroleum Indust. Limited		Company Rep Texas Richards / Jerry Perczyk		Contractor Dolphin Drilling Ltd		Contractor Rep Troy Nolan / Paul Shepard	
Field/Lease Bilabri		Blk/Co/Parish OML - 122 / Nigeria		Area Offshore		Country/State Nigeria	
						Rig BULFORD DOLPHIN	

Drilling Assembly						Casing		Volumes	Pump Information							
Bit Gauge in	Mfr		Bit Model			OD in	ID in	Depth m	bbl	Model	Liner in	Stroke in	Eff %	Vol/Stk bbl	Stk Rate SPM	Circ Rate USgal/min
6	HCC						19	168.00	Total Hole	Continental Ensco FA-1600	5 1/2	12.00	97	0.0855	0	
Drill Collars		Drill Pipe			20	18.700	453.00	844.52	Continental Ensco FA-1600	5 1/2	12.00	97	0.0855	0		
OD in	ID in	Length m	OD in	ID in	Length m	13 3/8	12 3/8	1536.00	Active Pits	Continental Ensco FA-1600	5 1/2	12.00	97	0.0855	0	
4 3/4	2 3/16	9.35	5	4.726	2109.31	9 5/8	8.681	2770.00	406							
4 3/4	2 3/16	73.72	3 1/2	2 1/2	836.00	7	6.184	3061.00	Tot Active							
4 3/4	2 3/16	18.68					8 1/2	3227.00	1250.52	Circulation Times						
									In Storage	Surface to Bit		min/stks		Total System		min/stks
								391		Bottoms Up		min/stks				

Mud Properties				Max Ann Velocity		Hole Information				
Property	Fluid Spec	1	2	3	AV Riser	ft/min	Standpipe Pressure	0 psi	Water Depth	168.25 m
Sample From		Active Pit	Active Pit		AV Casing	ft/min	Hole Flow	USgal/min	Riser Booster Rate	USgal/min
Check Time		06:00	23:00		AV Open Hole	ft/min	Solids Analysis			
MD m		3227.00	3227.00		Vc Open Hole	ft/min	Property	1	2	3
TVD m		3061.00	3061.00		Vc Drill Pipe	ft/min	LGS %	5.23	5.23	
Bit Depth m		0.00	3061.00		Min Ann Velocity		LGS lb/bbl	47.62	47.62	
Inc deg		32.80	32.80		AV Riser	ft/min	HGS %	22.10	22.10	
Density ppg	12.9-13.5	14.5	14.5		AV Casing	ft/min	HGS lb/bbl	325.28	325.28	
Funnel Visc. sec/quart	95.0-100.0	83.0	84.0		AV Open Hole	ft/min	Avg Dens Sol sg	3.8940	3.8940	
Test Temp degF		100.0	95.0		Bit Information					
Rheol Temp degF		140.0	140.0		Size	6 in				
PV cP		47	48		Hours On Bit					
YP lbf/100ft^2	15-25	24	24		Bit Number					
10sec Gel lbf/100ft^2		9	10		BHA Number	17	Rheology			
10min Gel lbf/100ft^2		15	15		Depth In	3200.00 m	600 RPM	118	120	
HTHP Filtrate cc		2.2	2.2		Bit RPM		300 RPM	71	72	
HTHP Cake in/32		2.0	2.0		WOB	2.00 klbf	200 RPM	53	54	
HTHP Temp degF		250.0	250.0		Nozzles	2x32:12	100 RPM	31	31	
HTHP Pressure psi		500	500		Bit Hydraulics		6 RPM	8	9	
Retort Water %		16	16		TFA	0.7854 in^2	3 RPM	6	7	
Retort Base Fluid %		55	55		Nozzle Vel	ft/sec				
Retort Solids %		29	29		Bit Press Loss	psi				
Corrected Solids %		27	27		HHP / Area	HP/in^2	Hydraulic Analysis			
Oil:Water Ratio		77:23	77:23		HHP	%	Behavior Index (n)			
Alk (Whole Mud-POM) cc/cc		1.7	1.5				Consistency Index (k)			
CI (Whole Mud-Clom) cc/cc		40000	40000				#sec^n/100ft^2			
Ca (Whole Mud-Caom) cc/cc		0	0				ECD @ Bit Depth			
Excess Lime lb/bbl		2.2	1.9				ECD @ Casing Shoe			
Brine Density sg		1.26	1.26		Fluid Comments/ Recommendations					
NaCl % wt		0	0		Back load 660 bbls SOBM to Boat, Clean pit No 4					
CaCl2 % wt		28	28							
Elect. Stab.V		602.0	608.0							
Sand %		0.60	0.60							
					Drilling Comments					
					Continue to investigate on electrical problem					

BHDF Fluids Rep	BHDF Rep Phone	Warehouse	Warehouse Phone	Coordinator	Daily Cost	Cumulative Cost	Inventory Value	Page 1
Jose Rodriguez / Waboso Peter	234-803-4020440	Onne Port Harcourt	234-84-462609	Ogaree Lawson/Michael Harris	1350.00 USD	3830380.41 USD	628854.31 USD	

Any opinion and/or recommendation, expressed orally or written herein, has been prepared carefully and may be used if the user so elects, however, no representative or warranty is made by ourselves or our agents as to the correctness or completeness, and no liability is assumed for any damages resulting from the use of same.

ADVANTAGE Daily Drilling Fluids Report - 74



INTEQ

Rpt Date 03/Feb/2006		Well Name/No Bilabri DX 1		Section Name/No 6" Section #6		Mud System SYN-TEQ (PARA)	
Job# 1		Spud Date 22/Nov/2005		MD 3227.00 m		Progress 0.00 m	
Operator Peak Petroleum Indust. Limited		Company Rep Texas Richards / Jerry Perczyk		Contractor Dolphin Drilling Ltd		Contractor Rep Troy Nolan / Paul Shepard	
Field/Lease Bilabri		Blk/Co/Parish OML - 122 / Nigeria		Area Offshore		Country/State Nigeria	
						Rig BULFORD DOLPHIN	

Solids Control Equipment							
Name	#	Mfr	Hours hours	Screen Sizes	Act Volume Lost bbl	Res Volume Lost bbl	Comments
CENTRIFUGE	1	SWACO	0.0		0.00	0.00	
CENTRIFUGE	2	SWACO	0.0		0.00	0.00	
DESANDER	1	SWACO	0.0		0.00	0.00	
DESILTER	1	SWACO	0.0		0.00	0.00	
MUD CLEANER	1	SWACO	0.0	2 x 210	0.00	0.00	
SHALE SHAKER	1	Brandt	0.0		0.00	0.00	
SHALE SHAKER	1	SWACO	0.0		0.00	0.00	
SHALE SHAKER	2	Brandt	0.0		0.00	0.00	
SHALE SHAKER	3	Brandt	0.0		0.00	0.00	
SHALE SHAKER	4	Derrick Equipments Co	0.0	175, 200, 200	0.00	0.00	
SHALE SHAKER	5	Derrick Equipments Co	0.0	175, 175, 200	0.00	0.00	
SHALE SHAKER	6	Derrick Equipments Co	0.0	175, 175, 175	0.00	0.00	
Total Volume Lost					0	0	

Volumes									
Additions bbl		Losses bbl			Total Volumes bbl				
Mud Added	Weight Materials	Downhole	Left In Pit	15	Starting Volume	2321.7	Riser w/o Pipe	193.29	
Brine	Water	Cased Off	Trip Losses		Daily Additions		Casing w/o Pipe	653.43	
Base Fluid	Product	Left In Hole	Injected		Daily Losses	680	Open Hole w/o Pipe	38.22	
Recycled	Other	Discharged	Spill To Environment		Ending Volume	1641.70	String Displacement	40.43	
		SCE	Onshore Disposal		Net Change	-680.00	String Capacity	168.62	
		Evaporation	Returned	660			Total Hole w/ Pipe	844.52	
		Other Losses					Total Active	1250.52	
							Total Reserve	391.00	

IADC Hours									
Wait	24								
BHDF Fluids Rep	BHDF Rep Phone	Warehouse	Warehouse Phone	Coordinator	Daily Cost	Cumulative Cost	Inventory Value	Page 2	
Jose Rodriguez / Waboso Peter	234-803-4020440	Onne Port Harcourt	234-84-462609	Ogaree Lawson/Michael Harris	1350.00 USD	3830380.41 USD	628854.31 USD		

Any opinion and/or recommendation, expressed orally or written herein, has been prepared carefully and may be used if the user so elects, however, no representative or warranty is made by ourselves or our agents as to the correctness or completeness, and no liability is assumed for any damages resulting from the use of same.

**BAKER
HUGHES**

Rpt Date 03/Feb/2006		Well Name/No Bilabri DX 1		Section Name/No 6" Section #6		Mud System SYN-TEQ (PARA)				
Job# 1	Spud Date 22/Nov/2005		MD 3227.00 m		Progress 0.00 m		Present Activity Wait			
Operator Peak Petroleum Indust. Limited		Company Rep Texas Richards / Jerry Perczyk		Contractor Dolphin Drilling Ltd		Contractor Rep Troy Nolan / Paul Shepard				
Field/Lease Bilabri		Blk/Co/Parish OML - 122 / Nigeria		Area Offshore		Country/State Nigeria		Rig BULFORD DOLPHIN		
Primary Currency USD			Secondary Currency			Totals USD				
Daily Product Cost		0.00		Daily Product Cost		0.00		Primary Product 3713458.73		
Daily Tax		0.00		Daily Tax		0.00		Secondary Product 0.00		
Debit/Credit		0.00		Debit/Credit		0.00		Primary Engineering 107325.00		
Daily Engineering Cost		1350.00		Daily Engineering Cost				Secondary Engineering 0.00		
Total Daily Cost		1350.00		Total Daily Cost		0.00		Primary Total 3830380.41		
Total Inventory Value		628854.31		Total Inventory Value		0.00		Secondary Total 0.00		
								Deck Load 1112481 lb		
Products and Services										
Product	Units	Start	Transferred In	Received	Returned	Lost	Daily Use	Final	Active Ending Concentrations lb/bbl	Reserve Ending Concentrations lb/bbl
Bulk										
BARITE - Imported	1000 kg	144						144	339.58	85.28
Oil Based Product										
CALCIUM CHLORIDE (97%)	1000 kg									
CALCIUM CHLORIDE (97%)	25 kg	160						160	12.07	13.53
CARBO-GEL 2	25 kg	60						60	2.71	3.96
CARBO-TROL HT	25 kg	150						150	2.85	3.43
OMNI-COTE	55 USgal	5						5	0.75	0.05
OMNI-MUL	55 USgal	8						8	6.89	5.66
OMNI-PLEX	55 USgal	7						7	1.74	3.27
OMNI-TEC	55 USgal	17						17	2.31	4.77
PARA-TEQ BASE FLUID	1 bbl	1343						1343	111.25	157.25
SA-58	50 lb									
Water Based Product										
BENTONITE	50 kg									
CALCIUM CARBONATE - FINE	50 kg	160						160	3.85	2.08
CALCIUM CARBONATE - MED	50 kg	110						110	1.43	0.42
CAUSTIC SODA	25 kg									
LIME	25 kg	200						200	9.39	5.53
MIL-GUAR	25 kg	19						19		
MIL-PAC R	25 kg									
MIL-PAC LV	25 kg									
ML 1013 (BIOCIDE)	55 USgal									
NEW-DRILL PLUS	25 kg									
NUT PLUG F	25 lb									
POTASSIUM CHLORIDE	50 kg									
POTASSIUM CHLORIDE BRINE	1 bbl	790						790		
SODA ASH	25 kg									
XANTHANGUM D	25 kg	24						24		
LCM										
CALCIUM CARBONATE COARSE	50 kg	100						100		
SOLUFLAKE C	25 kg	40						40	0.81	0.24
SOLUFLAKE F	25 kg	140						140	1.60	0.47
SOLUFLAKE M	25 kg	100						100	1.83	0.54
X-LINK	40 lb									
X-LINK RTR	5 USgal									
Other										
BLACK MAGIC SF T	50 lb	200						200		
OM SEAL	25 lb									
BHDF Fluids Rep		BHDF Rep Phone	Warehouse	Warehouse Phone	Coordinator		Daily Cost	Cumulative Cost	Inventory Value	Page 3
Jose Rodriguez / Waboso Peter		234-803-4020440	Onne Port Harcourt	234-84-462609	Ogaree Lawson/Michael Harris		1350.00 USD	3830380.41 USD	628854.31 USD	