

**BAKER
HUGHES**

Rpt Date 04/Feb/2006			Well Name/No Bilabri DX 1			Section Name/No 6" Section #6			Mud System SYN-TEQ (PARA)									
Job# 1		Spud Date 22/Nov/2005			MD 3227.00 m			Progress 0.00 m		Present Activity Wait								
Operator Peak Petroleum Indust. Limited			Company Rep Texas Richards / Jerry Perczyk			Contractor Dolphin Drilling Ltd			Contractor Rep Troy Nolan / Paul Shepard									
Field/Lease Bilabri		Blk/Co/Parish OML - 122 / Nigeria			Area Offshore		Country/State Nigeria			Rig BULFORD DOLPHIN								
Drilling Assembly						Casing		Volumes	Pump Information									
Bit Gauge in		Mfr		Bit Model		OD in	ID in	Depth m	bbl	Model		Liner in	Stroke in	Eff %	Vol/Stk bbl	Stk Rate SPM	Circ Rate USgal/min	
6		HCC					19	168.00	Total Hole	Continental Ensco FA-1600		5 1/2	12.00	97	0.0855	0		
Drill Collars			Drill Pipe			20	18.700	453.00	844.52	Continental Ensco FA-1600		5 1/2	12.00	97	0.0855	0		
OD in	ID in	Length m	OD in	ID in	Length m	13 3/8	12 3/8	1536.00	Active Pits	Continental Ensco FA-1600		5 1/2	12.00	97	0.0855	0		
4 3/4	2 3/16	9.35	5	4.726	2109.31	9 5/8	8.681	2770.00	406									
4 3/4	2 3/16	73.72	3 1/2	2 1/2	836.00	7	6.184	3061.00	Tot Active									
4 3/4	2 3/16	18.68					8 1/2	3227.00	1250.52									
									In Storage									
									374	Surface to Bit		min/stks		Total System		min/stks		
										Bottoms Up		min/stks						
Mud Properties						Max Ann Velocity			Hole Information									
Property		Fluid Spec		1	2	3	AV Riser		ft/min		Standpipe Pressure		0 psi		Water Depth		168.25 m	
Sample From				Active Pit	Active Pit		AV Casing		ft/min		Hole Flow		USgal/min		Riser Booster Rate		USgal/min	
Check Time				06:00	23:00		AV Open Hole		ft/min		Solids Analysis							
MD m				3227.00	3227.00		Vc Open Hole		ft/min		Property		1	2	3	4		
TVD m				2974.00	2974.00		Vc Drill Pipe		ft/min		LGS %		5.23	5.23				
Bit Depth m				3061.00	3061.00		Min Ann Velocity			LGS lb/bbl		47.62	47.62					
Inc deg				32.80	32.80		AV Riser		ft/min		HGS %		22.10	22.10				
Density ppg		12.9-13.5		14.5	14.5		AV Casing		ft/min		HGS lb/bbl		325.28	325.28				
Funnel Visc. sec/quart		95.0-100.0		83.0	84.0		AV Open Hole		ft/min		Avg Dens Sol sg		3.8940	3.8940				
Test Temp degF				95.0	95.0		Bit Information											
Rheol Temp degF				140.0	140.0		Size		6 in									
PV cP				48	48		Hours On Bit											
YP lbf/100ft^2		15-25		24	23		Bit Number											
10sec Gel lbf/100ft^2				10	10		BHA Number		17		Rheology							
10min Gel lbf/100ft^2				15	16		Depth In		3200.00 m		600 RPM		120	119				
HTHP Filtrate cc				2.2	2.2		Bit RPM				300 RPM		72	71				
HTHP Cake in/32				2.0	2.0		WOB		2.00 klbf		200 RPM		54	54				
HTHP Temp degF				250.0	250.0		Nozzles		2x32:12		100 RPM		31	32				
HTHP Pressure psi				500	500		Bit Hydraulics			6 RPM		9	9					
Retort Water %				16														

ADVANTAGE Daily Drilling Fluids Report - 75



INTEQ

Rpt Date 04/Feb/2006		Well Name/No Bilabri DX 1		Section Name/No 6" Section #6		Mud System SYN-TEQ (PARA)	
Job# 1		Spud Date 22/Nov/2005		MD 3227.00 m		Progress 0.00 m	
Operator Peak Petroleum Indust. Limited		Company Rep Texas Richards / Jerry Perczyk		Contractor Dolphin Drilling Ltd		Contractor Rep Troy Nolan / Paul Shepard	
Field/Lease Bilabri		Blk/Co/Parish OML - 122 / Nigeria		Area Offshore		Country/State Nigeria	
						Rig BULFORD DOLPHIN	
Solids Control Equipment							
Name	#	Mfr	Hours hours	Screen Sizes	Act Volume Lost bbl	Res Volume Lost bbl	Comments
CENTRIFUGE	1	SWACO	0.0		0.00	0.00	
CENTRIFUGE	2	SWACO	0.0		0.00	0.00	
DESANDER	1	SWACO	0.0		0.00	0.00	
DESILTER	1	SWACO	0.0		0.00	0.00	
MUD CLEANER	1	SWACO	0.0	2 x 210	0.00	0.00	
SHALE SHAKER	1	Brandt	0.0		0.00	0.00	
SHALE SHAKER	1	SWACO	0.0		0.00	0.00	
SHALE SHAKER	2	Brandt	0.0		0.00	0.00	
SHALE SHAKER	3	Brandt	0.0		0.00	0.00	
SHALE SHAKER	4	Derrick Equipments Co	0.0	175, 200, 200	0.00	0.00	
SHALE SHAKER	5	Derrick Equipments Co	0.0	175, 175, 200	0.00	0.00	
SHALE SHAKER	6	Derrick Equipments Co	0.0	175, 175, 175	0.00	0.00	
				Total Volume Lost	0	0	
Volumes							
Additions bbl		Losses bbl			Total Volumes bbl		
Mud Added	Weight Materials	Downhole	Left In Pit	17	Starting Volume	1641.52	Riser w/o Pipe
Brine	Water	Cased Off	Trip Losses		Daily Additions		Casing w/o Pipe
Base Fluid	Product	Left In Hole	Injected		Daily Losses	17	Open Hole w/o Pipe
Recycled	Other	Discharged	Spill To Environment		Ending Volume	1624.52	String Displacement
		SCE	Onshore Disposal		Net Change	-17.00	String Capacity
		Evaporation	Returned				Total Hole w/ Pipe
		Other Losses					Total Active
							Total Reserve
IADC Hours							
Wait		24					
BHDF Fluids Rep	BHDF Rep Phone	Warehouse	Warehouse Phone	Coordinator	Daily Cost	Cumulative Cost	Inventory Value
Jose Rodriguez / Waboso Peter	234-803-4020440	Onne Port Harcourt	234-84-462609	Ogaree Lawson/Michael Harris	1350.00 USD	3831730.41 USD	628854.31 USD
Any opinion and/or recommendation, expressed orally or written herein, has been prepared carefully and may be used if the user so elects, however, no representative or warranty is made by ourselves or our agents as to the correctness or completeness, and no liability is assumed for any damages resulting from the use of same.							

ADVANTAGE Daily Drilling Fluids Report - 75



INTEQ

Rpt Date 04/Feb/2006		Well Name/No Bilabri DX 1		Section Name/No 6" Section #6		Mud System SYN-TEQ (PARA)				
Job# 1		Spud Date 22/Nov/2005		MD 3227.00 m		Progress 0.00 m		Present Activity Wait		
Operator Peak Petroleum Indust. Limited		Company Rep Texas Richards / Jerry Perczyk		Contractor Dolphin Drilling Ltd		Contractor Rep Troy Nolan / Paul Shepard				
Field/Lease Bilabri		Blk/Co/Parish OML - 122 / Nigeria		Area Offshore		Country/State Nigeria		Rig BULFORD DOLPHIN		
Primary Currency USD			Secondary Currency			Totals USD				
Daily Product Cost 0.00			Daily Product Cost 0.00			Primary Product 3713458.73				
Daily Tax 0.00			Daily Tax 0.00			Secondary Product 0.00				
Debit/Credit 0.00			Debit/Credit 0.00			Primary Engineering 108675.00				
Daily Engineering Cost 1350.00			Daily Engineering Cost			Secondary Engineering 0.00				
Total Daily Cost 1350.00			Total Daily Cost 0.00			Primary Total 3831730.41				
Total Inventory Value 628854.31			Total Inventory Value 0.00			Secondary Total 0.00				
						Deck Load 1112481 lb				
Products and Services										
Product	Units	Start	Transferred In	Received	Returned	Lost	Daily Use	Final	Active Ending Concentrations lb/bbl	Reserve Ending Concentrations lb/bbl
Bulk										
BARITE - Imported	1000 kg	144						144	336.17	85.28
Oil Based Product										
CALCIUM CHLORIDE (97%)	1000 kg									
CALCIUM CHLORIDE (97%)	25 kg	160						160	12.09	13.53
CARBO-GEL 2	25 kg	60						60	2.72	3.96
CARBO-TROL HT	25 kg	150						150	2.86	3.43
OMNI-COTE	55 USgal	5						5	0.74	0.05
OMNI-MUL	55 USgal	8						8	6.88	5.66
OMNI-PLEX	55 USgal	7						7	1.76	3.27
OMNI-TEC	55 USgal	17						17	2.34	4.77
PARA-TEQ BASE FLUID	1 bbl	1343						1343	111.87	157.25
SA-58	50 lb									
Water Based Product										
BENTONITE	50 kg									
CALCIUM CARBONATE - FINE	50 kg	160						160	3.83	2.08
CALCIUM CARBONATE - MED	50 kg	110						110	1.42	0.42
CAUSTIC SODA	25 kg									
LIME	25 kg	200						200	9.34	5.53
MIL-GUAR	25 kg	19						19		
MIL-PAC R	25 kg									
MIL-PAC LV	25 kg									
ML 1013 (BIOCIDE)	55 USgal									
NEW-DRILL PLUS	25 kg									
NUT PLUG F	25 lb									
POTASSIUM CHLORIDE	50 kg									
POTASSIUM CHLORIDE BRINE	1 bbl	790						790		
SODA ASH	25 kg									
XANTHANGUM D	25 kg	24						24		
LCM										
CALCIUM CARBONATE COARSE	50 kg	100						100		
SOLUFLAKE C	25 kg	40						40	0.80	0.24
SOLUFLAKE F	25 kg	140						140	1.59	0.47
SOLUFLAKE M	25 kg	100						100	1.81	0.54
X-LINK	40 lb									
X-LINK RTR	5 USgal									
Other										
BLACK MAGIC SF T	50 lb	200						200		
OM SEAL	25 lb									
BHDF Fluids Rep	BHDF Rep Phone	Warehouse	Warehouse Phone	Coordinator		Daily Cost	Cumulative Cost	Inventory Value	Page 3	
Jose Rodriguez / Waboso Peter	234-803-4020440	Onne Port Harcourt	234-84-462609	Ogaree Lawson/Michael Harris		1350.00 USD	3831730.41 USD	628854.31 USD		
Any opinion and/or recommendation, expressed orally or written herein, has been prepared carefully and may be used if the user so elects, however, no representative or warranty is made by ourselves or our agents as to the correctness or completeness, and no liability is assumed for any damages resulting from the use of same.										