

ADVANTAGE Daily Drilling Fluids Report - 80



INTEQ

Rpt Date 09/Feb/2006		Well Name/No Bilabri DX 1		Section Name/No 6" Section #6		Mud System SYN-TEQ (PARA)	
Job# 1		Spud Date 22/Nov/2005		MD 3227.00 m		Progress 0.00 m	
Operator Peak Petroleum Indust. Limited		Company Rep Texas Richards / Jerry Perczyk		Contractor Dolphin Drilling Ltd		Contractor Rep Troy Nolan / Paul Shepard	
Field/Lease Bilabri		Blk/Co/Parish OML - 122 / Nigeria		Area Offshore		Country/State Nigeria	
						Rig BULFORD DOLPHIN	

Drilling Assembly						Casing		Volumes	Pump Information						
Bit Gauge in	Mfr	Bit Model	OD in	ID in	Depth m	bbl		Model	Liner in	Stroke in	Eff %	Vol/Stk bbl	Stk Rate SPM	Circ Rate USgal/min	
6	HCC	STR382DG3K		19	168.00	Total Hole	841.4	Continental Ensco FA-1600	5 1/2	12.00	94	0.0829	0		
Drill Collars			Drill Pipe			20	18.700	453.00	Continental Ensco FA-1600	5 1/2	12.00	94	0.0829	0	
OD in	ID in	Length m	OD in	ID in	Length m	13 3/8	12 3/8	1536.00	Active Pits	Continental Ensco FA-1600	5 1/2	12.00	94	0.0829	
4 3/4	2 3/16	9.35	5	4.726	2108.31	9 5/8	8.681	2770.00	406						
4 3/4	2 3/16	73.72	3 1/2	2 1/2	836.00	7	6.184	3061.00	Tot Active						
4 3/4	2 3/16	18.68					8 1/2	3200.00	1247.4						
							6	3227.00	In Storage	Circulation Times					
									381	Surface to Bit	0.0 min/0stks			Total System	0.0 min/0stks
										Bottoms Up	0.0 min/0stks				

Mud Properties					Max Ann Velocity		Hole Information				
Property	Fluid Spec	1	2	3	AV Riser	ft/min	Standpipe Pressure	0 psi	Water Depth	168.25 m	
Sample From		Active Pit	Active Pit		AV Casing	0.00 ft/min	Hole Flow	0 USgal/min	Riser Booster Rate	USgal/min	
Check Time		06:00	23:00		AV Open Hole	0.00 ft/min	Solids Analysis				
MD m		3227.00	3227.00		Vc Open Hole	0.00 ft/min	Property	1	2	3	
TVD m		2974.00	2974.00		Vc Drill Pipe	0.00 ft/min	LGS %	5.20	5.17		
Bit Depth m		3061.00	3060.00		Min Ann Velocity		LGS lb/bbl	47.35	47.08		
Inc deg		32.80			AV Riser	ft/min	HGS %	22.08	22.06		
Density ppg	12.9-13.5	14.5	14.5		AV Casing	0.00 ft/min	HGS lb/bbl	324.99	324.72		
Funnel Visc. sec/quart	95.0-100.0	88.0	98.0		AV Open Hole	0.00 ft/min	Avg Dens Sol sg	3.8952	3.8964		
Test Temp degF		105.0	90.0		Bit Information						
Rheol Temp degF		140.0	140.0		Size	6 in					
PV cP		46	45		Hours On Bit						
YP lbf/100ft^2	15-25	23	23		Bit Number						
10sec Gel lbf/100ft^2		11	10		BHA Number	17	Rheology				
10min Gel lbf/100ft^2		16	16		Depth In	3200.00 m	600 RPM	115	113		
HTHP Filtrate cc		2.2	2.2		Bit RPM		300 RPM	69	68		
HTHP Cake in/32		2.0	2.0		WOB	2.00 klbf	200 RPM	53	55		
HTHP Temp degF		250.0	250.0		Nozzles	2x32:12	100 RPM	33	33		
HTHP Pressure psi		500	500		Bit Hydraulics		6 RPM	10	10		
Retort Water %		16	16		TFA	0.7854 in^2	3 RPM	8	8		
Retort Base Fluid %		55	55		Nozzle Vel	0.0 ft/sec					
Retort Solids %		29	29		Bit Press Loss	0 psi					
Corrected Solids %		27	27		HHP / Area	0.00 HP/in^2	Hydraulic Analysis				
Oil:Water Ratio		77:23	77:23		HHP	0 %	Behavior Index (n)	0.000			
Alk (Whole Mud-POM) cc/cc		1.0	1.1				Consistency Index (k)	0.000 #sec^n/100ft^2			
Cl (Whole Mud-Clom) cc/cc		41000	42000				ECD @ Bit Depth	0.0	ppg		
Ca (Whole Mud-Caom) cc/cc		0	0				ECD @ Casing Shoe	0.0	ppg		
Excess Lime lb/bbl		1.3	1.4		Fluid Comments/ Recommendations						
Brine Density sg		1.26	1.27		No tretment to the mud system.						
NaCl % wt		0	0								
CaCl2 % wt		29	29								
Elect. Stab.V		622.0	615.0								
Sand %		0.60	0.60								
					Drilling Comments						
					Continued circulation and condition mud to 14.5ppg all around, pump out of hole to 3060m. Continue troubleshoot and carryout rig electrical repairs.						

BHDF Fluids Rep	BHDF Rep Phone	Warehouse	Warehouse Phone	Coordinator	Daily Cost	Cumulative Cost	Inventory Value	Page 1
Wobo Chimeka	234-803-4020440	Onne Port Harcourt	234-84-462609	Ogaree Lawson/Michael Harris	450.00 USD	3840819.36 USD	625615.36 USD	

Any opinion and/or recommendation, expressed orally or written herein, has been prepared carefully and may be used if the user so elects, however, no representative or warranty is made by ourselves or our agents as to the correctness or completeness, and no liability is assumed for any damages resulting from the use of same.

ADVANTAGE Daily Drilling Fluids Report - 80



INTEQ

Rpt Date 09/Feb/2006		Well Name/No Bilabri DX 1		Section Name/No 6" Section #6		Mud System SYN-TEQ (PARA)	
Job# 1	Spud Date 22/Nov/2005		MD 3227.00 m		Progress 0.00 m		Present Activity Rig Repair
Operator Peak Petroleum Indust. Limited		Company Rep Texas Richards / Jerry Perczyk		Contractor Dolphin Drilling Ltd		Contractor Rep Troy Nolan / Paul Shepard	
Field/Lease Bilabri		Blk/Co/Parish OML - 122 / Nigeria		Area Offshore		Country/State Nigeria	
Rig BULFORD DOLPHIN							
Solids Control Equipment							
Name	#	Mfr	Hours hours	Screen Sizes	Act Volume Lost bbl	Res Volume Lost bbl	Comments
CENTRIFUGE	1	SWACO	0.0		0.00	0.00	
CENTRIFUGE	2	SWACO	0.0		0.00	0.00	
DESANDER	1	SWACO	0.0		0.00	0.00	
DESILTER	1	SWACO	0.0		0.00	0.00	
MUD CLEANER	1	SWACO	0.0	2 x 210	0.00	0.00	
SHALE SHAKER	1	SWACO	0.0		0.00	0.00	
SHALE SHAKER	1	Derrick Equipments Co	0.0	175, 200, 200	0.00	0.00	
SHALE SHAKER	2	Derrick Equipments Co	0.0	175, 175, 200	0.00	0.00	
SHALE SHAKER	3	Derrick Equipments Co	0.0	175, 175, 175	0.00	0.00	
SHALE SHAKER	4	Brandt	0.0		0.00	0.00	
SHALE SHAKER	5	Brandt	0.0		0.00	0.00	
SHALE SHAKER	6	Brandt	0.0		0.00	0.00	
				Total Volume Lost	0	0	
Volumes							
Additions bbl		Losses bbl		Total Volumes bbl			
Mud Added	Weight Materials	Downhole	Left In Pit	Starting Volume	1627.99	Riser w/o Pipe	193.29
Brine	Water	Cased Off	Trip Losses	Daily Additions		Casing w/o Pipe	653.43
Base Fluid	Product	Left In Hole	Injected	Daily Losses		Open Hole w/o Pipe	35.11
Recycled	Other	Discharged	Spill To Environment	Ending Volume	1627.99	String Displacement	40.43
		SCE	Onshore Disposal	Net Change		String Capacity	168.62
		Evaporation	Returned			Total Hole w/ Pipe	841.40
		Other Losses				Total Active	1247.40
						Total Reserve	381.00
IADC Hours							
Circulate	2.5	Pump Out Of Hole		1	Rig Repair		20.5
BHDF Fluids Rep	BHDF Rep Phone	Warehouse	Warehouse Phone	Coordinator	Daily Cost	Cumulative Cost	Inventory Value
Wobo Chimeka	234-803-4020440	Onne Port Harcourt	234-84-462609	Ogaree Lawson/Michael Harris	450.00 USD	3840819.36 USD	625615.36 USD
Any opinion and/or recommendation, expressed orally or written herein, has been prepared carefully and may be used if the user so elects, however, no representative or warranty is made by ourselves or our agents as to the correctness or completeness, and no liability is assumed for any damages resulting from the use of same.							

**BAKER
HUGHES**

Rpt Date 09/Feb/2006		Well Name/No Bilabri DX 1		Section Name/No 6" Section #6			Mud System SYN-TEQ (PARA)			
Job# 1	Spud Date 22/Nov/2005		MD 3227.00 m		Progress 0.00 m		Present Activity Rig Repair			
Operator Peak Petroleum Indust. Limited		Company Rep Texas Richards / Jerry Perczyk		Contractor Dolphin Drilling Ltd		Contractor Rep Troy Nolan / Paul Shepard				
Field/Lease Bilabri		Blk/Co/Parish OML - 122 / Nigeria		Area Offshore		Country/State Nigeria		Rig BULFORD DOLPHIN		
Primary Currency USD			Secondary Currency			Totals USD				
Daily Product Cost		0.00		Daily Product Cost		0.00		Primary Product 3716697.68		
Daily Tax		0.00		Daily Tax		0.00		Secondary Product 0.00		
Debit/Credit		0.00		Debit/Credit		0.00		Primary Engineering 114525.00		
Daily Engineering Cost		450.00		Daily Engineering Cost				Secondary Engineering 0.00		
Total Daily Cost		450.00		Total Daily Cost		0.00		Primary Total 3840819.36		
Total Inventory Value		625615.36		Total Inventory Value		0.00		Secondary Total 0.00		
							Deck Load 1105441 lb			
Products and Services										
Product	Units	Start	Transferred In	Received	Returned	Lost	Daily Use	Final	Active Ending Concentrations lb/bbl	Reserve Ending Concentrations lb/bbl
Bulk										
BARITE - Imported	1000 kg	141						141	339.88	89.89
Oil Based Product										
CALCIUM CHLORIDE (97%)	1000 kg									
CALCIUM CHLORIDE (97%)	25 kg	160						160	12.04	13.51
CARBO-GEL 2	25 kg	60						60	2.71	3.94
CARBO-TROL HT	25 kg	150						150	2.85	3.42
OMNI-COTE	55 USgal	5						5	0.73	0.06
OMNI-MUL	55 USgal	8						8	6.85	5.68
OMNI-PLEX	55 USgal	6						6	2.09	3.24
OMNI-TEC	55 USgal	17						17	2.33	4.73
PARA-TEQ BASE FLUID	1 bbl	1343						1343	111.35	156.42
SA-58	50 lb									
Water Based Product										
BENTONITE	50 kg									
CALCIUM CARBONATE - FINE	50 kg	160						160	3.81	2.11
CALCIUM CARBONATE - MED	50 kg	110						110	1.41	0.44
CAUSTIC SODA	25 kg									
LIME	25 kg	200						200	9.29	5.60
MIL-GUAR	25 kg	19						19		
MIL-PAC R	25 kg									
MIL-PAC LV	25 kg									
ML 1013 (BIOCIDE)	55 USgal									
NEW-DRILL PLUS	25 kg									
NUT PLUG F	25 lb									
POTASSIUM CHLORIDE	50 kg									
POTASSIUM CHLORIDE BRINE	1 bbl	790						790		
SODA ASH	25 kg									
XANTHANGUM D	25 kg	24						24		
LCM										
CALCIUM CARBONATE COARSE	50 kg	100						100		
SOLUFLAKE C	25 kg	40						40	0.80	0.25
SOLUFLAKE F	25 kg	140						140	1.58	0.49
SOLUFLAKE M	25 kg	100						100	1.80	0.56
X-LINK	40 lb									
X-LINK RTR	5 USgal									
Other										
BLACK MAGIC SF T	50 lb	200						200		
OM SEAL	25 lb									
BHDF Fluids Rep	BHDF Rep Phone	Warehouse	Warehouse Phone	Coordinator			Daily Cost	Cumulative Cost	Inventory Value	Page 3
Wobo Chimeka	234-803-4020440	Onne Port Harcourt	234-84-462609	Ogaree Lawson/Michael Harris			450.00 USD	3840819.36 USD	625615.36 USD	
Any opinion and/or recommendation, expressed orally or written herein, has been prepared carefully and										