

ADVANTAGE Daily Drilling Fluids Report - 81



INTEQ

Rpt Date 10/Feb/2006		Well Name/No Bilabri DX 1		Section Name/No 6" Section #6		Mud System SYN-TEQ (PARA)	
Job# 1		Spud Date 22/Nov/2005		MD 3234.00 m		Progress 7.00 m	
Operator Peak Petroleum Indust. Limited		Company Rep Texas Richards / Jerry Perczyk		Contractor Dolphin Drilling Ltd		Contractor Rep Troy Nolan / Paul Shepard	
Field/Lease Bilabri		Blk/Co/Parish OML - 122 / Nigeria		Area Offshore		Country/State Nigeria	
						Rig BULFORD DOLPHIN	

Drilling Assembly			Casing			Volumes	Pump Information							
Bit Gauge in	Mfr	Bit Model	OD in	ID in	Depth m	bbl	Model	Liner in	Stroke in	Eff %	Vol/Stk bbl	Stk Rate SPM	Circ Rate USgal/min	
6	HCC	STR382DG3K		19	168.00	Total Hole	Continental Ensco FA-1600	5 1/2	12.00	94	0.0829	51	178	
Drill Collars			Drill Pipe			840.74	Continental Ensco FA-1600	5 1/2	12.00	94	0.0829	48	167	
OD in	ID in	Length m	OD in	ID in	Length m	13 3/8	12 3/8	1536.00	Active Pits	Continental Ensco FA-1600	5 1/2	12.00	94	0.0829
4 3/4	2 3/16	9.35	5	4.726	2282.31	9 5/8	8.681	2770.00	399					
4 3/4	2 3/16	73.72	3 1/2	2 1/2	836.00	7	6.184	3061.00	Tot Active					
4 3/4	2 3/16	18.68					8 1/2	3200.00	1239.74	Circulation Times				
							6	3234.00	In Storage	Surface to Bit 22.1 min/2183stks Total System 150.6 min/14912stks				
									297	Bottoms Up 80.4 min/7962stks				

Mud Properties				Max Ann Velocity		Hole Information				
Property	Fluid Spec	1	2	3	AV Riser	25.13 ft/min	Standpipe Pressure	4100 psi	Water Depth	168.25 m
Sample From		Active Pit	Active Pit		AV Casing	324.92 ft/min	Hole Flow	345 USgal/min	Riser Booster Rate	USgal/min
Check Time		06:00	23:00		AV Open Hole	628.48 ft/min	Solids Analysis			
MD m		3227.00	3234.00		Vc Open Hole	491.09 ft/min	Property	1	2	3
TVD m		2974.00	2974.00		Vc Drill Pipe	324.97 ft/min	LGS %	5.23	5.25	
Bit Depth m		3227.00	3234.00		Min Ann Velocity		LGS lb/bbl	47.62	47.88	
Inc deg		32.80	32.80		AV Riser	25.13 ft/min	HGS %	22.10	22.12	
Density ppg	12.9-13.5	14.5	14.5		AV Casing	133.82 ft/min	HGS lb/bbl	325.28	325.56	
Funnel Visc. sec/quart	95.0-100.0	86.0	78.0		AV Open Hole	140.75 ft/min	Avg Dens Sol sg	3.8940	3.8928	
Flow Line Temp degF			122.0		Bit Information					
Test Temp degF		90.0	100.0		Size	6 in				
Rheol Temp degF		140.0	140.0		Hours On Bit					
PV cP		46	47		Bit Number					
YP lbf/100ft^2	15-25	23	25		BHA Number	17	Rheology			
10sec Gel lbf/100ft^2		10	10		Depth In	3200.00 m	600 RPM	115	119	
10min Gel lbf/100ft^2		17	17		Bit RPM		300 RPM	69	72	
HTHP Filtrate cc		2.2	2.4		WOB	2.00 klbf	200 RPM	53	54	
HTHP Cake in/32		2.0	2.0		Nozzles	2x32:12	100 RPM	33	35	
HTHP Temp degF		250.0	250.0		Bit Hydraulics		6 RPM	9	9	
HTHP Pressure psi		500	500		TFA	0.7854 in^2	3 RPM	7	7	
Retort Water %		16	16		Nozzle Vel	140.8 ft/sec				
Retort Base Fluid %		55	55		Bit Press Loss	257 psi				
Retort Solids %		29	29		HHP / Area	1.85 HP/in^2	Hydraulic Analysis			
Corrected Solids %		27	27		HHP	7 %	Behavior Index (n)	0.459		
Oil:Water Ratio		77:23	77:23				Consistency Index (k)	3.534 #sec^n/100ft^2		
Alk (Whole Mud-POM) cc/cc		1.0	1.5				ECD @ Bit Depth	15.1 ppg		
Cl (Whole Mud-Clom) cc/cc		40000	39000				ECD @ Casing Shoe	15.1 ppg		
Ca (Whole Mud-Caom) cc/cc		0	0		Fluid Comments/ Recommendations					
Excess Lime lb/bbl		1.3	1.9		Conditioned & stabilize mud wt in/out at 14.5 ppg while circ at the 8-1/2" hole.					
Brine Density sg		1.26	1.25							
NaCl % wt		0	0							
CaCl2 % wt		28	28							
Elect. Stab.V		604.0	614.0							
Sand %		0.60	0.60							
					Drilling Comments					
					Continue to troubleshoot & investigate electrical problem. RIH from 7" shoe t/3172m.. Wash/ream t/3200 & then to 6" TD of 3227m. Drill 6" hole t/3234m. Pull bk to 8-1/2" hole. Circ & condition mud to 14.5 ppg in/out. RIH t/3230, m/u TDS, wash/ream to 3234m.					

BHDF Fluids Rep	BHDF Rep Phone	Warehouse	Warehouse Phone	Coordinator	Daily Cost	Cumulative Cost	Inventory Value
-----------------	----------------	-----------	-----------------	-------------	------------	-----------------	-----------------

Waboso Peter / Wobo Chimeka	234-803-4020440	Onne Port Harcourt	234-84-462609	Ogaree Lawson/Michael Harris	24716.40 USD	3865535.76 USD	601348.96 USD	
-----------------------------	-----------------	--------------------	---------------	------------------------------	--------------	----------------	---------------	--

Any opinion and/or recommendation, expressed orally or written herein, has been prepared carefully and may be used if the user so elects, however, no representative or warranty is made by ourselves or our agents as to the correctness or completeness, and no liability is assumed for any damages resulting from the use of same.

ADVANTAGE Daily Drilling Fluids Report - 81



INTEQ

Rpt Date 10/Feb/2006		Well Name/No Bilabri DX 1		Section Name/No 6" Section #6		Mud System SYN-TEQ (PARA)	
Job# 1	Spud Date 22/Nov/2005		MD 3234.00 m		Progress 7.00 m		Present Activity Rig Repair
Operator Peak Petroleum Indust. Limited		Company Rep Texas Richards / Jerry Perczyk		Contractor Dolphin Drilling Ltd		Contractor Rep Troy Nolan / Paul Shepard	
Field/Lease Bilabri		Blk/Co/Parish OML - 122 / Nigeria		Area Offshore		Country/State Nigeria	
Rig BULFORD DOLPHIN							
Solids Control Equipment							
Name	#	Mfr	Hours hours	Screen Sizes	Act Volume Lost bbl	Res Volume Lost bbl	Comments
CENTRIFUGE	1	SWACO	0.0		0.00	0.00	
CENTRIFUGE	2	SWACO	0.0		0.00	0.00	
DESANDER	1	SWACO	0.0		0.00	0.00	
DESILTER	1	SWACO	0.0		0.00	0.00	
MUD CLEANER	1	SWACO	0.0	2 x 210	0.00	0.00	
SHALE SHAKER	1	SWACO	0.0		0.00	0.00	
SHALE SHAKER	1	Derrick Equipments Co	14.0	175, 200, 200	4.00	0.00	
SHALE SHAKER	2	Derrick Equipments Co	14.0	175, 175, 200	4.00	0.00	
SHALE SHAKER	3	Derrick Equipments Co	14.0	175, 175, 175	4.00	0.00	
SHALE SHAKER	4	Brandt	0.0		0.00	0.00	
SHALE SHAKER	5	Brandt	0.0		0.00	0.00	
SHALE SHAKER	6	Brandt	0.0		0.00	0.00	
				Total Volume Lost	12	0	
Volumes							
Additions bbl			Losses bbl			Total Volumes bbl	
Mud Added	Weight Materials	12	Downhole	80	Left In Pit	Starting Volume	1628.4
Brine	Water		Cased Off		Trip Losses	Daily Additions	63.81
Base Fluid	Product	11.81	Left In Hole		Injected	Daily Losses	156
Recycled	Other		Discharged		Spill To Environment	Ending Volume	1536.21
			SCE	12	Onshore Disposal	Net Change	-92.19
			Evaporation	5	Returned		
			Other Losses	59		Total Hole w/ Pipe	840.74
						Total Active	1239.74
						Total Reserve	297.00
IADC Hours							
Rig Repair		13	Drilling Formation		0.5	Reaming	10.5
BHDF Fluids Rep	BHDF Rep Phone	Warehouse	Warehouse Phone	Coordinator	Daily Cost	Cumulative Cost	Inventory Value
Waboso Peter / Wobo Chimeka	234-803-4020440	Onne Port Harcourt	234-84-462609	Ogaree Lawson/Michael Harris	24716.40 USD	3865535.76 USD	601348.96 USD
Any opinion and/or recommendation, expressed orally or written herein, has been prepared carefully and may be used if the user so elects, however, no representative or warranty is made by ourselves or our agents as to the correctness or completeness, and no liability is assumed for any damages resulting from the use of same.							

**BAKER
HUGHES**

Rpt Date 10/Feb/2006		Well Name/No Bilabri DX 1		Section Name/No 6" Section #6			Mud System SYN-TEQ (PARA)				
Job# 1	Spud Date 22/Nov/2005		MD 3234.00 m		Progress 7.00 m		Present Activity Rig Repair				
Operator Peak Petroleum Indust. Limited		Company Rep Texas Richards / Jerry Perczyk			Contractor Dolphin Drilling Ltd		Contractor Rep Troy Nolan / Paul Shepard				
Field/Lease Bilabri		Blk/Co/Parish OML - 122 / Nigeria			Area Offshore		Country/State Nigeria		Rig BULFORD DOLPHIN		
Primary Currency USD			Secondary Currency			Totals USD					
Daily Product Cost		24266.40		Daily Product Cost		0.00		Primary Product		3740964.08	
Daily Tax		0.00		Daily Tax		0.00		Secondary Product		0.00	
Debit/Credit		0.00		Debit/Credit		0.00		Primary Engineering		114975.00	
Daily Engineering Cost		450.00		Daily Engineering Cost				Secondary Engineering		0.00	
Total Daily Cost		24716.40		Total Daily Cost		0.00		Primary Total		3865535.76	
Total Inventory Value		601348.96		Total Inventory Value		0.00		Secondary Total		0.00	
								Deck Load		1070460 lb	
Products and Services											
Product		Units	Start	Transferred In	Received	Returned	Lost	Daily Use	Final	Active Ending Concentrations lb/bbl	Reserve Ending Concentrations lb/bbl
Bulk											
BARITE - Imported		1000 kg	141					8	133	321.92	89.89
Oil Based Product											
CALCIUM CHLORIDE (97%)		1000 kg									
CALCIUM CHLORIDE (97%)		25 kg	160						160	11.57	13.51
CARBO-GEL 2		25 kg	60					10	50	3.06	3.94
CARBO-TROL HT		25 kg	150						150	2.75	3.42
OMNI-COTE		55 USgal	5						5	0.66	0.06
OMNI-MUL		55 USgal	8						8	6.46	5.68
OMNI-PLEX		55 USgal	6					2	4	2.67	3.24
OMNI-TEC		55 USgal	17					2	15	3.01	4.73
PARA-TEQ BASE FLUID		1 bbl	1343					40	1303	116.59	156.42
SA-58		50 lb									
Water Based Product											
BENTONITE		50 kg									
CALCIUM CARBONATE - FINE		50 kg	160						160	3.54	2.11
CALCIUM CARBONATE - MED		50 kg	110						110	1.29	0.44
CAUSTIC SODA		25 kg									
LIME		25 kg	200					80	120	11.81	5.60
MIL-GUAR		25 kg	19						19		
MIL-PAC R		25 kg									
MIL-PAC LV		25 kg									
ML 1013 (BIOCIDE)		55 USgal									
NEW-DRILL PLUS		25 kg									
NUT PLUG F		25 lb									
POTASSIUM CHLORIDE		50 kg									
POTASSIUM CHLORIDE BRINE		1 bbl	790						790		
SODA ASH		25 kg									
XANTHANGUM D		25 kg	24						24		
LCM											
CALCIUM CARBONATE COARSE		50 kg	100						100		
SOLUFLAKE C		25 kg	40						40	0.73	0.25
SOLUFLAKE F		25 kg	140						140	1.44	0.49
SOLUFLAKE M		25 kg	100						100	1.64	0.56
X-LINK		40 lb									
X-LINK RTR		5 USgal									
Other											
BLACK MAGIC SF T		50 lb	200						200		
OM SEAL		25 lb									
BHDF Fluids Rep		BHDF Rep Phone									