

**BAKER
HUGHES**

Rpt Date 11/Feb/2006			Well Name/No Bilabri DX 1			Section Name/No 6" Section #6			Mud System SYN-TEQ (PARA)							
Job# 1	Spud Date 22/Nov/2005			MD 3460.00 m		Progress 226.00 m		Present Activity Drilling Formation								
Operator Peak Petroleum Indust. Limited			Company Rep Texas Richards / Jerry Perczyk			Contractor Dolphin Drilling Ltd		Contractor Rep Troy Nolan / Paul Shepard								
Field/Lease Bilabri		Blk/Co/Parish OML - 122 / Nigeria			Area Offshore		Country/State Nigeria		Rig BULFORD DOLPHIN							
Drilling Assembly			Casing			Volumes	Pump Information									
Bit Gauge in	Mfr	Bit Model	OD in	ID in	Depth m	bbl	Model	Liner in	Stroke in	Eff %	Vol/Stk bbl	Stk Rate SPM	Circ Rate USgal/min			
6	HCC	STR382DG3K		19	168.00	Total Hole	Continental Ensco FA-1600	5 1/2	12.00	94	0.0829	62	216			
Drill Collars		Drill Pipe		20	18.700	453.00	864.75	Continental Ensco FA-1600	5 1/2	12.00	94	0.0829	0			
OD in	ID in	Length m	OD in	ID in	Length m	13 3/8	12 3/8	1536.00	Active Pits	Continental Ensco FA-1600	5 1/2	12.00	94	0.0829	47	164
4 3/4	2 3/16	9.35	5	4.726	2508.31	9 5/8	8.681	2770.00	330							
4 3/4	2 3/16	73.72	3 1/2	2 1/2	836.00	7	6.184	3061.00	Tot Active							
4 3/4	2 3/16	18.68					8 1/2	3200.00	1194.75							
							6	3460.00	In Storage							
								249	Bottoms Up							
									Surface to Bit	21.8 min/2378stks	Total System	134.3 min/14635stks				
										73.9 min/8058stks						
Mud Properties					Max Ann Velocity		Hole Information									
Property		1	2	3	4	AV Riser	27.67 ft/min	Standpipe Pressure	4260 psi	Water Depth	168.25 m					
Sample From		Flow Line	Flow Line	Active Pit	Active Pit	AV Casing	357.74 ft/min	Hole Flow	379 USgal/min	Riser Booster Rate	USgal/min					
Check Time		05:45	11:15	17:15	23:15	AV Open Hole	691.96 ft/min	Solids Analysis								
MD m		3272.00	3313.00	3385.00	3460.00	Vc Open Hole	485.74 ft/min	Property	1	2	3	4				
TVD m		3033.00	3069.00	3129.00	3133.00	Vc Drill Pipe	407.76 ft/min	LGS %	5.31	5.28	5.36	5.88				
Bit Depth m		3272.00	3313.00	3385.00	3460.00	Min Ann Velocity		LGS lb/bbl	48.38	48.13	48.85	53.55				
Inc deg		32.80	32.80	32.80	32.80	AV Riser	27.67 ft/min	HGS %	22.16	22.14	22.20	22.63				
Density ppg		14.5	14.5	14.5	14.7	AV Casing	147.33 ft/min	HGS lb/bbl	326.16	325.86	326.79	333.13				
Funnel Visc. sec/quart		83.0	81.0	78.0	81.0	AV Open Hole	154.97 ft/min	Avg Dens Sol sg	3.8907	3.8918	3.8888	3.8702				
Flow Line Temp degF		128.0	132.0	136.0	136.0	Bit Information										
Test Temp degF		110.0	115.0	120.0	120.0	Size	6 in									
Rheol Temp degF		140.0	140.0	140.0	140.0	Hours On Bit										
PV cP		48	48	49	52	Bit Number										
YP lbf/100ft^2		26	24	26	26	BHA Number	17	Rheology								
10sec Gel																

ADVANTAGE Daily Drilling Fluids Report - 82



INTEQ

Rpt Date 11/Feb/2006		Well Name/No Bilabri DX 1		Section Name/No 6" Section #6		Mud System SYN-TEQ (PARA)	
Job# 1	Spud Date 22/Nov/2005		MD 3460.00 m		Progress 226.00 m		Present Activity Drilling Formation
Operator Peak Petroleum Indust. Limited		Company Rep Texas Richards / Jerry Perczyk		Contractor Dolphin Drilling Ltd		Contractor Rep Troy Nolan / Paul Shepard	
Field/Lease Bilabri		Blk/Co/Parish OML - 122 / Nigeria		Area Offshore		Country/State Nigeria	
Rig BULFORD DOLPHIN							

Solids Control Equipment							
Name	#	Mfr	Hours hours	Screen Sizes	Act Volume Lost bbl	Res Volume Lost bbl	Comments
CENTRIFUGE	1	SWACO	0.0		0.00	0.00	
CENTRIFUGE	2	SWACO	0.0		0.00	0.00	
DESANDER	1	SWACO	0.0		0.00	0.00	
DESILTER	1	SWACO	0.0		0.00	0.00	
MUD CLEANER	1	SWACO	12.0	2 x 210	5.00	0.00	
SHALE SHAKER	1	SWACO	0.0		0.00	0.00	
SHALE SHAKER	1	Derrick Equipments Co	24.0	175, 200, 200	7.00	0.00	
SHALE SHAKER	2	Derrick Equipments Co	24.0	175, 2 x 210	7.00	0.00	
SHALE SHAKER	3	Derrick Equipments Co	24.0	175, 2 x 200	7.00	0.00	
SHALE SHAKER	4	Brandt	0.0		0.00	0.00	
SHALE SHAKER	5	Brandt	0.0		0.00	0.00	
SHALE SHAKER	6	Brandt	0.0		0.00	0.00	
				Total Volume Lost	26	0	

Volumes									
Additions bbl			Losses bbl			Total Volumes bbl			
Mud Added	Weight Materials	15.01	Downhole	78	Left In Pit	Starting Volume	1536.74	Riser w/o Pipe	193.29
Brine	Water		Cased Off		Trip Losses	Daily Additions	61.78	Casing w/o Pipe	653.43
Base Fluid	Product	6.77	Left In Hole		Injected	Daily Losses	155	Open Hole w/o Pipe	61.84
Recycled	Other		Discharged		Spill To Environment	Ending Volume	1443.52	String Displacement	43.81
			SCE	26	Onshore Disposal	Net Change	-93.22	String Capacity	197.02
			Evaporation	8	Returned			Total Hole w/ Pipe	864.75
			Other Losses	43				Total Active	1194.75
								Total Reserve	249.00

IADC Hours									
Drilling Formation						24			

BHDF Fluids Rep	BHDF Rep Phone	Warehouse	Warehouse Phone	Coordinator	Daily Cost	Cumulative Cost	Inventory Value	Page 2
Waboso Peter / Wobo Chimeka	234-803-4020440	Onne Port Harcourt	234-84-462609	Ogaree Lawson/Michael Harris	22554.91 USD	3888090.67 USD	579244.05 USD	

Any opinion and/or recommendation, expressed orally or written herein, has been prepared carefully and may be used if the user so elects, however, no representative or warranty is made by ourselves or our agents as to the correctness or completeness, and no liability is assumed for any damages resulting from the use of same.

ADVANTAGE Daily Drilling Fluids Report - 82



INTEQ

Rpt Date 11/Feb/2006		Well Name/No Bilabri DX 1		Section Name/No 6" Section #6		Mud System SYN-TEQ (PARA)	
Job# 1	Spud Date 22/Nov/2005	MD 3460.00 m	Progress 226.00 m	Present Activity Drilling Formation			
Operator Peak Petroleum Indust. Limited		Company Rep Texas Richards / Jerry Perczyk		Contractor Dolphin Drilling Ltd		Contractor Rep Troy Nolan / Paul Shepard	
Field/Lease Bilabri		Blk/Co/Parish OML - 122 / Nigeria		Area Offshore		Country/State Nigeria	
						Rig BULFORD DOLPHIN	

Primary Currency USD		Secondary Currency		Totals USD	
Daily Product Cost	22104.91	Daily Product Cost	0.00	Primary Product	3763068.99
Daily Tax	0.00	Daily Tax	0.00	Secondary Product	0.00
Debit/Credit	0.00	Debit/Credit	0.00	Primary Engineering	115425.00
Daily Engineering Cost	450.00	Daily Engineering Cost		Secondary Engineering	0.00
Total Daily Cost	22554.91	Total Daily Cost	0.00	Primary Total	3888090.67
Total Inventory Value	579244.05	Total Inventory Value	0.00	Secondary Total	0.00
				Deck Load	1033244 lb

Products and Services										
Product	Units	Start	Transferred In	Received	Returned	Lost	Daily Use	Final	Active Ending Concentrations lb/bbl	Reserve Ending Concentrations lb/bbl
Bulk										
BARITE - Imported	1000 kg	133					10	123	315.27	89.89
Oil Based Product										
CALCIUM CHLORIDE (97%)	1000 kg									
CALCIUM CHLORIDE (97%)	25 kg	160						160	11.11	13.51
CARBO-GEL 2	25 kg	50					7	43	3.23	3.94
CARBO-TROL HT	25 kg	150						150	2.65	3.42
OMNI-COTE	55 USgal	5					2	3	1.23	0.06
OMNI-MUL	55 USgal	8						8	6.14	5.68
OMNI-PLEX	55 USgal	4						4	2.57	3.24
OMNI-TEC	55 USgal	15						15	2.94	4.73
PARA-TEQ BASE FLUID	1 bbl	1303					40	1263	120.55	156.42
SA-58	50 lb									
Water Based Product										
BENTONITE	50 kg									
CALCIUM CARBONATE - FINE	50 kg	160					30	130	5.77	2.11
CALCIUM CARBONATE - MED	50 kg	110						110	1.20	0.44
CAUSTIC SODA	25 kg									
LIME	25 kg	120						120	11.04	5.60
MIL-GUAR	25 kg	19						19		
MIL-PAC R	25 kg									
MIL-PAC LV	25 kg									
ML 1013 (BIOCIDE)	55 USgal									
NEW-DRILL PLUS	25 kg									
NUT PLUG F	25 lb									
POTASSIUM CHLORIDE	50 kg									
POTASSIUM CHLORIDE BRINE	1 bbl	790						790		
SODA ASH	25 kg									
XANTHANGUM D	25 kg	24						24		
LCM										
CALCIUM CARBONATE COARSE	50 kg	100						100		
SOLUFLAKE C	25 kg	40						40	0.68	0.25
SOLUFLAKE F	25 kg	140						140	1.34	0.49
SOLUFLAKE M	25 kg	100						100	1.53	0.56
X-LINK	40 lb									
X-LINK RTR	5 USgal									
Other										
BLACK MAGIC SF T	50 lb	200						200		
OM SEAL	25 lb									

BHDF Fluids Rep	BHDF Rep Phone	Warehouse	Warehouse Phone	Coordinator	Daily Cost	Cumulative Cost	Inventory Value	Page 3
Waboso Peter / Wobo Chimeka	234-803-4020440	Onne Port Harcourt	234-84-462609	Ogaree Lawson/Michael Harris	22554.91 USD	3888090.67 USD	579244.05 USD	

Any opinion and/or recommendation, expressed orally or written herein, has been prepared carefully and may be used if the user so elects, however, no representative or warranty is made by ourselves or our agents as to the correctness or completeness, and no liability is assumed for any damages resulting from the use of same.