

**BAKER
HUGHES**

Rpt Date 13/Feb/2006			Well Name/No Bilabiri DX 1			Section Name/No 6" Section #6			Mud System SYN-TEQ (PARA)							
Job# 1		Spud Date 22/Nov/2005			MD 3545.00 m			Progress 0.00 m		Present Activity Wait						
Operator Peak Petroleum Indust. Limited			Company Rep Texas Richards / Jerry Perczyk			Contractor Dolphin Drilling Ltd			Contractor Rep Troy Nolan / Paul Shepard							
Field/Lease Bilabiri		Blk/Co/Parish OML - 122 / Nigeria			Area Offshore		Country/State Nigeria			Rig BULFORD DOLPHIN						
Drilling Assembly				Casing			Volumes	Pump Information								
Bit Gauge in		Mfr	Bit Model		OD in	ID in	Depth m	bbl	Model	Liner in	Stroke in	Eff %	Vol/Stk bbl	Stk Rate SPM	Circ Rate USgal/min	
6		HCC	STR382DG3K			19	168.00	Total Hole	Continental Ensco FA-1600	5 1/2	12.00	94.0	0.0829	0		
Drill Collars		Drill Pipe			20	18.700	453.00	876.78	Continental Ensco FA-1600	5 1/2	12.00	94.0	0.0829	0		
OD in	ID in	Length m	OD in	ID in	Length m	13 3/8	12 3/8	1536.00	Active Pits	Continental Ensco FA-1600	5 1/2	12.00	94.0	0.0829	0	
4 3/4	2 3/16	9.35	5	4.726	2239.31	9 5/8	8.681	2770.00	244							
4 3/4	2 3/16	73.72	3 1/2	2 1/2	836.00	7	6.184	3061.00	Tot Active							
4 3/4	2 3/16	18.68					8 1/2	3200.00	1120.78	Circulation Times						
							6	3545.00	In Storage	Surface to Bit		min/stks		Total System min/stks		
								764	Bottoms Up	min/stks						
Mud Properties					Max Ann Velocity				Hole Information							
Property		Fluid Spec	1	2	3	AV Riser		ft/min	Standpipe Pressure		0 psi		Water Depth			168.25 m
Sample From			Active Pit	Active Pit		AV Casing		ft/min	Hole Flow		USgal/min		Riser Booster Rate			USgal/min
Check Time			16:30	23:00		AV Open Hole		ft/min	Solids Analysis							
MD m			3545.00	3545.00		Vc Open Hole		ft/min	Property		1	2	3	4		
TVD m			3348.00	3348.00		Vc Drill Pipe		ft/min	LGS %		4.73	4.78				
Bit Depth m			3191.00	3191.00		Min Ann Velocity			LGS lb/bbl		43.13	43.60				
Inc deg			32.80	32.80		AV Riser		ft/min	HGS %		24.23	24.27				
Density ppg			15.0	15.0		AV Casing		ft/min	HGS lb/bbl		356.72	357.35				
Funnel Visc. sec/quart			79.0	82.0		AV Open Hole		ft/min	Avg Dens Sol sg		3.9386	3.9366				
Test Temp degF			100.0	85.0		Bit Information										
Rheol Temp degF			140.0	140.0		Size		6 in								
PV cP			46	47		Hours On Bit										
YP lbf/100ft^2			22	24		Bit Number										
10sec Gel lbf/100ft^2			9	9		BHA Number		17	Rheology							
10min Gel lbf/100ft^2			14	15		Depth In		3200.00 m	600 RPM		114	118				
HTHP Filtrate cc			2.8	3.0		Bit RPM			300 RPM		68	71				
HTHP Cake in/32			2.0	2.0		WOB		2.00 klbf	200 RPM		50	52				
HTHP Temp degF			250.0	250.0		Nozzles		2x32:12	100 RPM		31	32				
HTHP Pressure psi			500	500		Bit Hydraulics			6 RPM		9	9				

ADVANTAGE Daily Drilling Fluids Report - 84



INTEQ

Rpt Date 13/Feb/2006		Well Name/No Bilabri DX 1		Section Name/No 6" Section #6		Mud System SYN-TEQ (PARA)	
Job# 1		Spud Date 22/Nov/2005		MD 3545.00 m		Progress 0.00 m	
Operator Peak Petroleum Indust. Limited		Company Rep Texas Richards / Jerry Perczyk		Contractor Dolphin Drilling Ltd		Contractor Rep Troy Nolan / Paul Shepard	
Field/Lease Bilabri		Blk/Co/Parish OML - 122 / Nigeria		Area Offshore		Country/State Nigeria	
Rig BULFORD DOLPHIN							
Solids Control Equipment							
Name	#	Mfr	Hours hours	Screen Sizes	Act Volume Lost bbl	Res Volume Lost bbl	Comments
CENTRIFUGE	1	SWACO	0.0		0.00	0.00	
CENTRIFUGE	2	SWACO	0.0		0.00	0.00	
DESANDER	1	SWACO	0.0		0.00	0.00	
DESILTER	1	SWACO	0.0		0.00	0.00	
MUD CLEANER	1	SWACO	0.0	2 x 210	0.00	0.00	
SHALE SHAKER	1	SWACO	0.0		0.00	0.00	
SHALE SHAKER	1	Derrick Equipments Co	18.0	175, 200, 200	8.00	0.00	
SHALE SHAKER	2	Derrick Equipments Co	18.0	175, 2 x 210	8.00	0.00	
SHALE SHAKER	3	Derrick Equipments Co	18.0	175, 2 x 200	8.00	0.00	
SHALE SHAKER	4	Brandt	0.0		0.00	0.00	
SHALE SHAKER	5	Brandt	0.0		0.00	0.00	
SHALE SHAKER	6	Brandt	0.0		0.00	0.00	
				Total Volume Lost	24	0	
Volumes							
Additions bbl				Losses bbl		Total Volumes bbl	
Mud Added	484	Weight Materials	154.56	Downhole	387	Left In Pit	
Brine		Water		Cased Off		Trip Losses	
Base Fluid	77	Product	17.64	Left In Hole		Injected	
Recycled		Other		Discharged		Spill To Environment	
				SCE	24	Onshore Disposal	
				Evaporation	4	Returned	
				Other Losses	79		
						Starting Volume	1645.15
						Daily Additions	733.2
						Daily Losses	494
						Ending Volume	1884.35
						Net Change	239.20
						Riser w/o Pipe	193.29
						Casing w/o Pipe	653.43
						Open Hole w/o Pipe	71.59
						String Displacement	41.53
						String Capacity	177.87
						Total Hole w/ Pipe	876.78
						Total Active	1120.78
						Total Reserve	764.00
IADC Hours							
Well Control				23		Tripping	
BHDF Fluids Rep		BHDF Rep Phone		Warehouse		Warehouse Phone	
Waboso Peter / Wobo Chimeka		234-803-4020440		Onne Port Harcourt		234-84-462609	
Coordinator				Daily Cost		Cumulative Cost	
Ogaree Lawson/Michael Harris				91391.89 USD		4015201.46 USD	
Inventory Value				Page 2			
497851.88 USD							

Any opinion and/or recommendation, expressed orally or written herein, has been prepared carefully and may be used if the user so elects, however, no representative or warranty is made by ourselves or our agents as to the correctness or completeness, and no liability is assumed for any damages resulting from the use of same.

ADVANTAGE Daily Drilling Fluids Report - 84



INTEQ

Rpt Date 13/Feb/2006		Well Name/No Bilabri DX 1		Section Name/No 6" Section #6		Mud System SYN-TEQ (PARA)	
Job# 1	Spud Date 22/Nov/2005		MD 3545.00 m		Progress 0.00 m		Present Activity Wait
Operator Peak Petroleum Indust. Limited		Company Rep Texas Richards / Jerry Perczyk		Contractor Dolphin Drilling Ltd		Contractor Rep Troy Nolan / Paul Shepard	
Field/Lease Bilabri		Blk/Co/Parish OML - 122 / Nigeria		Area Offshore		Country/State Nigeria	
						Rig BULFORD DOLPHIN	

Primary Currency USD		Secondary Currency		Totals USD	
Daily Product Cost	89141.89	Daily Product Cost	0.00	Primary Product	3887479.78
Daily Tax	0.00	Daily Tax	0.00	Secondary Product	0.00
Debit/Credit	0.00	Debit/Credit	0.00	Primary Engineering	118125.00
Daily Engineering Cost	2250.00	Daily Engineering Cost		Secondary Engineering	0.00
Total Daily Cost	91391.89	Total Daily Cost	0.00	Primary Total	4015201.46
Total Inventory Value	497851.88	Total Inventory Value	0.00	Secondary Total	0.00
				Deck Load	744276 lb

Products and Services										
Product	Units	Start	Transferred In	Received	Returned	Lost	Daily Use	Final	Active Ending Concentrations lb/bbl	Reserve Ending Concentrations lb/bbl
Bulk										
BARITE - Imported	1000 kg	103					103		395.54	89.89
Oil Based Product										
CALCIUM CHLORIDE (97%)	1000 kg									
CALCIUM CHLORIDE (97%)	25 kg	160						160	9.13	13.51
CARBO-GEL 2	25 kg	67					7	60	3.09	3.94
CARBO-TROL HT	25 kg	150						150	2.20	3.42
OMNI-COTE	55 USgal	10						10	1.11	0.06
OMNI-MUL	55 USgal	12					4	8	6.91	5.68
OMNI-PLEX	55 USgal	2					2		3.15	3.24
OMNI-TEC	55 USgal	12						12	3.32	4.73
PARA-TEQ BASE FLUID	1 bbl	1233					77	1156	117.34	156.42
SA-58	50 lb									
Water Based Product										
BENTONITE	50 kg									
CALCIUM CARBONATE - FINE	50 kg	130					30	100	6.29	2.11
CALCIUM CARBONATE - MED	50 kg	110						110	0.88	0.44
CAUSTIC SODA	25 kg									
LIME	25 kg	280					80	200	12.29	5.60
MIL-GUAR	25 kg	19						19		
MIL-PAC R	25 kg									
MIL-PAC LV	25 kg									
ML 1013 (BIOCIDE)	55 USgal									
NEW-DRILL PLUS	25 kg									
NUT PLUG F	25 lb									
POTASSIUM CHLORIDE	50 kg									
POTASSIUM CHLORIDE BRINE	1 bbl	790						790		
SODA ASH	25 kg									
XANTHANGUM D	25 kg	24						24		
LCM										
CALCIUM CARBONATE COARSE	50 kg	100						100		
SOLUFLAKE C	25 kg	40						40	0.50	0.25
SOLUFLAKE F	25 kg	173						173	1.86	0.49
SOLUFLAKE M	25 kg	225						225	1.61	0.56
X-LINK	40 lb									
X-LINK RTR	5 USgal									
Other										
BLACK MAGIC SF T	50 lb	200						200		
OM SEAL	25 lb									

BHDF Fluids Rep	BHDF Rep Phone	Warehouse	Warehouse Phone	Coordinator	Daily Cost	Cumulative Cost	Inventory Value	Page 3
Waboso Peter / Wobo Chimeka	234-803-4020440	Onne Port Harcourt	234-84-462609	Ogaree Lawson/Michael Harris	91391.89 USD	4015201.46 USD	497851.88 USD	

Any opinion and/or recommendation, expressed orally or written herein, has been prepared carefully and may be used if the user so elects, however, no representative or warranty is made by ourselves or our agents as to the correctness or completeness, and no liability is assumed for any damages resulting from the use of same.