

ADVANTAGE Daily Drilling Fluids Report - 85



INTEQ

Rpt Date 14/Feb/2006				Well Name/No Bilabri DX 1				Section Name/No 6" Section #6				Mud System SYN-TEQ (PARA)							
Job# 1		Spud Date 22/Nov/2005				MD 3545.00 m				Progress 0.00 m				Present Activity Well Control					
Operator Peak Petroleum Indust. Limited				Company Rep Texas Richards / Jerry Perczyk				Contractor Dolphin Drilling Ltd				Contractor Rep Troy Nolan / Paul Shepard							
Field/Lease Bilabri				Blk/Co/Parish OML - 122 / Nigeria				Area Offshore				Country/State Nigeria				Rig BULFORD DOLPHIN			
Drilling Assembly						Casing			Volumes		Pump Information								
Bit Gauge in		Mfr		Bit Model		OD in	ID in	Depth m	bbl	Model		Liner in	Stroke in	Eff %	Vol/Stk bbl	Stk Rate SPM	Circ Rate USgal/min		
6		HCC		STR382DG3K			19	168.00	Total Hole	Continental Ensco FA-1600	5 1/2	12.00	94.0	0.0829	28	97			
Drill Collars			Drill Pipe			20	18.700	453.00	876.78	Continental Ensco FA-1600	5 1/2	12.00	94.0	0.0829	0				
OD in	ID in	Length m	OD in	ID in	Length m	13 3/8	12 3/8	1536.00	Active Pits	Continental Ensco FA-1600	5 1/2	12.00	94.0	0.0829	0				
4 3/4	2 3/16	9.35	5	4.726	2239.31	9 5/8	8.681	2770.00	378										
4 3/4	2 3/16	73.72	3 1/2	2 1/2	836.00	7	6.184	3061.00	Tot Active										
4 3/4	2 3/16	18.68					8 1/2	3200.00	1254.78	Circulation Times									
							6	3545.00	In Storage	Surface to Bit		76.7 min/2146stks		Total System		522.8 min/14639stks			
									661	Bottoms Up		283.3 min/7931stks							
Mud Properties						Max Ann Velocity				Hole Information									
Property			Fluid Spec		1	2	3	AV Riser	7.11 ft/min	Standpipe Pressure	360 psi		Water Depth				168.25 m		
Sample From					Active Pit	Active Pit		AV Casing	91.90 ft/min	Hole Flow	97 USgal/min		Riser Booster Rate				USgal/min		
Check Time					09:00	23:45		AV Open Hole	48.07 ft/min	Solids Analysis									
MD m					3545.00	3545.00		Vc Open Hole	346.51 ft/min	Property	1	2	3	4					
TVD m					3348.00	3348.00		Vc Drill Pipe	323.97 ft/min	LGS %	5.84	5.76							
Bit Depth m					3191.00	3191.00		Min Ann Velocity		LGS lb/bbl	53.22	52.51							
Inc deg					32.80	32.00		AV Riser	7.11 ft/min	HGS %	23.72	23.65							
Density ppg					15.0	15.0		AV Casing	37.85 ft/min	HGS lb/bbl	349.16	348.23							
Funnel Visc. sec/quart					82.0	90.0		AV Open Hole	39.81 ft/min	Avg Dens Sol sg	3.8839	3.8866							
Test Temp degF					85.0	105.0		Bit Information											
Rheol Temp degF					140.0	140.0		Size	6 in										
PV cP					50	53		Hours On Bit											
YP lbf/100ft^2					24	25		Bit Number											
10sec Gel lbf/100ft^2					11	11		BHA Number	17	Rheology									
10min Gel lbf/100ft^2					19	20		Depth In	3200.00 m	600 RPM	124	131							
30min Gel lbf/100ft^2						39		Bit RPM		300 RPM	74	78							
HTHP Filtrate cc					2.8	2.8		WOB	2.00 klbf	200 RPM	54	57							
HTHP Cake in/32					2.0	2.0		Nozzles	2x32:12	100 RPM	34	35							
HTHP Temp degF					250.0	250.0		Bit Hydraulics		6 RPM	10	10							
HTHP Pressure psi					500	500		TFA	0.7854 in^2	3 RPM	8	8							
Retort Water %					16.0	16.0		Nozzle Vel	39.8 ft/sec										
Retort Base Fluid %					53.0	53.0		Bit Press Loss	21 psi										
Retort Solids %					31.0	31.0		HHP / Area	0.04 HP/in^2	Hydraulic Analysis									
Corrected Solids %					29.6	29.4		HHP	3.5 %	Behavior Index (n)		0.379							
Oil:Water Ratio					77:23	77:23				Consistency Index (k)		5.176 #sec^n/100ft^2							
Alk (Whole Mud-POM) cc/cc					2.0	1.3				ECD @ Bit Depth		15.4 ppg							
Cl (Whole Mud-Clom) cc/cc					35000	38000				ECD @ Casing Shoe		15.4 ppg							
Ca (Whole Mud-Caom) cc/cc					0	0		Fluid Comments/ Recommendations											
Excess Lime lb/bbl					2.6	1.7		Conditioned reserve mud in readiness for wting up while wait on barite. Received 86 ton barite, wted up reserve pits to 15 ppg & moved same to acitive to continue well control operation. Continued monitoring wt in/out & maintaining same at 15 ppg. Utilizing pressurised scale to compare wts when mud coming down the ditch is observed to contain trapped bubbles. Gradually treating system with LCM (Soluflake fine & Calcium Carbonate F/M) to cure seepage losses. Continued treating system for reduced filtrate loss, ES etc, while circulating.											
Brine Density sg					1.23	1.25													
NaCl % wt					0	0													
CaCl2 % wt					26	27													
Elect. Stab.V					616.0	680.0													
Sand %					0.60	0.50													
Drilling Comments																			
Cont to monitor well on choke, SICP - 110, SIDPP - 0 psi. Receive barite, wted up mud to 15 ppg. Circ well on choke. DP readings eratic. Shut in, SIDPP - 150, SICP - 350 psi. Cont circ @ 20 SPM, 580 psi. Left Auto choke plugging. Shut in, SIDPP - 160, SICP - 510 psi. Cont circ with right Auto choke @ 20 SPM. Circ btms up with final 5000 stks pumped on wide open choke with csg press 0 psi. Lose 24 bbls/hr. Shut down pump. F/C through choke into TT. Open well, observe 4.5 loss to hole. Fill up riser. Monitor well - static. Circ conventionally @ 30 SPM, 525 psi.																			
BHDF Fluids Rep				BHDF Rep Phone		Warehouse		Warehouse Phone		Coordinator		Daily Cost		Cumulative Cost		Inventory Value			
Waboso P / Uwakwe M / Wobo C				234-803-4020440		Onne Port Harcourt		234-84-462609		Ogaree Lawson/Michael Harris		53605.90 USD		4068807.36 USD		491585.98 USD			
Page 1																			

Any opinion and/or recommendation, expressed orally or written herein, has been prepared carefully and may be used if the user so elects, however, no representative or warranty is made by ourselves or our agents as to the correctness or completeness, and no liability is assumed for any damages resulting from the use of same.

ADVANTAGE Daily Drilling Fluids Report - 85



INTEQ

Rpt Date 14/Feb/2006		Well Name/No Bilabri DX 1		Section Name/No 6" Section #6		Mud System SYN-TEQ (PARA)	
Job# 1	Spud Date 22/Nov/2005		MD 3545.00 m		Progress 0.00 m		Present Activity Well Control
Operator Peak Petroleum Indust. Limited		Company Rep Texas Richards / Jerry Perczyk		Contractor Dolphin Drilling Ltd		Contractor Rep Troy Nolan / Paul Shepard	
Field/Lease Bilabri		Blk/Co/Parish OML - 122 / Nigeria		Area Offshore		Country/State Nigeria	
						Rig BULFORD DOLPHIN	
Solids Control Equipment							
Name	#	Mfr	Hours hours	Screen Sizes	Act Volume Lost bbl	Res Volume Lost bbl	Comments
CENTRIFUGE	1	SWACO	0.0		0.00	0.00	
CENTRIFUGE	2	SWACO	0.0		0.00	0.00	
DESANDER	1	SWACO	0.0		0.00	0.00	
DESILTER	1	SWACO	0.0		0.00	0.00	
MUD CLEANER	1	SWACO	0.0	2 x 210	0.00	0.00	
SHALE SHAKER	1	SWACO	0.0		0.00	0.00	
SHALE SHAKER	1	Derrick Equipments Co	24.0	175, 200, 200	8.00	0.00	
SHALE SHAKER	2	Derrick Equipments Co	24.0	175, 2 x 210	8.00	0.00	
SHALE SHAKER	3	Derrick Equipments Co	24.0	175, 2 x 200	8.00	0.00	
SHALE SHAKER	4	Brandt	0.0		0.00	0.00	
SHALE SHAKER	5	Brandt	0.0		0.00	0.00	
SHALE SHAKER	6	Brandt	0.0		0.00	0.00	
				Total Volume Lost	24	0	
Volumes							
Additions bbl				Losses bbl		Total Volumes bbl	
Mud Added	200	Weight Materials	102.04	Downhole	180	Left In Pit	Starting Volume
Brine		Water		Cased Off		Trip Losses	Daily Additions
Base Fluid		Product	24.69	Left In Hole		Injected	Daily Losses
Recycled		Other		Discharged		Spill To Environment	Ending Volume
				SCE	24	Onshore Disposal	Net Change
				Evaporation		Returned	
				Other Losses	92		
							Total Hole w/ Pipe
							Total Active
							Total Reserve
IADC Hours							
Well Control				24			
BHDF Fluids Rep		BHDF Rep Phone		Warehouse		Warehouse Phone	
Waboso P / Uwakwe M / Wobo C		234-803-4020440		Onne Port Harcourt		234-84-462609	
Coordinator		Daily Cost		Cumulative Cost		Inventory Value	
Ogaree Lawson/Michael Harris		53605.90 USD		4068807.36 USD		491585.98 USD	
Page 2							
Any opinion and/or recommendation, expressed orally or written herein, has been prepared carefully and may be used if the user so elects, however, no representative or warranty is made by ourselves or our agents as to the correctness or completeness, and no liability is assumed for any damages resulting from the use of same.							

ADVANTAGE Daily Drilling Fluids Report - 85



INTEQ

Rpt Date 14/Feb/2006		Well Name/No Bilabri DX 1		Section Name/No 6" Section #6		Mud System SYN-TEQ (PARA)	
Job# 1	Spud Date 22/Nov/2005		MD 3545.00 m		Progress 0.00 m		Present Activity Well Control
Operator Peak Petroleum Indust. Limited		Company Rep Texas Richards / Jerry Perczyk		Contractor Dolphin Drilling Ltd		Contractor Rep Troy Nolan / Paul Shepard	
Field/Lease Bilabri		Blk/Co/Parish OML - 122 / Nigeria		Area Offshore		Country/State Nigeria	
						Rig BULFORD DOLPHIN	

Primary Currency USD		Secondary Currency		Totals USD	
Daily Product Cost	52705.90	Daily Product Cost	0.00	Primary Product	3940185.68
Daily Tax	0.00	Daily Tax	0.00	Secondary Product	0.00
Debit/Credit	0.00	Debit/Credit	0.00	Primary Engineering	119025.00
Daily Engineering Cost	900.00	Daily Engineering Cost		Secondary Engineering	0.00
Total Daily Cost	53605.90	Total Daily Cost	0.00	Primary Total	4068807.36
Total Inventory Value	491585.98	Total Inventory Value	0.00	Secondary Total	0.00
				Deck Load	766696 lb

Products and Services										
Product	Units	Start	Transferred In	Received	Returned	Lost	Daily Use	Final	Active Ending Concentrations lb/bbl	Reserve Ending Concentrations lb/bbl
Bulk										
BARITE - Imported	1000 kg			86			68	18	309.40	221.92
Oil Based Product										
CALCIUM CHLORIDE (97%)	1000 kg									
CALCIUM CHLORIDE (97%)	25 kg	160						160	10.13	12.21
CARBO-GEL 2	25 kg	60						60	3.26	3.56
CARBO-TROL HT	25 kg	150					40	110	3.90	3.09
OMNI-COTE	55 USgal	10					1	9	1.09	0.06
OMNI-MUL	55 USgal	8						8	6.48	5.14
OMNI-PLEX	55 USgal								3.12	2.93
OMNI-TEC	55 USgal	12					4	8	4.79	4.28
PARA-TEQ BASE FLUID	1 bbl	1156						1156	125.68	141.45
SA-58	50 lb									
Water Based Product										
BENTONITE	50 kg									
CALCIUM CARBONATE - FINE	50 kg	100					35	65	7.59	1.91
CALCIUM CARBONATE - MED	50 kg	110					35	75	3.24	0.40
CAUSTIC SODA	25 kg									
LIME	25 kg	200					40	160	11.77	5.07
MIL-GUAR	25 kg	19						19		
MIL-PAC R	25 kg									
MIL-PAC LV	25 kg									
ML 1013 (BIOCIDE)	55 USgal									
NEW-DRILL PLUS	25 kg									
NUT PLUG F	25 lb									
POTASSIUM CHLORIDE	50 kg									
POTASSIUM CHLORIDE BRINE	1 bbl	790						790		
SODA ASH	25 kg									
XANTHANGUM D	25 kg	24						24		
LCM										
CALCIUM CARBONATE COARSE	50 kg	100						100		
SOLUFLAKE C	25 kg	40						40	0.42	0.22
SOLUFLAKE F	25 kg	173					53	120	3.36	0.45
SOLUFLAKE M	25 kg	225						225	1.31	0.51
X-LINK	40 lb									
X-LINK RTR	5 USgal									
Other										
BLACK MAGIC SF T	50 lb	200						200		
OM SEAL	25 lb									

BHDF Fluids Rep		BHDF Rep Phone		Warehouse		Warehouse Phone		Coordinator		Daily Cost		Cumulative Cost		Inventory Value		Page 3	
Waboso P / Uwakwe M / Wobo C		234-803-4020440		Onne Port Harcourt		234-84-462609		Ogaree Lawson/Michael Harris		53605.90 USD		4068807.36 USD		491585.98 USD			

Any opinion and/or recommendation, expressed orally or written herein, has been prepared carefully and may be used if the user so elects, however, no representative or warranty is made by ourselves or our agents as to the correctness or completeness, and no liability is assumed for any damages resulting from the use of same.