

Rpt Date 18/Feb/2006				Well Name/No Bilabri DX 1				Section Name/No 6" Section #6				Mud System SYN-TEQ (PARA)					
Job# 1		Spud Date 22/Nov/2005				MD 3545.00 m		Progress 0.00 m		Present Activity Well Control							
Operator Peak Petroleum Indust. Limited				Company Rep Texas Richards / Jerry Perczyk				Contractor Dolphin Drilling Ltd		Contractor Rep Troy Nolan / Paul Shepard							
Field/Lease Bilabri		Blk/Co/Parish OML - 122 / Nigeria				Area Offshore		Country/State Nigeria		Rig BULFORD DOLPHIN							
Drilling Assembly						Casing			Volumes	Pump Information							
Bit Gauge in		Mfr		Bit Model		OD in	ID in	Depth m	bbl	Model		Liner in	Stroke in	Eff %	Vol/Stk bbl	Stk Rate SPM	Circ Rate USgal/min
6		HCC		STR382DG3K			19	168.00	Total Hole	Continental Ensco FA-1600		5 1/2	12.00	94.0	0.0829	0	
Drill Collars			Drill Pipe			20	18.700	453.00	855.17	Continental Ensco FA-1600		5 1/2	12.00	94.0	0.0829	0	
OD in	ID in	Length m	OD in	ID in	Length m	13 3/8	12 3/8	1536.00	Active Pits	Continental Ensco FA-1600		5 1/2	12.00	94.0	0.0829	0	
4 3/4	2 3/16	9.35	5	4.276	1898.31	9 5/8	8.681	2770.00	383								
4 3/4	2 3/16	73.72	3 1/2	2 1/2	836.00	7	6.184	3061.00	Tot Active								
4 3/4	2 3/16	18.68					8 1/2	3200.00	1238.17	Circulation Times							
							6	3545.00	In Storage	Surface to Bit		min/stks		Total System		min/stks	
								451	Bottoms Up			min/stks					
Mud Properties						Max Ann Velocity				Hole Information							
Property		Fluid Spec		1	2	3	AV Riser	ft/min	Standpipe Pressure		psi		Water Depth		168.25 m		
Sample From				Active Pit	Active Pit		AV Casing	ft/min	Hole Flow		USgal/min		Riser Booster Rate		USgal/min		
Check Time				10:15	23:15		AV Open Hole	ft/min	Solids Analysis								
MD m				3545.00	3545.00		Vc Open Hole	ft/min	Property		1	2	3	4			
TVD m				3348.00	3348.00		Vc Drill Pipe	ft/min	LGS %		5.96	5.98					
Bit Depth m				2940.00	2850.00		Min Ann Velocity		LGS lb/bbl		54.31	54.52					
Inc deg				32.80	32.00		AV Riser	ft/min	HGS %		23.56	23.59					
Density ppg				15.0	15.0		AV Casing	ft/min	HGS lb/bbl		346.90	347.24					
Funnel Visc. sec/quart				85.0	87.0		AV Open Hole	ft/min	Avg Dens Sol sg		3.8770	3.8763					
Test Temp degF				85.0	95.0		Bit Information										
Rheol Temp degF				140.0	140.0		Size	6 in									
PV cP				51	53		Hours On Bit										
YP lbf/100ft^2				26	26		Bit Number										
10sec Gel lbf/100ft^2				10	11		BHA Number	17	Rheology								
10min Gel lbf/100ft^2				19	18		Depth In	3200.00 m	600 RPM		128	132					
30min Gel lbf/100ft^2				26	29		Bit RPM		300 RPM		77	79					
HTHP Filtrate cc				2.6	2.6		WOB	2.00 klbf	200 RPM		54	56					
HTHP Cake in/32				2.0	2.0		Nozzles	2x32:12	100 RPM		35	38					
HTHP Temp degF				250.0	250.0		Bit Hydraulics		6 RPM		10	10					
HTHP Pressure psi				500	500		TFA	0.7854 in^2	3 RPM		8	8	</				

ADVANTAGE Daily Drilling Fluids Report - 89



INTEQ

Rpt Date 18/Feb/2006		Well Name/No Bilabri DX 1		Section Name/No 6" Section #6		Mud System SYN-TEQ (PARA)	
Job# 1	Spud Date 22/Nov/2005		MD 3545.00 m		Progress 0.00 m		Present Activity Well Control
Operator Peak Petroleum Indust. Limited		Company Rep Texas Richards / Jerry Perczyk		Contractor Dolphin Drilling Ltd		Contractor Rep Troy Nolan / Paul Shepard	
Field/Lease Bilabri		Blk/Co/Parish OML - 122 / Nigeria		Area Offshore		Country/State Nigeria	
Rig BULFORD DOLPHIN							
Solids Control Equipment							
Name	#	Mfr	Hours hours	Screen Sizes	Act Volume Lost bbl	Res Volume Lost bbl	Comments
CENTRIFUGE	1	SWACO	0.0		0.00	0.00	
CENTRIFUGE	2	SWACO	0.0		0.00	0.00	
DESANDER	1	SWACO	0.0		0.00	0.00	
DESILTER	1	SWACO	0.0		0.00	0.00	
MUD CLEANER	1	SWACO	0.0	2 x 210	0.00	0.00	
SHALE SHAKER	1	SWACO	0.0		0.00	0.00	
SHALE SHAKER	1	Derrick Equipments Co	24.0	175, 200, 200	3.00	0.00	
SHALE SHAKER	2	Derrick Equipments Co	24.0	175, 2 x 210	3.00	0.00	
SHALE SHAKER	3	Derrick Equipments Co	24.0	175, 2 x 200	3.00	0.00	
SHALE SHAKER	4	Brandt	0.0		0.00	0.00	
SHALE SHAKER	5	Brandt	0.0		0.00	0.00	
SHALE SHAKER	6	Brandt	0.0		0.00	0.00	
				Total Volume Lost	9	0	
Volumes							
Additions bbl			Losses bbl			Total Volumes bbl	
Mud Added	Weight Materials	40.52	Downhole	320	Left In Pit	Starting Volume	1840.25
Brine	Water		Cased Off		Trip Losses	Daily Additions	199.76
Base Fluid	Product	2.24	Left In Hole		Injected	Daily Losses	351
Recycled	Other	157	Discharged		Spill To Environment	Ending Volume	1689.01
			SCE	9	Onshore Disposal	Net Change	-151.24
			Evaporation		Returned		
			Other Losses	22			
						Total Hole w/ Pipe	855.17
						Total Active	1238.17
						Total Reserve	451.00
IADC Hours							
Well Control		4	Circulate		4.5	Cementing	
BHDF Fluids Rep		BHDF Rep Phone	Warehouse	Warehouse Phone	Coordinator	Daily Cost	Cumulative Cost
Waboso P / Uwakwe M /Opara.C		234-803-4020440	Onne Port Harcourt	234-84-462609	Ogaree Lawson/Jim Hosey	17838.05 USD	4157491.81 USD
						Inventory Value	570804.89 USD
Any opinion and/or recommendation, expressed orally or written herein, has been prepared carefully and may be used if the user so elects, however, no representative or warranty is made by ourselves or our agents as to the correctness or completeness, and no liability is assumed for any damages resulting from the use of same.							

**BAKER
HUGHES**

Rpt Date 18/Feb/2006		Well Name/No Bilabri DX 1		Section Name/No 6" Section #6				Mud System SYN-TEQ (PARA)					
Job# 1	Spud Date 22/Nov/2005		MD 3545.00 m		Progress 0.00 m		Present Activity Well Control						
Operator Peak Petroleum Indust. Limited		Company Rep Texas Richards / Jerry Perczyk			Contractor Dolphin Drilling Ltd		Contractor Rep Troy Nolan / Paul Shepard						
Field/Lease Bilabri		Blk/Co/Parish OML - 122 / Nigeria		Area Offshore		Country/State Nigeria		Rig BULFORD DOLPHIN					
Primary Currency USD			Secondary Currency				Totals USD						
Daily Product Cost		16938.05		Daily Product Cost		0.00		Primary Product		4025270.13			
Daily Tax		0.00		Daily Tax		0.00		Secondary Product		0.00			
Debit/Credit		0.00		Debit/Credit		0.00		Primary Engineering		122625.00			
Daily Engineering Cost		900.00		Daily Engineering Cost				Secondary Engineering		0.00			
Total Daily Cost		17838.05		Total Daily Cost		0.00		Primary Total		4157491.81			
Total Inventory Value		570804.89		Total Inventory Value		0.00		Secondary Total		0.00			
								Deck Load		453.65 UK ton			
Products and Services													
Product		Units	Start	Transferred In	Received	Returned	Lost	Daily Use	Final	Active Ending Concentrations lb/bbl	Reserve Ending Concentrations lb/bbl		
Bulk													
BARITE - Imported		1000 kg	153					27	126	252.38	373.34		
Oil Based Product													
CALCIUM CHLORIDE (97%)		1000 kg											
CALCIUM CHLORIDE (97%)		25 kg	320						320	9.68	11.81		
CARBO-GEL 2		25 kg	120						120	2.81	2.82		
CARBO-TROL HT		25 kg	110					10	100	3.16	2.70		
OMNI-COTE		55 USgal	7						7	0.65	0.45		
OMNI-MUL		55 USgal	20						20	5.15	4.81		
OMNI-PLEX		55 USgal	8					1	7	3.20	3.55		
OMNI-TEC		55 USgal	8						8	3.67	3.59		
PARA-TEQ BASE FLUID		1 bbl	1096						1096	114.43	121.61		
SA-58		50 lb											
Water Based Product													
BENTONITE		50 kg											
CALCIUM CARBONATE - FINE		50 kg	50						50	4.02	3.20		
CALCIUM CARBONATE - MED		50 kg	60						60	1.79	1.31		
CAUSTIC SODA		25 kg											
LIME		25 kg	320						320	6.49	5.70		
MIL-GUAR		25 kg	19						19				
MIL-PAC R		25 kg											
MIL-PAC LV		25 kg											
ML 1013 (BIOCIDE)		55 USgal											
NEW-DRILL PLUS		25 kg											
NUT PLUG F		25 lb											
POTASSIUM CHLORIDE		50 kg											
POTASSIUM CHLORIDE BRINE		1 bbl	790						790				
SODA ASH		25 kg											
XANTHANGUM D		25 kg	24						24				
LCM													
CALCIUM CARBONATE COARSE		50 kg	100						100				
CHEK-LOSS		25 lb	120						120				
SOLUFLAKE C		25 kg	40						40	0.25	0.23		
SOLUFLAKE F		25 kg	120						120	1.39	1.05		
SOLUFLAKE M		25 kg	225						225	0.70	0.60		
X-LINK		40 lb											
X-LINK RTR		5 USgal											
Other													
BLACK MAGIC SF T		50 lb	200						200				
OM SEAL		25 lb											
BHDF Fluids Rep		BHDF Rep Phone		Warehouse		Warehouse Phone		Coordinator		Daily Cost	Cumulative Cost	Inventory Value	Page 3
Waboso P / Uwakwe M /Opara.C		234-803-4020440		Onne Port Harcourt		234-84-462609		Ogaree Lawson/Jim Hosey		17838.05 USD	4157491.81 USD	570804.89 USD	
Any opinion and/or recommendation, expressed orally or written herein, has been prepared carefully and may be used if the user so elects, however, no representative or warranty is made by ourselves or our agents as to the correctness or completeness, and no liability is assumed for any damages resulting from the use of same.													