

ADVANTAGE Daily Drilling Fluids Report - 90



INTEQ

Rpt Date 19/Feb/2006		Well Name/No Bilabri DX 1		Section Name/No 6" Section #6		Mud System SYN-TEQ (PARA)			
Job# 1		Spud Date 22/Nov/2005		MD 3545.00 m		Progress 0.00 m		Present Activity Miscellaneous	
Operator Peak Petroleum Indust. Limited		Company Rep Texas Richards / Jerry Perczyk		Contractor Dolphin Drilling Ltd		Contractor Rep Troy Nolan / Paul Shepard			
Field/Lease Bilabri		Blk/Co/Parish OML - 122 / Nigeria		Area Offshore		Country/State Nigeria		Rig BULFORD DOLPHIN	

Drilling Assembly			Casing			Volumes	Pump Information						
Bit Gauge in	Mfr	Bit Model	OD in	ID in	Depth m	bbl	Model	Liner in	Stroke in	Eff %	Vol/Stk bbl	Stk Rate SPM	Circ Rate USgal/min
6				19	168.00	Total Hole	Continental Ensco FA-1600	5 1/2	12.00	94.0	0.0829	0	
Drill Collars			Drill Pipe			918.31	Continental Ensco FA-1600	5 1/2	12.00	94.0	0.0829	0	
OD in	ID in	Length m	OD in	ID in	Length m	Active Pits	Continental Ensco FA-1600	5 1/2	12.00	94.0	0.0829	0	
						365							
						Tot Active							
						1283.31							
						In Storage	Circulation Times						
						482	Surface to Bit	min/stks			Total System	min/stks	
							Bottoms Up	min/stks					

Mud Properties				Max Ann Velocity		Hole Information				
Property	Fluid Spec	1	2	3	AV Riser	ft/min	Standpipe Pressure	0 psi	Water Depth	168.25 m
Sample From		Active Pit	Active Pit		AV Casing	ft/min	Hole Flow	USgal/min	Riser Booster Rate	USgal/min
Check Time		09:15	23:45		AV Open Hole	ft/min	Solids Analysis			
MD m		3545.00	3545.00		Vc Open Hole	ft/min	Property	1	2	3
TVD m		3348.00	3348.00		Vc Drill Pipe	ft/min	LGS %	5.13	4.14	
Bit Depth m		3100.00	0.00		Min Ann Velocity		LGS lb/bbl	46.78	37.77	
Inc deg		32.00	32.00		AV Riser	ft/min	HGS %	23.95	24.44	
Density ppg		15.0	15.0		AV Casing	ft/min	HGS lb/bbl	352.59	359.85	
Funnel Visc. sec/quart		91.0	93.0		AV Open Hole	ft/min	Avg Dens Sol sg	3.9176	3.9680	
Test Temp degF		85.0	85.0		Bit Information					
Rheol Temp degF		140.0	140.0		Size					
PV cP		50	52		Hours On Bit					
YP lbf/100ft^2		29	28		Bit Number					
10sec Gel lbf/100ft^2		10	10		BHA Number		Rheology			
10min Gel lbf/100ft^2		18	18		Depth In		600 RPM	129	132	
30min Gel lbf/100ft^2		29	28		Bit RPM		300 RPM	79	80	
HTHP Filtrate cc		2.6	2.8		WOB		200 RPM	54	56	
HTHP Cake in/32		2.0	2.0		Nozzles		100 RPM	37	35	
HTHP Temp degF		250.0	250.0		Bit Hydraulics		6 RPM	10	10	
HTHP Pressure psi		500	500		TFA		3 RPM	8	8	
Retort Water %		18.5	19.0		Nozzle Vel	ft/sec				
Retort Base Fluid %		51.0	51.0		Bit Press Loss	psi				
Retort Solids %		30.5	30.0		HHP / Area	HP/in^2	Hydraulic Analysis			
Corrected Solids %		29.1	28.6		HHP	%	Behavior Index (n)			
Oil:Water Ratio		73:27	73:27				Consistency Index (k) #sec^n/100ft^2			
Alk (Whole Mud-POM) cc/cc		1.0	0.8				ECD @ Bit Depth ppg			
Cl (Whole Mud-Clom) cc/cc		35000	35000				ECD @ Casing Shoe ppg			
Ca (Whole Mud-Caom) cc/cc		0	0		Fluid Comments/ Recommendations					
Excess Lime lb/bbl		1.3	1.0		Water content in mud increased after cmt job & circulation. Maintained wt at 15.0 ppg with barite & base oil & treating mud with base oil, emulsifiers, rheology modifiers etc, while circulating. (Received - 32 cans Caustic Soda, 8 drms Rig wash, 1 drm LD-8 defoamer). CHARGED OFF CHEMICALS USED FOR MAKING 1000 bbls of 15.0 ppg SBM FROM TOWN.					
Brine Density sg		1.20	1.20							
NaCl % wt		0	0							
CaCl2 % wt		23	22							
Elect. Stab.V		440.0	430.0							
Sand %		0.50	0.50		Drilling Comments					
					Bleed off annular press. F/C through choke 15 mins - OK. Open upper annulus, F/C 30 mins - OK. Circ string capacity @ 65 SPM. Flush f/cmt unit & press test cmt plug to 1000 psi, 30 mins - OK. Circ btms up @ 62 SPM. RIH to 3100m, no cmt. Circ @ 120 strks. Pull back t/2940m. Circ btms up @ 140 strks. F/C 10 mins - OK. Pump 20 bbls slug, POOH f/2805 t/498m. (498.75m of BHA missing down hole). L/O double of 3-1/2" DP - 1 damaged pin, threads had pulled through box. Service TDS. Replace valve on draw works highclutch while preparing fishing BHA. L/O & prep 5-1/8" overshot, 4-3/4" B/sub + jar. P/U & 33 jnts 3-1/2" DP t/derrick to 318.22m, POOH, rack in derrick while modifying fish overshot.					

BHDF Fluids Rep	BHDF Rep Phone	Warehouse	Warehouse Phone	Coordinator	Daily Cost	Cumulative Cost	Inventory Value	Page 1
Waboso P / Uwakwe M / Opara.C	234-803-4020440	Onne Port Harcourt	234-84-462609	Ogaree Lawson/Jim Hosey	348387.15 USD	4505878.96 USD	518557.96 USD	

Any opinion and/or recommendation, expressed orally or written herein, has been prepared carefully and may be used if the user so elects, however, no representative or warranty is made by ourselves or our agents as to the correctness or completeness, and no liability is assumed for any damages resulting from the use of same.

ADVANTAGE Daily Drilling Fluids Report - 90



INTEQ

Rpt Date 19/Feb/2006		Well Name/No Bilabri DX 1		Section Name/No 6" Section #6		Mud System SYN-TEQ (PARA)	
Job# 1	Spud Date 22/Nov/2005		MD 3545.00 m		Progress 0.00 m		Present Activity Miscellaneous
Operator Peak Petroleum Indust. Limited		Company Rep Texas Richards / Jerry Perczyk		Contractor Dolphin Drilling Ltd		Contractor Rep Troy Nolan / Paul Shepard	
Field/Lease Bilabri		Blk/Co/Parish OML - 122 / Nigeria		Area Offshore		Country/State Nigeria	
Rig BULFORD DOLPHIN							
Solids Control Equipment							
Name	#	Mfr	Hours hours	Screen Sizes	Act Volume Lost bbl	Res Volume Lost bbl	Comments
CENTRIFUGE	1	SWACO	0.0		0.00	0.00	
CENTRIFUGE	2	SWACO	0.0		0.00	0.00	
DESANDER	1	SWACO	0.0		0.00	0.00	
DESILTER	1	SWACO	0.0		0.00	0.00	
MUD CLEANER	1	SWACO	0.0	2 x 210	0.00	0.00	
SHALE SHAKER	1	SWACO	0.0		0.00	0.00	
SHALE SHAKER	1	Derrick Equipments Co	16.0	175, 200, 200	3.00	0.00	
SHALE SHAKER	2	Derrick Equipments Co	16.0	175, 2 x 210	3.00	0.00	
SHALE SHAKER	3	Derrick Equipments Co	16.0	175, 2 x 200	3.00	0.00	
SHALE SHAKER	4	Brandt	0.0		0.00	0.00	
SHALE SHAKER	5	Brandt	0.0		0.00	0.00	
SHALE SHAKER	6	Brandt	0.0		0.00	0.00	
				Total Volume Lost	9	0	
Volumes							
Additions bbl			Losses bbl			Total Volumes bbl	
Mud Added		Weight Materials 54.02	Downhole 80	Left In Pit	Starting Volume 1689.17	Riser w/o Pipe	193.29
Brine		Water	Cased Off	Trip Losses	Daily Additions 179.26	Casing w/o Pipe	653.43
Base Fluid 120		Product 5.24	Left In Hole	Injected	Daily Losses 103	Open Hole w/o Pipe	71.59
Recycled		Other	Discharged	Spill To Environment	Ending Volume 1765.43	String Displacement	
			SCE 9	Onshore Disposal	Net Change 76.26	String Capacity	
			Evaporation	Returned		Total Hole w/ Pipe	918.31
			Other Losses 14			Total Active	1283.31
						Total Reserve	482.00
IADC Hours							
Test Equipment			1	Circulate	10	Tripping	13
BHDF Fluids Rep		BHDF Rep Phone	Warehouse	Warehouse Phone	Coordinator	Daily Cost	Cumulative Cost
Waboso P / Uwakwe M /Opara.C		234-803-4020440	Onne Port Harcourt	234-84-462609	Ogaree Lawson/Jim Hosey	348387.15 USD	4505878.96 USD
						Inventory Value	518557.96 USD
Any opinion and/or recommendation, expressed orally or written herein, has been prepared carefully and may be used if the user so elects, however, no representative or warranty is made by ourselves or our agents as to the correctness or completeness, and no liability is assumed for any damages resulting from the use of same.							

ADVANTAGE Daily Drilling Fluids Report - 90



INTEQ

Rpt Date 19/Feb/2006			Well Name/No Bilabri DX 1			Section Name/No 6" Section #6			Mud System SYN-TEQ (PARA)		
Job# 1	Spud Date 22/Nov/2005			MD 3545.00 m		Progress 0.00 m		Present Activity Miscellaneous			
Operator Peak Petroleum Indust. Limited			Company Rep Texas Richards / Jerry Perczyk			Contractor Dolphin Drilling Ltd			Contractor Rep Troy Nolan / Paul Shepard		
Field/Lease Bilabri		Blk/Co/Parish OML - 122 / Nigeria			Area Offshore		Country/State Nigeria			Rig BULFORD DOLPHIN	
Primary Currency USD				Secondary Currency				Totals USD			
Daily Product Cost		347487.15		Daily Product Cost		0.00		Primary Product		4372757.28	
Daily Tax		0.00		Daily Tax		0.00		Secondary Product		0.00	
Debit/Credit		0.00		Debit/Credit		0.00		Primary Engineering		123525.00	
Daily Engineering Cost		900.00		Daily Engineering Cost				Secondary Engineering		0.00	
Total Daily Cost		348387.15		Total Daily Cost		0.00		Primary Total		4505878.96	
Total Inventory Value		518557.96		Total Inventory Value		0.00		Secondary Total		0.00	
								Deck Load		406.68 UK ton	
Products and Services											
Product		Units	Start	Transferred In	Received	Returned	Lost	Daily Use	Final	Active Ending Concentrations lb/bbl	Reserve Ending Concentrations lb/bbl
Bulk											
BARITE - Imported		1000 kg	126		173			209	90	231.59	490.56
Oil Based Product											
CALCIUM CHLORIDE (97%)		1000 kg			10			10			
CALCIUM CHLORIDE (97%)		25 kg	320						320	8.84	10.55
CARBO-GEL 2		25 kg	120		156			156	120	2.55	2.52
CARBO-TROL HT		25 kg	100						100	2.86	2.41
OMNI-COTE		55 USgal	7						7	0.58	0.40
OMNI-MUL		55 USgal	20		13			15	18	5.29	4.29
OMNI-PLEX		55 USgal	7		3			5	5	3.53	3.17
OMNI-TEC		55 USgal	8		7			7	8	3.34	3.21
PARA-TEQ BASE FLUID		1 bbl	1096		514			634	976	127.23	108.60
SA-58		50 lb			14			14			
Water Based Product											
BENTONITE		50 kg									
CALCIUM CARBONATE - FINE		50 kg	50						50	3.64	2.86
CALCIUM CARBONATE - MED		50 kg	60						60	1.62	1.17
CAUSTIC SODA		25 kg									
LD-8		55 USgal			1				1		
LIME		25 kg	320		62			62	320	5.89	5.09
MIL-GUAR		25 kg	19						19		
MIL-PAC R		25 kg									
MIL-PAC LV		25 kg									
ML 1013 (BIOCIDE)		55 USgal									
NEW-DRILL PLUS		25 kg									
NUT PLUG F		25 lb									
POTASSIUM CHLORIDE		50 kg									
POTASSIUM CHLORIDE BRINE		1 bbl	790						790		
SODA ASH		25 kg									
XANTHANGUM D		25 kg	24						24		
LCM											
CALCIUM CARBONATE COARSE		50 kg	100		32				132		
CHEK-LOSS		25 lb	120						120		
SOLUFLAKE C		25 kg	40						40	0.23	0.20
SOLUFLAKE F		25 kg	120						120	1.26	0.94
SOLUFLAKE M		25 kg	225						225	0.63	0.54
X-LINK		40 lb									
X-LINK RTR		5 USgal									
Other											
BLACK MAGIC SF T		50 lb	200						200		
OM SEAL		25 lb									
RIG WASH		55 USgal			8				8		
BHDF Fluids Rep		BHDF Rep Phone		Warehouse	Warehouse Phone	Coordinator		Daily Cost	Cumulative Cost	Inventory Value	Page 3
Waboso P / Uwakwe M /Opara.C		234-803-4020440		Onne Port Harcourt	234-84-462609	Ogaree Lawson/Jim Hosey		348387.15 USD	4505878.96 USD	518557.96 USD	
Any opinion and/or recommendation, expressed orally or written herein, has been prepared carefully and may be used if the user so elects, however, no representative or warranty is made by ourselves or our agents as to the correctness or completeness, and no liability is assumed for any damages resulting from the use of same.											