

**BAKER
HUGHES**

Rpt Date 25/Feb/2006				Well Name/No Bilabri DX 1				Section Name/No 6" Section #6				Mud System SYN-TEQ (PARA)					
Job# 1		Spud Date 22/Nov/2005				MD 2689.00 m			Progress 0.00 m			Present Activity Wireline Logs					
Operator Peak Petroleum Indust. Limited				Company Rep Lennin Derden / Jeff Payne				Contractor Dolphin Drilling Ltd				Contractor Rep Troy Nolan / Paul Shepard					
Field/Lease Bilabri		Blk/Co/Parish OML - 122 / Nigeria				Area Offshore			Country/State Nigeria			Rig BULFORD DOLPHIN					
Drilling Assembly						Casing			Volumes	Pump Information							
Bit Gauge in		Mfr		Bit Model		OD in	ID in	Depth m	bbl	Model		Liner in	Stroke in	Eff %	Vol/Stk bbl	Stk Rate SPM	Circ Rate USgal/min
8 1/2							20	177.62	Total Hole	Continental Ensco FA-1600		5 1/2	12.00	94.0	0.0829	0	
Drill Collars		Drill Pipe				20	18.700	453.00	819.4	Continental Ensco FA-1600		5 1/2	12.00	94.0	0.0829	0	
OD in	ID in	Length m	OD in	ID in	Length m	13 3/8	12 3/8	1536.00	Active Pits	Continental Ensco FA-1600		5 1/2	12.00	94.0	0.0829	0	
						9 5/8	8.681	2662.00									
							8 1/2	2689.00	Tot Active								
									1104.4	Circulation Times							
									In Storage	Surface to Bit		min/stks		Total System		min/stks	
									30	Bottoms Up		min/stks					
Mud Properties						Max Ann Velocity			Hole Information								
Property		Fluid Spec		1	2	3	AV Riser		ft/min	Standpipe Pressure		0 psi		Water Depth		168.25 m	
Sample From				Active Pit	Active Pit		AV Casing		ft/min	Hole Flow		USgal/min		Riser Booster Rate		USgal/min	
Check Time				10:00	21:00		AV Open Hole		ft/min	Solids Analysis							
MD m				2689.00	2689.00		Vc Open Hole		ft/min	Property		1	2	3	4		
TVD m				2615.00	2615.00		Vc Drill Pipe		ft/min	LGS %		4.28	4.26				
Bit Depth m				0.00	0.00		Min Ann Velocity			LGS lb/bbl		38.98	38.81				
Inc deg				32.80	32.80		AV Riser		ft/min	HGS %		24.32	24.29				
Density ppg				15.0	15.0		AV Casing		ft/min	HGS lb/bbl		358.01	357.63				
Funnel Visc. sec/quart				92.0	94.0		AV Open Hole		ft/min	Avg Dens Sol sg		3.9607	3.9614				
Test Temp degF				85.0	85.0		Bit Information										
Rheol Temp degF				140.0	140.0		Size										
PV cP				57	57		Hours On Bit										
YP lbf/100ft^2				23	24		Bit Number										
10sec Gel lbf/100ft^2				11	12		BHA Number			Rheology							
10min Gel lbf/100ft^2				21	22		Depth In			600 RPM		137	138				
30min Gel lbf/100ft^2				28	28		Bit RPM			300 RPM		80	81				
HTHP Filtrate cc				2.0	2.0		WOB			200 RPM		56	58				
HTHP Cake in/32				3.0	2.0		Nozzles			100 RPM		38	39				
HTHP Temp degF				250.0	250.0		Bit Hydraulics			6 RPM		11	12				
HTHP Pressure psi				500	500		TFA			3 RPM		9	10				
Retort Water %				20.0	20.0		Nozzle Vel		ft/sec								
Retort Base Fluid %				50.0	50.0		Bit Press Loss		psi								
Retort Solids %				30.0	30.0		HHP / Area		HP/in^2	Hydraulic Analysis							
Corrected Solids %				28.6	28.6		HHP		%	Behavior Index (n)							
Oil:Water Ratio				71:29	71:29					Consistency Index (k) #sec^n/100ft^2							
Alk (Whole Mud-POM) cc/cc				1.1	1.0					ECD @ Bit Depth ppg							
Cl (Whole Mud-Clom) cc/cc				35000	36000					ECD @ Casing Shoe ppg							
Ca (Whole Mud-Caom) cc/cc				0	0					Fluid Comments/ Recommendations							
Excess Lime lb/bbl				1.4	1.3					Continue cleaning pits. Preparing spacers for displacing SBM to sea water as at report time. Received welbore cleanout chemicals. Adjusted inventory for Caustic Soda & calcium Carbonate-C							
Brine Density sg				1.19	1.20												
NaCl % wt				0	0												
CaCl2 % wt				22	22												
Elect. Stab.V				414.0	407.0												
Sand %				0.50	0.50												

ADVANTAGE Daily Drilling Fluids Report - 96



INTEQ

Rpt Date 25/Feb/2006	Well Name/No Bilabri DX 1	Section Name/No 6" Section #6	Mud System SYN-TEQ (PARA)
Job# 1	Spud Date 22/Nov/2005	MD 2689.00 m	Progress 0.00 m
Operator Peak Petroleum Indust. Limited	Company Rep Lennin Derden / Jeff Payne	Contractor Dolphin Drilling Ltd	Contractor Rep Troy Nolan / Paul Shepard
Field/Lease Bilabri	Blk/Co/Parish OML - 122 / Nigeria	Area Offshore	Country/State Nigeria
Rig BULFORD DOLPHIN			

Solids Control Equipment							
Name	#	Mfr	Hours hours	Screen Sizes	Act Volume Lost bbl	Res Volume Lost bbl	Comments
CENTRIFUGE	1	SWACO	0.0		0.00	0.00	
CENTRIFUGE	2	SWACO	0.0		0.00	0.00	
DESANDER	1	SWACO	0.0		0.00	0.00	
DESILTER	1	SWACO	0.0		0.00	0.00	
MUD CLEANER	1	SWACO	0.0	2 x 210	0.00	0.00	
SHALE SHAKER	1	SWACO	0.0		0.00	0.00	
SHALE SHAKER	1	Derrick Equipments Co	0.0	3 x 150	0.00	0.00	
SHALE SHAKER	2	Derrick Equipments Co	0.0	3 x 150	0.00	0.00	
SHALE SHAKER	3	Derrick Equipments Co	0.0	3 x 125	0.00	0.00	
SHALE SHAKER	4	Brandt	0.0		0.00	0.00	
SHALE SHAKER	5	Brandt	0.0		0.00	0.00	
SHALE SHAKER	6	Brandt	0.0		0.00	0.00	
				Total Volume Lost	0	0	

Volumes							
Additions bbl		Losses bbl		Total Volumes bbl			
Mud Added	Weight Materials	Downhole	Left In Pit	Starting Volume	1161.78	Riser w/o Pipe	214.17
Brine	Water	Cased Off	Trip Losses	Daily Additions		Casing w/o Pipe	599.01
Base Fluid	Product	Left In Hole	Injected	Daily Losses	27	Open Hole w/o Pipe	6.22
Recycled	Other	Discharged	Spill To Environment	Ending Volume	1134.78	String Displacement	
		SCE	Onshore Disposal	Net Change	-27.00	String Capacity	
		Evaporation	Returned			Total Hole w/ Pipe	819.40
		Other Losses	27			Total Active	1104.40
						Total Reserve	30.00

IADC Hours							
Miscellaneous	9	Wireline Logs	13	Tripping	2		
BHDF Fluids Rep	BHDF Rep Phone	Warehouse	Warehouse Phone	Coordinator	Daily Cost	Cumulative Cost	Inventory Value
Waboso Peter / Olayinka Kunle	08034020440	Onne	234-84-462609	Ogaree Lawson/Jim Hosey	1272.52 USD	4634852.33 USD	478575.91 USD

Any opinion and/or recommendation, expressed orally or written herein, has been prepared carefully and may be used if the user so elects, however, no representative or warranty is made by ourselves or our agents as to the correctness or completeness, and no liability is assumed for any damages resulting from the use of same.

**BAKER
HUGHES**

Rpt Date 25/Feb/2006		Well Name/No Bilabri DX 1		Section Name/No 6" Section #6				Mud System SYN-TEQ (PARA)			
Job# 1	Spud Date 22/Nov/2005		MD 2689.00 m		Progress 0.00 m		Present Activity Wireline Logs				
Operator Peak Petroleum Indust. Limited		Company Rep Lennin Derden / Jeff Payne			Contractor Dolphin Drilling Ltd		Contractor Rep Troy Nolan / Paul Shepard				
Field/Lease Bilabri		Blk/Co/Parish OML - 122 / Nigeria			Area Offshore		Country/State Nigeria		Rig BULFORD DOLPHIN		
Primary Currency USD			Secondary Currency				Totals USD				
Daily Product Cost		372.52		Daily Product Cost		0.00		Primary Product		4496330.65	
Daily Tax		0.00		Daily Tax		0.00		Secondary Product		0.00	
Debit/Credit		0.00		Debit/Credit		0.00		Primary Engineering		128925.00	
Daily Engineering Cost		900.00		Daily Engineering Cost				Secondary Engineering		0.00	
Total Daily Cost		1272.52		Total Daily Cost		0.00		Primary Total		4634852.33	
Total Inventory Value		478575.91		Total Inventory Value		0.00		Secondary Total		0.00	
								Deck Load		348.57 UK ton	
Products and Services											
Product		Units	Start	Transferred In	Received	Returned	Lost	Daily Use	Final	Active Ending Concentrations lb/bbl	Reserve Ending Concentrations lb/bbl
Bulk											
BARITE - Imported		1000 kg	67						67	281.28	344.84
Oil Based Product											
CALCIUM CHLORIDE (97%)		1000 kg									
CALCIUM CHLORIDE (97%)		25 kg	320						320	8.28	6.54
CARBO-GEL 2		25 kg	90						90	2.93	2.66
CARBO-TROL HT		25 kg	100						100	2.47	1.54
OMNI-COTE		55 USgal	14						14	0.82	0.26
OMNI-MUL		55 USgal	24						24	6.09	2.86
OMNI-PLEX		55 USgal	2						2	3.97	2.05
OMNI-TEC		55 USgal	4						4	4.31	2.04
PARA-TEQ BASE FLUID		1 bbl	667						667	128.70	158.26
SA-58		50 lb									
Water Based Product											
BENTONITE		50 kg									
CALCIUM CARBONATE - FINE		50 kg	50						50	3.10	1.84
CALCIUM CARBONATE - MED		50 kg	60						60	1.36	0.76
CAUSTIC SODA		25 kg		32					32		
HEC-10 LIQUID (SAFE-VIS E)		5 USgal			32				32		
LD-8		55 USgal	1						1		
LIME		25 kg	200						200	10.07	3.47
MIL-GUAR		25 kg	19						19		
MIL-PAC R		25 kg									
MIL-PAC LV		25 kg									
ML 1013 (BIOCIDE)		55 USgal									
NEW-DRILL PLUS		25 kg									
NUT PLUG F		25 lb									
POTASSIUM CHLORIDE		50 kg									
POTASSIUM CHLORIDE BRINE		1 bbl	790						790		
SODA ASH		25 kg									
TETRA-CLEAN 105		200 L			10				10		
TETRA-CLEAN 106		200 L			15				15		
XANTHANGUM D		25 kg	24						24		
LCM											
CALCIUM CARBONATE COARSE		50 kg	132	-32					100		
CHEK-LOSS		25 lb	120						120		
SOLUFLAKE C		25 kg	40						40	0.20	0.13
SOLUFLAKE F		25 kg	120						120	1.06	0.61
SOLUFLAKE M		25 kg	225						225	0.55	0.34
X-LINK		40 lb									
X-LINK RTR		5 USgal									
Other											
BLACK MAGIC SF T		50 lb	200						200		
OM SEAL		25 lb									
RIG WASH		55 USgal	5					1	4		
BHDF Fluids Rep		BHDF Rep Phone	Warehouse	Warehouse Phone	Coordinator			Daily Cost	Cumulative Cost	Inventory Value	Page 3
Waboso Peter / Olayinka Kunle		08034020440	Onne	234-84-462609	Ogaree Lawson/Jim Hosey			1272.52 USD	4634852.33 USD	478575.91 USD	
Any opinion and/or recommendation, expressed orally or written herein, has been prepared carefully and may be used if the user so elects											