

MAIN PASS **1:200TVD**

ECLIPS 5.0 Nov 25, 2003
Updates: 1,2,3,32

Perpht /main/59

Cplot 7.09
Pdf_Cpp /main/16

Tue Nov 8 13:10:39 2005
Fileview 4.67

PARAMETER AND FILTER SUMMARY REPORT

File: /data/peck/blib/barl_DCI/1771/R01.prm
Logging Mode: DEPTH DIRECTION: OP
TOP DEPTH: 1087.737 m BOTTOM DEPTH: 2766.888 m

SYMMETRIC FILTER

MEASUREMENT TYPE	PARAMETER	VALUE	UNITS	INTERVAL (m)	
SPEED	FILTER ()	medium (1)		TOP	BOTTOM
TENSION	FILTER ()	medium (1)		"	"
CN	FILTER ()	medium (1)		"	"
X AXIS CALIPER	FILTER ()	medium (1)		"	"
	FILTER (.h)	medium (1)		"	"
	FILTER (.l)	medium (1)		"	"
ZDL	FILTER ()	medium (1)		"	"
GR	FILTER (.n)	medium (1)		"	"

BOREHOLE & CEMENT

MEASUREMENT TYPE	PARAMETER	VALUE	UNITS	INTERVAL (m)	
CASING - BOREHOLE & CEMENT VOLUME	CASING O.D.	8.825	1n	TOP	BOTTOM
	CASING THICKNESS	0.000	1n	"	"
BIT SIZE	BIT SIZE	12.250	1n	"	"
BOREHOLE CORR DIAMETER SOURCE	CALIPER/FIXED DIA. (cnbh*)	USE CALIPER		"	"
	CALIPER/FIXED DIA. (mbh*)	USE CALIPER		"	"
BOREHOLE CORR DIAMETER	FIXED DIAMETER (cnbh*)	12.250	1n	"	"
	FIXED DIAMETER (mbh*)	12.250	1n	"	"
MUD VALUES SOURCE	RMD SOURCE (HDIL)	OIL BASE MUD		"	"
MUD VALUES	MUD SAMPLE TEMP	75.0	degF	"	"
	MUD SAMPLE RES	1.000	ohm.m	"	"
	MUD REFERENCE TEMP	75.0	degF	"	"
	TEMP GRADIENT	1.200	0.01 degF/ft	"	"

CN PROCESSING

MEASUREMENT TYPE	PARAMETER	VALUE	UNITS	INTERVAL (m)	
2448 CN MATRIX	2448 MATRIX	LIMESTONE		TOP	BOTTOM
CN SALINITY CORRECTION	SALINITY	72000	ppm	"	"
CN CASING & CEMENT CORRECTION	CORRECTION	ON OFF		TOP 1493.520	1493.520 BOTTOM
	BIT SIZE BEHIND CSNO	17.500	1n	TOP	BOTTOM

ZDL PROCESSING

MEASUREMENT TYPE	PARAMETER	VALUE	UNITS	INTERVAL (m)	
ZDL CHI-SMOOTH FILTER	DEM CHISM	ON		TOP	BOTTOM
	PE CHISM	ON		"	"
ZDL	ZDL TRACKING	ON		"	"

HDIL PROCESSING

MEASUREMENT TYPE	PARAMETER	VALUE	UNITS	INTERVAL (m)	
HDIL TEMPERATURE CORRECTION	TEMP CORR SOURCE	USE RXTEMP		TOP	BOTTOM
ADAPTIVE BOREHOLE CORRECTION	ABC PROCESSING	ON		"	"
	ABC to CALCULATE	STANDOFF		"	"
	STANDOFF	1.50	1n	"	"

CURVE DESCRIPTION REPORT

CURVE NAME	CURVE ALIAS	CREATION DATE	CURVE DESCRIPTION
------------	-------------	---------------	-------------------

F1:BIT	BIT	Nov 8 12:47:17 2005	BIT SIZE
F1:BVOL	BVOL	Nov 8 12:47:17 2005	BOREHOLE VOLUME
F1:CALX	CAL	Nov 8 12:47:17 2005	CALIPER FROM X AXIS OF X-Y CALIPER(S)
F1:CNCF	CNCF	Nov 8 12:47:17 2005	FIELD NORMALIZED COMPENSATED NEUTRON POROSITY
F1:CVOL	CVOL	Nov 8 12:47:18 2005	CEMENT VOLUME
F1:GRQS	GR	Nov 8 12:47:21 2005	GAMMA RAY
F1:M2R1	M2R1	Nov 8 12:47:22 2005	VERT RESOLUTION MATCHED (2 FT) RES - DOI 10 INCH
F1:M2R2	M2R2	Nov 8 12:47:22 2005	VERT RESOLUTION MATCHED (2 FT) RES - DOI 20 INCH
F1:M2R3	M2R3	Nov 8 12:47:22 2005	VERT RESOLUTION MATCHED (2 FT) RES - DOI 30 INCH
F1:M2R6	M2R6	Nov 8 12:47:22 2005	VERT RESOLUTION MATCHED (2 FT) RES - DOI 80 INCH
F1:M2R9	M2R9	Nov 8 12:47:23 2005	VERT RESOLUTION MATCHED (2 FT) RES - DOI 90 INCH
F1:M2RX	M2RX	Nov 8 12:47:23 2005	VERT RESOLUTION MATCHED (2 FT) RES - DOI 120 INCH
F1:PE	PE	Nov 8 12:47:25 2005	PHOTO ELECTRIC CROSS-SECTION
F1:SPD	SPD	Nov 8 12:47:29 2005	SPEED
F1:TEN	TEN	Nov 8 12:47:30 2005	DIFFERENTIAL TENSION
F1:TTEM	TTEM	Nov 8 12:47:30 2005	TOTAL TENSION
F1:ZCOR	ZCOR	Nov 8 12:47:30 2005	DENSITY CORRECTION
F1:ZDEN	ZDEN	Nov 8 12:47:31 2005	FORMATION BULK DENSITY

CURVE MEASURE POINT OFFSET

CURVE	OFFSET (m)	CURVE	OFFSET (m)	CURVE	OFFSET (m)	CURVE	OFFSET (m)
BIT	0.00	M2R1	6.02	M2R9	6.02	TEN	0.00
CALX	28.27	M2R2	6.02	M2RX	6.02	TTEM	0.00
CNCF	33.80	M2R3	6.02	PE	28.27	ZCOR	28.27
GRQS	0.38	M2R6	6.02	SPD	0.00	ZDEN	28.27

Presentation : spt1:/data/peak/bilabari_DK1/slam_mainTVD.pdf [1:200 Scale]
 Plot Interval : 1073.35 - 2623.28 Meters

Data File 1 : F1 : spt1:/data/peak/bilabari_DK1/1771R0w.xdt
 Created On : Nov 8 12:47:18 2005
 Company : PEAK PETROLEUM
 Well : BILABARI DK1
 Field : BILABARI
 File Interval : 1073.35 - 2623.28 Meters
 Det : 1771

























































