

**BAKER
HUGHES**

Rpt Date 05/Aug/2006				Well Name/No Bilabiri D 2				Section Name/No 17-1/2" Section #3				Mud System AQUA-DRILL					
Job# 1		Spud Date 05/Jul/2006				MD 1636.00 m				Progress 57.00 m				Present Activity Tripping			
Operator Peak Petroleum Indust. Limited				Company Rep Robert Montgomery/Chris Newton				Contractor Dolphin Drilling Ltd				Contractor Rep Paul Sheppard/Nolan Troy					
Field/Lease Bilabri		Blk/Co/Parish OML - 122 / Nigeria				Area Offshore		Country/State Nigeria				Rig BULFORD DOLPHIN					
Drilling Assembly						Casing		Volumes	Pump Information								
Bit Gauge in		Mfr		Bit Model		OD in	ID in	Depth m	bbl	Model		Liner in	Stroke in	Eff %	Vol/Stk bbl	Stk Rate SPM	Circ Rate USgal/min
17 1/2		Smith International		S35P			19 1/2	178.00	Total Hole	Continental Ensco FA-1600		7	12.00	94.0	0.1342	80	451
Drill Collars		Drill Pipe		30	28	269.00	1632.9	Continental Ensco FA-1600		7	12.00	94.0	0.1342	79	445		
OD in	ID in	Length m	OD in	ID in	Length m	20	19.124	459.00	Active Pits	Continental Ensco FA-1600		7	12.00	94.0	0.1342	0	
9 7/16	3 1/8	8.82	5	4.276	1200.64		17 1/2	1636.00	334								
9 1/2	2 7/8	8.64	5	3	167.00				Tot Active								
8	2 7/8	45.33							1966.9								
8	2 7/8	9.17							In Storage	Surface to Bit		3.7 min/590stks		Total System		84.7 min/13469stks	
									1047.9	Bottoms Up		65.4 min/10392stks					
Mud Properties						Max Ann Velocity		Hole Information									
Property		1	2	3	4	AV Riser	61.85 ft/min	Standpipe Pressure		2390 psi		Water Depth		152.00 m			
Sample From		Flow Line	Active Pit	Flow Line	Active Pit	AV Casing	64.48 ft/min	Hole Flow		896 USgal/min		Riser Booster Rate		USgal/min			
Check Time		04:30	12:00	17:00	23:45	AV Open Hole	5039.86 ft/min	Solids Analysis									
MD m		1625.00	1636.00	1636.00	1636.00	Vc Open Hole	226.71 ft/min	Property	1	2	3	4					
TVD m		1625.00	1636.00	1636.00	1636.00	Vc Drill Pipe	196.29 ft/min	LGS %	2.54	2.58	2.90	3.22					
Bit Depth m		1625.00	1213.00	450.00	1471.00	Min Ann Velocity		LGS lb/bbl	23.18	23.49	26.43	29.38					
Inc deg		1.39	1.39	1.39	1.39	AV Riser	61.85 ft/min	HGS %	0.00	0.00	0.00	0.00					
Density ppg		9.20	9.20	9.25	9.30	AV Casing	64.48 ft/min	HGS lb/bbl	0.00	0.00	0.00	0.00					
Funnel Visc. sec/quart		40.0	42.0	42.0	40.0	AV Open Hole	78.12 ft/min	Bentonite %	0.00	0.00	0.00	0.00					
Circ BHTdegF		110.5			110.5	Bit Information		Bentonite lb/bbl	0.00	0.00	0.00	0.00					
Flow Line Temp degF		98.0	98.0	91.0	98.0	Size	17 1/2 in	Drill Sol %	2.54	2.58	2.90	3.22					
Test Temp degF		85.0	85.0	85.0	85.0	Hours On Bit		Drill Sol lb/bbl	23.18	23.49	26.43	29.38					
Rheol Temp degF		120.0	120.0	120.0	120.0	Bit Number	2	Avg Dens Sol sg	3.6655	3.6463	2.7906	3.0499					
PV cP		10	11	10	11	BHA Number	1	Rheology									
YP lbf/100ft^2		19	16	18	19	Depth In	459.00 m	600 RPM	39	38	38	41					
10sec Gel lbf/100ft^2		5	4	5	4	Bit RPM		300 RPM	29	27	28	30					
10min Gel lbf/100ft^2		6	5	6	6	WOB	klbf	200 RPM	21								

**BAKER
HUGHES**

Rpt Date 05/Aug/2006		Well Name/No Bilabri D 2		Section Name/No 17-1/2" Section #3		Mud System AQUA-DRILL					
Job# 1	Spud Date 05/Jul/2006		MD 1636.00 m		Progress 57.00 m		Present Activity Tripping				
Operator Peak Petroleum Indust. Limited		Company Rep Robert Montgomery/Chris Newton		Contractor Dolphin Drilling Ltd		Contractor Rep Paul Sheppard/Nolan Troy					
Field/Lease Bilabri		Blk/Co/Parish OML - 122 / Nigeria		Area Offshore		Country/State Nigeria					
Rig BULFORD DOLPHIN											
Solids Control Equipment											
Name	#	Mfr	Hours hours	Screen Sizes	Act Volume Lost bbl	Res Volume Lost bbl	Comments				
CENTRIFUGE	1	SWACO	14.0		15.0	0.0					
CENTRIFUGE	2	SWACO	0.0		0.0	0.0					
DESANDER	1	SWACO	0.0		0.0	0.0					
DESILTER	1	SWACO	0.0		0.0	0.0					
MUD CLEANER	1	SWACO	18.0	3 x 210	25.0	0.0					
SHALE SHAKER	1	Brandt	0.0		0.0	0.0					
SHALE SHAKER	1	Derrick Equipments Co	18.0	3 x 175	25.0	0.0					
SHALE SHAKER	2	Brandt	0.0		0.0	0.0					
SHALE SHAKER	2	Derrick Equipments Co	18.0	3 x 175	25.0	0.0					
SHALE SHAKER	3	Derrick Equipments Co	18.0	3 x 175	25.0	0.0					
SHALE SHAKER	3	Brandt	0.0		0.0	0.0					
				Total Volume Lost	115	0					
Volumes											
Additions bbl				Losses bbl		Total Volumes bbl					
Mud Added		Weight Materials		Downhole	80	Left In Pit	Starting Volume	2822.6	Riser w/o Pipe	213.3	
Brine	176	Water	330	Cased Off		Trip Losses	Daily Additions	553.9	Casing w/o Pipe	329.9	
Base Fluid		Product	47.9	Left In Hole		Injected	Daily Losses	361	Open Hole w/o Pipe	1148.8	
Recycled		Other		Discharged	130	Spill To Environment	Ending Volume	3015.5	String Displacement	59.0	
				SCE	115	Onshore Disposal	Net Change	192.9	String Capacity	79.1	
				Evaporation		Returned			Total Hole w/ Pipe	1632.9	
				Other Losses	36				Total Active	1966.9	
									Total Reserve	1047.9	
IADC Hours											
Drilling Formation			5	Circulate		4	Back Reaming		8	Cut/Slip Drill Line	2
Miscellaneous			3	Tripping		2					
BHDF Fluids Rep		BHDF Rep Phone		Warehouse		Warehouse Phone		Coordinator		Daily Cost	
Waboso Peter/Ayo Okomayin		234-803-402-0440		Onne		234-84-462609		Lawson Ogaree		40199.82 USD	
								Cumulative Cost		Inventory Value	
								566292.24 USD		253273.53 USD	
Page 2											
Any opinion and/or recommendation, expressed orally or written herein, has been prepared carefully and may be used if the user so elects, however, no representative or warranty is made by ourselves or our agents as to the correctness or completeness, and no liability is assumed for any damages resulting from the use of same.											

ADVANTAGE Daily Drilling Fluids Report - 29



INTEQ

Rpt Date 05/Aug/2006		Well Name/No Bilabri D 2		Section Name/No 17-1/2" Section #3				Mud System AQUA-DRILL			
Job# 1	Spud Date 05/Jul/2006			MD 1636.00 m		Progress 57.00 m			Present Activity Tripping		
Operator Peak Petroleum Indust. Limited			Company Rep Robert Montgomery/Chris Newton			Contractor Dolphin Drilling Ltd			Contractor Rep Paul Sheppard/Nolan Troy		
Field/Lease Bilabri		Blk/Co/Parish OML - 122 / Nigeria			Area Offshore		Country/State Nigeria			Rig BULFORD DOLPHIN	
Primary Currency USD				Secondary Currency				Totals USD			
Daily Product Cost		39299.82		Daily Product Cost		0.00		Primary Product		535242.24	
Daily Tax		0.00		Daily Tax		0.00		Secondary Product		0.00	
Debit/Credit		0.00		Debit/Credit		0.00		Primary Engineering		31050.00	
Daily Engineering Cost		900.00		Daily Engineering Cost				Secondary Engineering		0.00	
Total Daily Cost		40199.82		Total Daily Cost		0.00		Primary Total		566292.24	
Total Inventory Value		253273.53		Total Inventory Value		0.00		Secondary Total		0.00	
								Deck Load		338.82 UK ton	
Products and Services											
Product		Units	Start	Transferred In	Received	Returned	Lost	Daily Use	Final	Active Ending Concentrations lb/bbl	Reserve Ending Concentrations lb/bbl
Bulk											
BARITE - Imported		1000 kg	258						258	2.37	0.33
Oil Based Product											
MIL-LIME		25 kg			80				80		
Water Based Product											
AQUA-COL D		55 USgal	8					8			
CALCIUM CHLORIDE (97%)		50 lb	2						2		
CAUSTIC SODA		25 kg	32					10	22	0.57	0.15
CITRIC ACID MONOHYDRATE		25 kg	6						6		
DRISPAC LV		25 kg	40					22	18	0.73	1.58
LIQUID NEWDRILL PLUS		5 USgal	22					22			0.75
MIL-PAC R		25 kg	65		72			5	132	0.85	0.58
MIL-PAC LV		25 kg	60					5	55	0.44	0.43
NEW-DRILL PLUS		55 lb	150					30	120	1.53	2.01
POTASSIUM CHLORIDE		25 kg	400					240	160	14.17	17.30
POTASSIUM CHLORIDE BRINE		1 bbl			500			176	324	79.05	97.05
PROTECTOMAGIC M		25 kg	73						73	0.04	
SODA ASH		25 kg	49					31	18	0.96	2.03
XANTHANGUM D		25 kg	73					5	68	1.04	0.43
XCIDE 102		55 USgal	1						1	0.07	0.01
LCM											
CALCIUM CARBONATE - FINE		25 kg	40						40	0.39	0.01
CALCIUM CARBONATE - MED		25 kg	60						60	0.86	0.21
KWIKSEAL - MEDIUM		50 lb	40						40	0.56	0.19
MIL-PLUG FINE		50 lb	84						84		
MIL-SEAL MEDIUM		50 lb	90						90		
SOLUFLAKE F		50 lb	78						78	0.01	
Other											
SOLTEX		25 kg	40					40		1.97	2.01
BHDF Fluids Rep		BHDF Rep Phone		Warehouse	Warehouse Phone		Coordinator		Daily Cost		Cumulative Cost
Waboso Peter/Ayo Okomayin		234-803-402-0440		Onne	234-84-462609		Lawson Ogaree		40199.82 USD		566292.24 USD
											Inventory Value
											253273.53 USD
Any opinion and/or recommendation, expressed orally or written herein, has been prepared carefully and may be used if the user so elects, however, no representative or warranty is made by ourselves or our agents as to the correctness or completeness, and no liability is assumed for any damages resulting from the use of same.											
Page 3											