



Baker Atlas

FILE NO:	COMPANY	PEAK PETROLEUM INDUSTRIES NIGERIA LTD
API NO:	WELL	BILABRI D3
SCALE 1:200	FIELD	BILABRI
	RIG NAME	BULFORD DOLPHIN
Ver. 3.87 FIELD PRINT TIGHT HOLE	LOCATION:	NORTH: 515,558.23 M EAST: 731,847.1 M
PERMANENT DATUM	MSL	ELEVATION 0 M
LOG MEASURED FROM	DF	25 M ABOVE P.D.
DRILL MEAS. FROM	DF	
	OTHER SERVICES	SPECTRALOG HDIL/XMAC/GR HDIL/ZDL/CN/GR RCI
	ELEVATIONS:	KB 25 M DF -145 M GL

DATE	29-OCT-2006	
RUN	TRIP	1
SERVICE ORDER	NG543429	
DEPTH DRILLER	2555 M	
DEPTH LOGGER	N/A	
BOTTOM LOGGED INTERVAL	2500.0 M	
TOP LOGGED INTERVAL	2408.5 M	
CASING DRILLER	13.375 IN	829 M
CASING LOGGER	829.0 M	
BIT SIZE	12.25 IN	
TYPE OF FLUID IN HOLE	OBM	
DENSITY	10.1 LB/G	63 S
PH	FLUID LOSS	23 CS
SOURCE OF SAMPLE	NA	
RM AT MEAS. TEMP.	NA	
RMF AT MEAS. TEMP.	NA	
RMC AT MEAS. TEMP.	NA	
SOURCE OF RMF	RMC	
RM AT BHT	NA	
TIME SINCE CIRCULATION	66 HOURS	
MAX. RECORDED TEMP.	NA	
EQUIP. NO.	LOCATION	
RECORDED BY	T. OGILVIE / A. GREEFF	
WITNESSED BY	CHARLES OGBORBE	

IN MAKING INTERPRETATIONS OF LOGS OUR EMPLOYEES WILL GIVE CUSTOMER THE BENEFIT OF THEIR BEST JUDGEMENT. BUT SINCE ALL INTERPRETATIONS ARE OPINIONS BASED ON INFERENCES FROM ELECTRICAL OR OTHER MEASUREMENTS, WE CANNOT, AND WE DO NOT GUARANTEE THE ACCURACY OR CORRECTNESS OF ANY INTERPRETATION. WE SHALL NOT BE LIABLE OR RESPONSIBLE FOR ANY LOSS, COST, DAMAGES, OR EXPENSES WHATSOEVER INCURRED OR SUSTAINED BY THE CUSTOMER RESULTING FROM ANY INTERPRETATION MADE BY ANY OF OUR EMPLOYEES.

BOREHOLE RECORD

BIT SIZE	FROM	TO
12.25 IN	840 M	2555.0 M

CASING RECORD

SIZE	WEIGHT	GRADE	FROM	TO
13.375 IN	68 LB/F	K-55	0 M	829 M

REMARKS

RUN 1 TRIP 1 :
1. ALL TOOLS WERE CONVEYED ON WIRELINE.
2. LOG TIED INTO HDIL/ZDL/CN/GR LOGGED ON 27-OCT-2006
3. CHARGE LOAD USED: 3G


CORES ATTEMPTED = 25
CORES RETRIEVED = 20

EQUIPMENT DATA

RUN	TRIP	TOOL	SERIES NO.	SERIAL NO.	POSITION
1	1	PFC	731XA	112892	FREE
1	1	SWC	1812XA	XXXXXX	DECENTRALIZED

INSTRUMENT CONFIGURATION

Source File: /data/peak/bilabari_D3/corgun-ldg



CORRELATION LOG

Pcrplt /main/61

Cplot 9.18

Pdf_Cpp /main/16

Fileview 5.00

PARAMETER AND FILTER SUMMARY REPORT

FILE: /data/peak/bilabari_D3/[117a01.prm
 LOGGING MODE: DEPTH DIRECTION: UP
 TOP DEPTH: 2405.939 m BOTTOM DEPTH: 2431.999 m

SYMMETRIC FILTER

MEASUREMENT TYPE	PARAMETER	VALUE	UNITS	INTERVAL (m)	
GR	FILTER ()	medium (1)		TOP	BOTTOM
SPEED	FILTER ()	medium (1)		"	"
TENSION	FILTER ()	medium (1)		"	"

PARAMETER AND FILTER SUMMARY REPORT

FILE: /data/peak/bilabari_D3/[777]05.prm
 LOGGING MODE: DEPTH DIRECTION: UP
 TOP DEPTH: 2379.993 m BOTTOM DEPTH: 2557.882 m

SYMMETRIC FILTER

MEASUREMENT TYPE	PARAMETER	VALUE	UNITS	INTERVAL (m)	
SPEED	FILTER ()	medium (1)		TOP	BOTTOM
TENSION	FILTER ()	medium (1)		"	"
GR	FILTER ()	medium (1)		"	"

CURVE DESCRIPTION REPORT

CURVE NAME	CURVE ALIAS	CREATION DATE	CURVE DESCRIPTION
F1:GR	GR	Oct 29 13:17:07 2006	GAMMA RAY
F1:SPD	SPD	Oct 29 13:17:07 2006	SPEED
F1:TEN	TEN	Oct 29 13:17:07 2006	DIFFERENTIAL TENSION
F1:TTEN	TTEN	Oct 29 13:17:07 2006	TOTAL TENSION

CURVE MEASURE POINT OFFSET

CURVE	OFFSET (m)	CURVE	OFFSET (m)	CURVE	OFFSET (m)	CURVE	OFFSET (m)
GR	0.00	SPD	0.00	TEN	-5.33	TTEN	-5.33

Presentation : sys1:/data/peak/bilabari_D3/swcgr.pdf [1:200 Scale]
 Plot Interval : 2395 - 2435 Meters

Data File 1 : F1 : sys1:/data/peak/bilabari_D3/[117a01.aff
 Created On : Oct 29 13:17:07 2006
 Company : PEAK PETROLEUM
 Well : BILABRI D3
 Field : BILABRI
 File Interval : 2400.99 - 2432.46 Meters
 Oct : [117a

Data File 2 : F2 : sys1:/data/peak/bilabari_D3/C2sand.xtf
 Created On : Oct 27 12:16:55 2006
 Company : PEAK PETROLEUM
 Well : BILABRI D3
 Field : BILABRI
 File Interval : 2342.31 - 2557.88 Meters
 Oct : [777]

GR BACKUP

SWC GR [gr]

(gAPI)

METERS

TOOL STICKING

DIFF. TENSION [ten]

(lbf)

Source File: /data/peak/bilabari_D3/coregun.cgn.sk.pdf

COREGUN RECOVERY DATA

Customer Name: Peak Petroleum Industries Nigeria Ltd
 Well Name: Bilabari D3
 Date: 29-Oct-2006
 Formation: C1 / C2 sands, shale.
 Casing Size: 13.375"
 Casing Depth: 829m
 Bit Size: 12.25"
 Fluid Type: OBM
 Fluid Weight: 10.1ppg
 Bot. Hole Temp.: 197 degF
 Max. Deviation: Vertical
 Remarks:

Total Cores Attempted = 25 Total Cores Recovered = 20

SHOT #	CORE DEPTH	RECOVERY STATUS	RECOVERED CORE LENGTH	COMMENTS
25	2408.50	Core Recovered	1.00	
24	2410.50	Misfire		Misfire
23	2412.00	Core Recovered	0.60	
22	2413.00	Core Recovered	1.00	
21	2414.00	Core Recovered	1.25	
20	2415.00	Core Recovered	1.00	
19	2416.00	Core Recovered	1.00	
18	2417.00	Core Recovered	0.75	Fragmented
17	2418.00	Core Recovered	0.50	Fragmented
16	2419.00	Lost Barrel		Lost Barrel
15	2420.00	Lost Barrel		Lost Barrel
14	2421.00	Core Recovered	0.50	Partial Core
13	2427.50	Core Recovered	0.75	Fragmented
12	2436.50	Core Recovered	1.00	Fragmented
11	2437.50	Core Recovered	0.75	Fragmented
10	2474.00	Lost Barrel		Lost Barrel
9	2483.00	Lost Barrel		Lost Barrel
8	2484.50	Core Recovered	1.25	
7	2487.50	Core Recovered	0.75	
6	2489.00	Core Recovered	1.25	
5	2492.50	Core Recovered	0.50	Fragmented
4	2493.50	Core Recovered	0.75	Fragmented
3	2495.00	Core Recovered	0.50	Fragmented
2	2497.00	Core Recovered	0.75	
1	2500.00	Core Recovered	1.00	



COMPANY
 WELL
 FIELD
 PIC NAME

PEAK PETROLEUM INDUSTRIES NIGERIA LTD
 BILABRI D3
 BILABRI
 BILFORD DOUBIN

FILE NO:

API NO:

C0115-1-000



RIG NAME		SCALE 1:200
LOCATION:	ELEVATIONS:	
	KB	FIELD PRINT
	DF 25 M	TIGHT HOLE
GL -145 M		
DATE		29-OCT-2006