

**BAKER
HUGHES**

Rpt Date 16/Nov/2006		Well Name/No Bilabri D4		Section Name/No 12-1/4" Section #3			Mud System SYN-TEQ (PARA)										
Job# 1		Spud Date		MD 815.00 m		Progress 0.00 m		Present Activity Test BOP									
Operator Peak Petroleum Indust. Limited		Company Rep Thomas G. May / Chris Newton		Contractor Dolphin Drilling Ltd		Contractor Rep Stephen Milne / Troy Nolan											
Field/Lease Bilabri		Blk/Co/Parish OML - 122 / Nigeria		Area Offshore		Country/State Nigeria		Rig BULFORD DOLPHIN									
Drilling Assembly				Casing		Volumes	Pump Information										
Bit Gauge in	Mfr	Bit Model	OD in	ID in	Depth m	bbl	Model	Liner in	Stroke in	Eff %	Vol/Stk bbl	Stk Rate SPM	Circ Rate USgal/min				
0				19 1/2	172.50	Total Hole	Continental Ensco FA-1600	6 1/2	12.00	97.0	0.1194	0					
Drill Collars		Drill Pipe		36	31 3/4	262.00	0	Continental Ensco FA-1600	6 1/2	12.00	97.0	0.1194	0				
OD in	ID in	Length m	OD in	ID in	Length m	20	18 3/4	291.60	Active Pits	Continental Ensco FA-1600	6 1/2	12.00	97.0	0.1194	0		
						13 3/8	12.415	792.00	0								
							12 1/4	815.00	Tot Active								
									0	Circulation Times							
									In Storage	Surface to Bit		min/stks		Total System		min/stks	
									855	Bottoms Up		min/stks					
Mud Properties				Max Ann Velocity				Hole Information									
Property		Fluid Spec		1	2	3	AV Riser	ft/min	Standpipe Pressure		0 psi		Water Depth		146.00 m		
Sample From				Reserve			AV Casing	ft/min	Hole Flow		USgal/min		Riser Booster Rate		USgal/min		
Check Time				08:00			AV Open Hole	ft/min	Solids Analysis								
MD m				815.00			Vc Open Hole	ft/min	Property		1	2		3	4		
TVD m				815.00			Vc Drill Pipe	ft/min	LGS %		9.17						
Bit Depth m				0.00			Min Ann Velocity		LGS lb/bbl		83.55						
Inc deg				0.01			AV Riser	ft/min	HGS %		4.10						
Density ppg		10.00-10.50		10.30			AV Casing	ft/min	HGS lb/bbl		60.42						
Funnel Visc. sec/quart				78.0			AV Open Hole	ft/min	Avg Dens Sol sg		3.0948						
Test Temp degF				85.0			Bit Information										
Rheol Temp degF				120.0			Size										
PV cP				41			Hours On Bit										
YP lbf/100ft^2				23			Bit Number										
10sec Gel lbf/100ft^2				11			BHA Number		Rheology								
10min Gel lbf/100ft^2				20			Depth In		600 RPM		105						
HTHP Temp degF				250.0			Bit RPM		300 RPM		64						
HTHP Pressure psi				500			WOB		200 RPM		48						
Retort Water %				32.0			Nozzles		100 RPM		35						
Retort Base Fluid %				53.0			Bit Hydraulics		6 RPM		15						
Retort Solids %				15.0			TFA		3 RPM		13						
Corrected Solids %				13.3			Nozzle Vel		ft/sec								
Oil:Water Ratio				62:38			Bit Press Loss		psi								
Alk (Whole Mud-POM) cc/cc				1.30			HHP / Area		HP/in^2		Hydraulic Analysis						
CI (Whole Mud-Clom) cc/cc				44000			HHP		%		Behavior Index (n)						
Ca (Whole Mud-Caom) cc/cc				0							Consistency Index (k)						
Excess Lime lb/bbl				1.7							#sec^n/100ft^2						
Brine Density sg				1.15							ECD @ Bit Depth						
NaCl % wt				0							ppg						
CaCl2 % wt				18							ECD @ C						

ADVANTAGE Daily Drilling Fluids Report - 11



INTEQ

Rpt Date 16/Nov/2006		Well Name/No Bilabri D4		Section Name/No 12-1/4" Section #3		Mud System SYN-TEQ (PARA)	
Job# 1		Spud Date		MD 815.00 m		Progress 0.00 m	
Operator Peak Petroleum Indust. Limited		Company Rep Thomas G. May / Chris Newton		Contractor Dolphin Drilling Ltd		Contractor Rep Stephen Milne / Troy Nolan	
Field/Lease Bilabri		Blk/Co/Parish OML - 122 / Nigeria		Area Offshore		Country/State Nigeria	
						Rig BULFORD DOLPHIN	
Solids Control Equipment							
Name	#	Mfr	Hours hours	Screen Sizes	Act Volume Lost bbl	Res Volume Lost bbl	Comments
CENTRIFUGE	1		0.0		0.0	0.0	
CENTRIFUGE	2		0.0		0.0	0.0	
DESANDER	1		0.0		0.0	0.0	
DESILTER	1		0.0		0.0	0.0	
MUD CLEANER	1		0.0	175, 210	0.0	0.0	
SHALE SHAKER	1		0.0		0.0	0.0	
SHALE SHAKER	1		0.0	3 x 110	0.0	0.0	
SHALE SHAKER	2		0.0		0.0	0.0	
SHALE SHAKER	2		0.0	3 x 110	0.0	0.0	
SHALE SHAKER	3		0.0	3 x 110	0.0	0.0	
SHALE SHAKER	3		0.0		0.0	0.0	
				Total Volume Lost	0	0	
Volumes							
Additions bbl		Losses bbl		Total Volumes bbl			
Mud Added	Weight Materials	Downhole	Left In Pit	Starting Volume	855	Riser w/o Pipe	
Brine	Water	Cased Off	Trip Losses	Daily Additions		Casing w/o Pipe	
Base Fluid	Product	Left In Hole	Injected	Daily Losses		Open Hole w/o Pipe	
Recycled	Other	Discharged	Spill To Environment	Ending Volume	855.0	String Displacement	
		SCE	Onshore Disposal	Net Change		String Capacity	
		Evaporation	Returned			Total Hole w/ Pipe	
		Other Losses				Total Active	
						Total Reserve	855.0
IADC Hours							
Nipple Up/Nipple Down BOP				0	Test BOP	24	Run/Pull Riser
BHDF Fluids Rep		BHDF Rep Phone	Warehouse	Warehouse Phone	Coordinator	Daily Cost	Cumulative Cost
Jerry Laydoo / Kunle Olayinka		234-803-402-0440	Onne	234-84-462609	Lawson Ogaree	3858.30 USD	134072.27 USD
						Inventory Value	Page 2
Any opinion and/or recommendation, expressed orally or written herein, has been prepared carefully and may be used if the user so elects, however, no representative or warranty is made by ourselves or our agents as to the correctness or completeness, and no liability is assumed for any damages resulting from the use of same.							

**BAKER
HUGHES**

Rpt Date 16/Nov/2006			Well Name/No Bilabri D4			Section Name/No 12-1/4" Section #3			Mud System SYN-TEQ (PARA)					
Job# 1		Spud Date		MD 815.00 m		Progress 0.00 m			Present Activity Test BOP					
Operator Peak Petroleum Indust. Limited			Company Rep Thomas G. May / Chris Newton			Contractor Dolphin Drilling Ltd			Contractor Rep Stephen Milne / Troy Nolan					
Field/Lease Bilabri		Blk/Co/Parish OML - 122 / Nigeria			Area Offshore		Country/State Nigeria			Rig BULFORD DOLPHIN				
Primary Currency USD				Secondary Currency				Totals USD						
Daily Product Cost		2508.30		Daily Product Cost		0.00		Primary Product		124116.02				
Daily Tax		0.00		Daily Tax		0.00		Secondary Product		0.00				
Debit/Credit		0.00		Debit/Credit		0.00		Primary Engineering		9956.25				
Daily Engineering Cost		1350.00		Daily Engineering Cost		0.00		Secondary Engineering		0.00				
Total Daily Cost		3858.30		Total Daily Cost		0.00		Primary Total		134072.27				
Total Inventory Value		612017.70		Total Inventory Value		0.00		Secondary Total		0.00				
									Deck Load		788880 lb			
Products and Services														
Product	Units	Start	Transferred In	Received	Returned	Lost	Daily Use	Final	Unit Price USD	Daily Cost USD	Active Ending Concentrations lb/bbl	Reserve Ending Concentrations lb/bbl		
Bulk														
MIL-BAR	1000 kg	152					152		540.00		108.47	108.47		
Oil Based Product														
CARBO-GEL	25 kg			80			80		264.28					
MIL-LIME	25 kg			80			80		34.25					
MIL-LIME	25 kg	40					40		34.25					
OMNI-COTE	55 USgal	4					4		2150.00					
OMNI-MUL	55 USgal			12			12		995.06					
OMNI-PLEX	55 USgal			8			8		1618.95					
OMNI-TEC	55 USgal			8			8		925.00					
PARA-TEQ	1 bbl	469		1000			1469		280.00					
Water Based Product														
CAUSTIC SODA	25 kg	72			40		32		37.89					
MIL-GUAR	25 kg	330			280		50		135.00		0.69	0.69		
MIL-PAC R	25 kg	73			73				155.00		0.40	0.40		
MIL-PAC LV	25 kg								155.00		2.26	2.26		
NEW-DRILL PLUS	25 kg	17			17				110.66		1.31	1.31		
POTASSIUM CHLORIDE BRINE	1 bbl								46.85		265.81	265.81		
SODA ASH	50 kg	29			29				146.80		1.07	1.07		
Xanthan Gum	25 kg	87			40		47		345.22		1.19	1.19		
XCIDE 102	55 USgal	2					1	1	2508.30	2508.30	0.01	0.01		
LCM														
CALCIUM CARBONATE - FINE	25 kg								22.68		4.52	4.52		
CALCIUM CARBONATE - FINE	25 kg			80			80		22.68					
CALCIUM CARBONATE - MED	25 kg	40					40		22.68		2.26	2.26		
KWIKSEAL - MEDIUM	25 kg	35					35		70.52					
MIL-PLUG FINE	25 kg	56					56		27.01					
Other														
BLACK MAGIC SF T	25 kg	120					120		117.25					
CALCIUM CHLORIDE (97%)	25 kg			200			200		23.21					
SAW DUST	25 kg	29					29		12.50					
BHDF Fluids Rep		BHDF Rep Phone		Warehouse		Warehouse Phone		Coordinator		Daily Cost		Cumulative Cost	Inventory Value	Page 3
Jerry Laydoo / Kunle Olayinka		234-803-402-0440		Onne		234-84-462609		Lawson Ogaree		3858.30 USD		134072.27 USD	612017.70 USD	
Any opinion and/or recommendation, expressed orally or written herein, has been prepared carefully and may be used if the user so elects, however, no representative or warranty is made by ourselves or our agents as to the correctness or completeness, and no liability is assumed for any damages resulting from the use of														