

# ADVANTAGE Daily Drilling Fluids Report - 71

INTEQ

|                                         |  |                                      |  |                                    |  |                                            |  |
|-----------------------------------------|--|--------------------------------------|--|------------------------------------|--|--------------------------------------------|--|
| Rpt Date 15/Jan/2007                    |  | Well Name/No Bilabri D4              |  | Section Name/No 12-1/4" Section #3 |  | Mud System SYN-TEQ (PARA)                  |  |
| Job# 1                                  |  | Spud Date 09/Nov/2006                |  | MD 2591.00 m                       |  | Progress 0.00 m                            |  |
| Operator Peak Petroleum Indust. Limited |  | Company Rep Tom G.May / Chris Newton |  | Contractor Dolphin Drilling Ltd    |  | Contractor Rep Steve Milne / Terry Nanidis |  |
| Field/Lease Bilabri                     |  | Bik/Co/Parish OML - 122 / Nigeria    |  | Area Offshore                      |  | Country/State Nigeria                      |  |
|                                         |  |                                      |  |                                    |  | Rig BULFORD DOLPHIN                        |  |

| Drilling Assembly |         |           | Casing     |        |          | Volumes    | Pump Information          |          |             |          |             |                       |                     |
|-------------------|---------|-----------|------------|--------|----------|------------|---------------------------|----------|-------------|----------|-------------|-----------------------|---------------------|
| Bit Gauge in      | Mfr     | Bit Model | OD in      | ID in  | Depth m  | bbl        | Model                     | Liner in | Stroke in   | Eff %    | Vol/Stk bbl | Stk Rate SPM          | Circ Rate USgal/min |
| 12 1/4            | HCC     | PDC       |            | 19 1/2 | 172.50   | Total Hole | Continental Ensco FA-1600 | 6 1/2    | 12.00       | 97.0     | 0.1194      | 0                     |                     |
|                   |         |           |            |        |          | 1376.1     | Continental Ensco FA-1600 | 6 1/2    | 12.00       | 97.0     | 0.1194      | 0                     |                     |
| Drill Collars     |         |           | Drill Pipe |        |          |            | Continental Ensco FA-1600 | 6 1/2    | 12.00       | 97.0     | 0.1194      | 0                     |                     |
| OD in             | ID in   | Length m  | OD in      | ID in  | Length m | 13 3/8     | 12.415                    | 800.00   | Active Pits |          |             |                       |                     |
| 8                 | 3 1/4   | 6.57      | 5          | 4.276  | 2348.34  |            | 12 1/4                    | 2591.00  | 397         |          |             |                       |                     |
| 8                 | 2 5/8   | 9.35      | 5          | 3      | 158.56   |            |                           |          | Tot Active  |          |             |                       |                     |
| 8                 | 2 3/4   | 27.29     |            |        |          |            |                           |          | 1773.1      |          |             |                       |                     |
| 8                 | 2 13/16 | 9.05      |            |        |          |            |                           |          | In Storage  |          |             |                       |                     |
|                   |         |           |            |        |          | 900        | Circulation Times         |          |             |          |             |                       |                     |
|                   |         |           |            |        |          |            | Surface to Bit            |          |             | min/stks |             | Total System min/stks |                     |
|                   |         |           |            |        |          |            | Bottoms Up                |          |             | min/stks |             |                       |                     |

| Mud Properties            |            |            | Max Ann Velocity |   | Hole Information                                                                                                                                                                                                                                                                                                                                       |             |                    |
|---------------------------|------------|------------|------------------|---|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|--------------------|
| Property                  | Fluid Spec | 1          | 2                | 3 | AV Riser                                                                                                                                                                                                                                                                                                                                               | ft/min      | Standpipe Pressure |
| Sample From               |            | Active Pit | Active Pit       |   | AV Casing                                                                                                                                                                                                                                                                                                                                              | ft/min      | 0 psi              |
| Check Time                |            | 09:30      | 23:00            |   | AV Open Hole                                                                                                                                                                                                                                                                                                                                           | ft/min      | Water Depth        |
| MD m                      |            | 2591.00    | 2591.00          |   | Vc Open Hole                                                                                                                                                                                                                                                                                                                                           | ft/min      | 146.00 m           |
| TVD m                     |            | 2449.98    | 2449.98          |   | Vc Drill Pipe                                                                                                                                                                                                                                                                                                                                          | ft/min      | Hole Flow          |
| Bit Depth m               |            | 2588.00    | 2588.00          |   | Min Ann Velocity                                                                                                                                                                                                                                                                                                                                       |             | USgal/min          |
| Inc deg                   |            | 1.46       | 1.46             |   | AV Riser                                                                                                                                                                                                                                                                                                                                               | ft/min      | Riser Booster Rate |
| Density ppg               |            | 9.30       | 9.30             |   | AV Casing                                                                                                                                                                                                                                                                                                                                              | ft/min      | USgal/min          |
| Funnel Visc. sec/quart    |            | 89.0       | 88.0             |   | AV Open Hole                                                                                                                                                                                                                                                                                                                                           | ft/min      |                    |
| Test Temp degF            |            | 95.0       | 95.0             |   | Bit Information                                                                                                                                                                                                                                                                                                                                        |             |                    |
| Rheol Temp degF           |            | 120.0      | 120.0            |   | Size                                                                                                                                                                                                                                                                                                                                                   | 12 1/4 in   |                    |
| PV cP                     |            | 33         | 33               |   | Hours On Bit                                                                                                                                                                                                                                                                                                                                           |             |                    |
| YP lbf/100ft^2            |            | 19         | 21               |   | Bit Number                                                                                                                                                                                                                                                                                                                                             |             |                    |
| 10sec Gel lbf/100ft^2     |            | 8          | 8                |   | BHA Number                                                                                                                                                                                                                                                                                                                                             | 10          |                    |
| 10min Gel lbf/100ft^2     |            | 15         | 16               |   | Depth In                                                                                                                                                                                                                                                                                                                                               | 2385.00 m   |                    |
| HTHP Filtrate cc          |            | 3.2        | 3.2              |   | Bit RPM                                                                                                                                                                                                                                                                                                                                                |             |                    |
| HTHP Cake in/32           |            | 2.0        | 2.0              |   | WOB                                                                                                                                                                                                                                                                                                                                                    | kibf        |                    |
| HTHP Temp degF            |            | 250.0      | 250.0            |   | Nozzles                                                                                                                                                                                                                                                                                                                                                | 4x16:4x12   |                    |
| HTHP Pressure psi         |            | 500        | 500              |   | Bit Hydraulics                                                                                                                                                                                                                                                                                                                                         |             |                    |
| Retort Water %            |            | 25.0       | 25.0             |   | TFA                                                                                                                                                                                                                                                                                                                                                    | 1.2272 in^2 |                    |
| Retort Base Fluid %       |            | 63.0       | 63.0             |   | Nozzle Vel                                                                                                                                                                                                                                                                                                                                             | ft/sec      |                    |
| Retort Solids %           |            | 12.0       | 12.0             |   | Bit Press Loss                                                                                                                                                                                                                                                                                                                                         | psi         |                    |
| Corrected Solids %        |            | 9.9        | 9.8              |   | HHP / Area                                                                                                                                                                                                                                                                                                                                             | HP/in^2     |                    |
| Oil:Water Ratio           |            | 72:28      | 72:28            |   | HHP                                                                                                                                                                                                                                                                                                                                                    | %           |                    |
| Alk (Whole Mud-POM) cc/cc |            | 1.80       | 1.90             |   | Hydraulic Analysis                                                                                                                                                                                                                                                                                                                                     |             |                    |
| Cl (Whole Mud-Clom) cc/cc |            | 52000      | 53000            |   | Behavior Index (n)                                                                                                                                                                                                                                                                                                                                     |             |                    |
| Ca (Whole Mud-Caom) cc/cc |            | 0          | 0                |   | Consistency Index (k)                                                                                                                                                                                                                                                                                                                                  |             |                    |
| Excess Lime lb/bbl        |            | 2.3        | 2.5              |   | #sec^n/100ft^2                                                                                                                                                                                                                                                                                                                                         |             |                    |
| Brine Density sg          |            | 1.22       | 1.23             |   | ECD @ Bit Depth                                                                                                                                                                                                                                                                                                                                        |             |                    |
| NaCl % wt                 |            | 0          | 0                |   | ppg                                                                                                                                                                                                                                                                                                                                                    |             |                    |
| CaCl2 % wt                |            | 25         | 25               |   | ECD @ Casing Shoe                                                                                                                                                                                                                                                                                                                                      |             |                    |
| Elect. Stab.V             |            | 506.0      | 501.0            |   | ppg                                                                                                                                                                                                                                                                                                                                                    |             |                    |
| Sand %                    |            | 0.50       | 0.50             |   | Fluid Comments/ Recommendations                                                                                                                                                                                                                                                                                                                        |             |                    |
|                           |            |            |                  |   | SURFACE ACTIVE VOL (9.3ppg) = (Act Pit #2 - 221 bbls + S/Traps - 150bb) = 371 bbls. RESERVE VOL(9.3 ppg) = (Pit #1 - 92bbls + pit #3 - 351bbls + pit 4 - 343bbls) = 786bbls. TOTAL USEABLE(9.3 ppg) = (Act Pit #2 - 221bbls + Res Pits 1,3, 4 - 786bbls) = 1007bbls. OTHER FLUIDS - Base Oil in Chemical pit - 55 bbls & Slug piit (9.2 ppg) - 59 bbls |             |                    |
|                           |            |            |                  |   | Drilling Comments                                                                                                                                                                                                                                                                                                                                      |             |                    |
|                           |            |            |                  |   | Continue monitoring well on trip tan while wait on instructions                                                                                                                                                                                                                                                                                        |             |                    |

|                              |                  |           |                 |               |            |                 |                 |        |
|------------------------------|------------------|-----------|-----------------|---------------|------------|-----------------|-----------------|--------|
| BHDF Fluids Rep              | BHDF Rep Phone   | Warehouse | Warehouse Phone | Coordinator   | Daily Cost | Cumulative Cost | Inventory Value | Page 1 |
| Waboso Peter / Ifeanyi Nwosu | 234-803-402-0440 | Onne      | 234-84-462609   | Lawson Ogaree | 900.00 USD | 1799301.18 USD  | 562953.11 USD   |        |

Any opinion and/or recommendation, expressed orally or written herein, has been prepared carefully and may be used if the user so elects, however, no representative or warranty is made by ourselves or our agents as to the correctness or completeness, and no liability is assumed for any damages resulting from the use of same.

# ADVANTAGE Daily Drilling Fluids Report - 71



INTEQ

|                                                                                                                                                                                                                                                                                                                                        |                         |                                             |                    |                                           |                            |                                                   |                            |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|---------------------------------------------|--------------------|-------------------------------------------|----------------------------|---------------------------------------------------|----------------------------|
| <b>Rpt Date</b> 15/Jan/2007                                                                                                                                                                                                                                                                                                            |                         | <b>Well Name/No</b> Bilabri D4              |                    | <b>Section Name/No</b> 12-1/4" Section #3 |                            | <b>Mud System</b> SYN-TEQ (PARA)                  |                            |
| <b>Job#</b> 1                                                                                                                                                                                                                                                                                                                          |                         | <b>Spud Date</b> 09/Nov/2006                |                    | <b>MD</b> 2591.00 m                       |                            | <b>Progress</b> 0.00 m                            |                            |
| <b>Operator</b> Peak Petroleum Indust. Limited                                                                                                                                                                                                                                                                                         |                         | <b>Company Rep</b> Tom G.May / Chris Newton |                    | <b>Contractor</b> Dolphin Drilling Ltd    |                            | <b>Contractor Rep</b> Steve Milne / Terry Nanidis |                            |
| <b>Field/Lease</b> Bilabri                                                                                                                                                                                                                                                                                                             |                         | <b>Blk/Co/Parish</b> OML - 122 / Nigeria    |                    | <b>Area</b> Offshore                      |                            | <b>Country/State</b> Nigeria                      |                            |
| <b>Rig</b> BULFORD DOLPHIN                                                                                                                                                                                                                                                                                                             |                         |                                             |                    |                                           |                            |                                                   |                            |
| <b>Solids Control Equipment</b>                                                                                                                                                                                                                                                                                                        |                         |                                             |                    |                                           |                            |                                                   |                            |
| <b>Name</b>                                                                                                                                                                                                                                                                                                                            | <b>#</b>                | <b>Mfr</b>                                  | <b>Hours hours</b> | <b>Screen Sizes</b>                       | <b>Act Volume Lost bbl</b> | <b>Res Volume Lost bbl</b>                        | <b>Comments</b>            |
| CENTRIFUGE                                                                                                                                                                                                                                                                                                                             | 1                       |                                             | 0.0                |                                           | 0.0                        | 0.0                                               |                            |
| CENTRIFUGE                                                                                                                                                                                                                                                                                                                             | 2                       |                                             | 0.0                |                                           | 0.0                        | 0.0                                               |                            |
| DESANDER                                                                                                                                                                                                                                                                                                                               | 1                       |                                             | 0.0                |                                           | 0.0                        | 0.0                                               |                            |
| DESILTER                                                                                                                                                                                                                                                                                                                               | 1                       |                                             | 0.0                |                                           | 0.0                        | 0.0                                               |                            |
| MUD CLEANER                                                                                                                                                                                                                                                                                                                            | 1                       |                                             | 0.0                | 175, 210                                  | 0.0                        | 0.0                                               |                            |
| SHALE SHAKER                                                                                                                                                                                                                                                                                                                           | 1                       |                                             | 0.0                |                                           | 0.0                        | 0.0                                               |                            |
| SHALE SHAKER                                                                                                                                                                                                                                                                                                                           | 1                       |                                             | 0.0                | 210, 2 x 175                              | 0.0                        | 0.0                                               |                            |
| SHALE SHAKER                                                                                                                                                                                                                                                                                                                           | 2                       |                                             | 0.0                |                                           | 0.0                        | 0.0                                               |                            |
| SHALE SHAKER                                                                                                                                                                                                                                                                                                                           | 2                       |                                             | 0.0                | 3 x 175                                   | 0.0                        | 0.0                                               |                            |
| SHALE SHAKER                                                                                                                                                                                                                                                                                                                           | 3                       |                                             | 0.0                | 3 x 175                                   | 0.0                        | 0.0                                               |                            |
| SHALE SHAKER                                                                                                                                                                                                                                                                                                                           | 3                       |                                             | 0.0                |                                           | 0.0                        | 0.0                                               |                            |
|                                                                                                                                                                                                                                                                                                                                        |                         |                                             |                    | <b>Total Volume Lost</b>                  | 0                          | 0                                                 |                            |
| <b>Volumes</b>                                                                                                                                                                                                                                                                                                                         |                         |                                             |                    |                                           |                            |                                                   |                            |
| <b>Additions bbl</b>                                                                                                                                                                                                                                                                                                                   |                         | <b>Losses bbl</b>                           |                    | <b>Total Volumes bbl</b>                  |                            |                                                   |                            |
| <b>Mud Added</b>                                                                                                                                                                                                                                                                                                                       | <b>Weight Materials</b> | <b>Downhole</b>                             | 7                  | <b>Left In Pit</b>                        | <b>Starting Volume</b>     | 2680.1                                            | <b>Riser w/o Pipe</b>      |
| <b>Brine</b>                                                                                                                                                                                                                                                                                                                           | <b>Water</b>            | <b>Cased Off</b>                            |                    | <b>Trip Losses</b>                        | <b>Daily Additions</b>     |                                                   | <b>Casing w/o Pipe</b>     |
| <b>Base Fluid</b>                                                                                                                                                                                                                                                                                                                      | <b>Product</b>          | <b>Left In Hole</b>                         |                    | <b>Injected</b>                           | <b>Daily Losses</b>        | 7                                                 | <b>Open Hole w/o Pipe</b>  |
| <b>Recycled</b>                                                                                                                                                                                                                                                                                                                        | <b>Other</b>            | <b>Discharged</b>                           |                    | <b>Spill To Environment</b>               | <b>Ending Volume</b>       | 2673.1                                            | <b>String Displacement</b> |
|                                                                                                                                                                                                                                                                                                                                        |                         | <b>SCE</b>                                  |                    | <b>Onshore Disposal</b>                   | <b>Net Change</b>          | -7.0                                              | <b>String Capacity</b>     |
|                                                                                                                                                                                                                                                                                                                                        |                         | <b>Evaporation</b>                          |                    | <b>Returned</b>                           |                            |                                                   | <b>Total Hole w/ Pipe</b>  |
|                                                                                                                                                                                                                                                                                                                                        |                         | <b>Other Losses</b>                         |                    |                                           |                            |                                                   | <b>Total Active</b>        |
|                                                                                                                                                                                                                                                                                                                                        |                         |                                             |                    |                                           |                            |                                                   | <b>Total Reserve</b>       |
|                                                                                                                                                                                                                                                                                                                                        |                         |                                             |                    |                                           |                            |                                                   |                            |
| <b>IADC Hours</b>                                                                                                                                                                                                                                                                                                                      |                         |                                             |                    |                                           |                            |                                                   |                            |
| <b>Wait</b>                                                                                                                                                                                                                                                                                                                            |                         |                                             |                    | 24                                        |                            |                                                   |                            |
| <b>BHDF Fluids Rep</b>                                                                                                                                                                                                                                                                                                                 |                         | <b>BHDF Rep Phone</b>                       | <b>Warehouse</b>   | <b>Warehouse Phone</b>                    | <b>Coordinator</b>         | <b>Daily Cost</b>                                 | <b>Cumulative Cost</b>     |
| Waboso Peter / Ifeanyi Nwosu                                                                                                                                                                                                                                                                                                           |                         | 234-803-402-0440                            | Onne               | 234-84-462609                             | Lawson Ogaree              | 900.00 USD                                        | 1799301.18 USD             |
|                                                                                                                                                                                                                                                                                                                                        |                         |                                             |                    |                                           |                            | <b>Inventory Value</b>                            | <b>Page 2</b>              |
| Any opinion and/or recommendation, expressed orally or written herein, has been prepared carefully and may be used if the user so elects, however, no representative or warranty is made by ourselves or our agents as to the correctness or completeness, and no liability is assumed for any damages resulting from the use of same. |                         |                                             |                    |                                           |                            |                                                   |                            |



**BAKER  
HUGHES**

|                                                                                                                                                                                                                                                                                                                                        |                       |                                      |                    |                                    |                 |                                            |                           |                              |                 |                                     |                                      |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|--------------------------------------|--------------------|------------------------------------|-----------------|--------------------------------------------|---------------------------|------------------------------|-----------------|-------------------------------------|--------------------------------------|
| Rpt Date 15/Jan/2007                                                                                                                                                                                                                                                                                                                   |                       | Well Name/No Bilabri D4              |                    | Section Name/No 12-1/4" Section #3 |                 |                                            | Mud System SYN-TEQ (PARA) |                              |                 |                                     |                                      |
| Job# 1                                                                                                                                                                                                                                                                                                                                 | Spud Date 09/Nov/2006 |                                      |                    | MD 2591.00 m                       |                 | Progress 0.00 m                            |                           | Present Activity Wait        |                 |                                     |                                      |
| Operator Peak Petroleum Indust. Limited                                                                                                                                                                                                                                                                                                |                       | Company Rep Tom G.May / Chris Newton |                    | Contractor Dolphin Drilling Ltd    |                 | Contractor Rep Steve Milne / Terry Nanidis |                           |                              |                 |                                     |                                      |
| Field/Lease Bilabri                                                                                                                                                                                                                                                                                                                    |                       | Blk/Co/Parish OML - 122 / Nigeria    |                    | Area Offshore                      |                 | Country/State Nigeria                      |                           | Rig BULFORD DOLPHIN          |                 |                                     |                                      |
| Primary Currency USD                                                                                                                                                                                                                                                                                                                   |                       |                                      | Secondary Currency |                                    |                 | Totals USD                                 |                           |                              |                 |                                     |                                      |
| Daily Product Cost                                                                                                                                                                                                                                                                                                                     |                       | 0.00                                 |                    | Daily Product Cost                 |                 | 0.00                                       |                           | Primary Product 1723194.93   |                 |                                     |                                      |
| Daily Tax                                                                                                                                                                                                                                                                                                                              |                       | 0.00                                 |                    | Daily Tax                          |                 | 0.00                                       |                           | Secondary Product 0.00       |                 |                                     |                                      |
| Debit/Credit                                                                                                                                                                                                                                                                                                                           |                       | 0.00                                 |                    | Debit/Credit                       |                 | 0.00                                       |                           | Primary Engineering 76106.25 |                 |                                     |                                      |
| Daily Engineering Cost                                                                                                                                                                                                                                                                                                                 |                       | 900.00                               |                    | Daily Engineering Cost             |                 |                                            |                           | Secondary Engineering 0.00   |                 |                                     |                                      |
| Total Daily Cost                                                                                                                                                                                                                                                                                                                       |                       | 900.00                               |                    | Total Daily Cost                   |                 | 0.00                                       |                           | Primary Total 1799301.18     |                 |                                     |                                      |
| Total Inventory Value                                                                                                                                                                                                                                                                                                                  |                       | 562953.11                            |                    | Total Inventory Value              |                 | 0.00                                       |                           | Secondary Total 0.00         |                 |                                     |                                      |
|                                                                                                                                                                                                                                                                                                                                        |                       |                                      |                    |                                    |                 |                                            |                           | Deck Load 619856 lb          |                 |                                     |                                      |
| Products and Services                                                                                                                                                                                                                                                                                                                  |                       |                                      |                    |                                    |                 |                                            |                           |                              |                 |                                     |                                      |
| Product                                                                                                                                                                                                                                                                                                                                |                       | Units                                | Start              | Transferred In                     | Received        | Returned                                   | Lost                      | Daily Use                    | Final           | Active Ending Concentrations lb/bbl | Reserve Ending Concentrations lb/bbl |
| Bulk                                                                                                                                                                                                                                                                                                                                   |                       |                                      |                    |                                    |                 |                                            |                           |                              |                 |                                     |                                      |
| MIL-BAR                                                                                                                                                                                                                                                                                                                                |                       | 1000 kg                              | 100                |                                    |                 |                                            |                           |                              | 100             | 128.73                              | 114.15                               |
| Oil Based Product                                                                                                                                                                                                                                                                                                                      |                       |                                      |                    |                                    |                 |                                            |                           |                              |                 |                                     |                                      |
| CARBO-GEL                                                                                                                                                                                                                                                                                                                              |                       | 25 kg                                | 270                |                                    |                 |                                            |                           |                              | 270             | 6.00                                | 6.92                                 |
| MIL-LIME                                                                                                                                                                                                                                                                                                                               |                       | 25 kg                                | 240                |                                    |                 |                                            |                           |                              | 240             | 5.29                                | 4.61                                 |
| OMNI-COTE                                                                                                                                                                                                                                                                                                                              |                       | 55 USgal                             | 10                 |                                    |                 |                                            |                           |                              | 10              | 0.26                                | 0.14                                 |
| OMNI-MUL                                                                                                                                                                                                                                                                                                                               |                       | 55 USgal                             | 20                 |                                    |                 |                                            |                           |                              | 20              | 5.36                                | 4.97                                 |
| OMNI-PLEX                                                                                                                                                                                                                                                                                                                              |                       | 55 USgal                             | 16                 |                                    |                 |                                            |                           |                              | 16              | 4.82                                | 6.42                                 |
| OMNI-TEC                                                                                                                                                                                                                                                                                                                               |                       | 55 USgal                             | 20                 |                                    |                 |                                            |                           |                              | 20              | 2.83                                | 2.21                                 |
| PARA-TEQ                                                                                                                                                                                                                                                                                                                               |                       | 1 bbl                                | 844                |                                    |                 |                                            |                           |                              | 844             |                                     |                                      |
| Water Based Product                                                                                                                                                                                                                                                                                                                    |                       |                                      |                    |                                    |                 |                                            |                           |                              |                 |                                     |                                      |
| CAUSTIC SODA                                                                                                                                                                                                                                                                                                                           |                       | 25 kg                                | 32                 |                                    |                 |                                            |                           |                              | 32              |                                     |                                      |
| MIL-GUAR                                                                                                                                                                                                                                                                                                                               |                       | 25 kg                                | 50                 |                                    |                 |                                            |                           |                              | 50              | 0.25                                | 0.11                                 |
| OX-BAN                                                                                                                                                                                                                                                                                                                                 |                       | 5 USgal                              | 11                 |                                    |                 |                                            |                           |                              | 11              |                                     |                                      |
| Xanthan Gum                                                                                                                                                                                                                                                                                                                            |                       | 25 kg                                | 39                 |                                    |                 |                                            |                           |                              | 39              | 0.43                                | 0.19                                 |
| XCIDE 102                                                                                                                                                                                                                                                                                                                              |                       | 55 USgal                             | 5                  |                                    |                 |                                            |                           |                              | 5               | 0.01                                |                                      |
| LCM                                                                                                                                                                                                                                                                                                                                    |                       |                                      |                    |                                    |                 |                                            |                           |                              |                 |                                     |                                      |
| CALCIUM CARBONATE - FINE                                                                                                                                                                                                                                                                                                               |                       | 25 kg                                | 200                |                                    |                 |                                            |                           |                              | 200             | 6.60                                | 3.71                                 |
| CALCIUM CARBONATE - MED                                                                                                                                                                                                                                                                                                                |                       | 25 kg                                | 480                |                                    |                 |                                            |                           |                              | 480             | 6.83                                | 2.96                                 |
| MIL-PLUG - MEDIUM                                                                                                                                                                                                                                                                                                                      |                       | 25 kg                                | 71                 |                                    |                 |                                            |                           |                              | 71              | 0.04                                | 0.51                                 |
| MIL-PLUG-COARSE                                                                                                                                                                                                                                                                                                                        |                       | 25 kg                                | 168                |                                    |                 |                                            |                           |                              | 168             |                                     |                                      |
| MIL-SEAL-COARSE                                                                                                                                                                                                                                                                                                                        |                       | 25 kg                                | 167                |                                    |                 |                                            |                           |                              | 167             |                                     |                                      |
| MIL-SEAL-FINE                                                                                                                                                                                                                                                                                                                          |                       | 25 kg                                | 107                |                                    |                 |                                            |                           |                              | 107             | 0.04                                | 0.51                                 |
| SOLUFLAKE C                                                                                                                                                                                                                                                                                                                            |                       | 50 lb                                | 40                 |                                    |                 |                                            |                           |                              | 40              | 0.04                                | 0.47                                 |
| SOLUFLAKE F                                                                                                                                                                                                                                                                                                                            |                       | 50 lb                                | 147                |                                    |                 |                                            |                           |                              | 147             | 0.04                                | 0.47                                 |
| SOLUFLAKE M                                                                                                                                                                                                                                                                                                                            |                       | 50 lb                                | 147                |                                    |                 |                                            |                           |                              | 147             | 0.04                                | 0.47                                 |
| Other                                                                                                                                                                                                                                                                                                                                  |                       |                                      |                    |                                    |                 |                                            |                           |                              |                 |                                     |                                      |
| BLACK MAGIC SF T                                                                                                                                                                                                                                                                                                                       |                       | 25 kg                                | 120                |                                    |                 |                                            |                           |                              | 120             |                                     |                                      |
| CALCIUM CHLORIDE (97%)                                                                                                                                                                                                                                                                                                                 |                       | 25 kg                                | 360                |                                    |                 |                                            |                           |                              | 360             | 11.42                               | 11.98                                |
| BHDF Fluids Rep                                                                                                                                                                                                                                                                                                                        |                       | BHDF Rep Phone                       |                    | Warehouse                          | Warehouse Phone |                                            | Coordinator               | Daily Cost                   | Cumulative Cost | Inventory Value                     | Page 3                               |
| Waboso Peter / Ifeanyi Nwosu                                                                                                                                                                                                                                                                                                           |                       | 234-803-402-0440                     |                    | Onne                               | 234-84-462609   |                                            | Lawson Ogaree             | 900.00 USD                   | 1799301.18 USD  | 562953.11 USD                       |                                      |
| Any opinion and/or recommendation, expressed orally or written herein, has been prepared carefully and may be used if the user so elects, however, no representative or warranty is made by ourselves or our agents as to the correctness or completeness, and no liability is assumed for any damages resulting from the use of same. |                       |                                      |                    |                                    |                 |                                            |                           |                              |                 |                                     |                                      |