

ADVANTAGE Daily Drilling Fluids Report - 72

INTEQ

Rpt Date 16/Jan/2007		Well Name/No Bilabri D4		Section Name/No 12-1/4" Section #3		Mud System SYN-TEQ (PARA)	
Job# 1		Spud Date 09/Nov/2006		MD 2591.00 m		Progress 0.00 m	
Operator Peak Petroleum Indust. Limited		Company Rep Tom G.May / Chris Newton		Contractor Dolphin Drilling Ltd		Contractor Rep Steve Milne / Terry Nanidis	
Field/Lease Bilabri		Bik/Co/Parish OML - 122 / Nigeria		Area Offshore		Country/State Nigeria	
						Rig BULFORD DOLPHIN	

Drilling Assembly			Casing			Volumes	Pump Information						
Bit Gauge in	Mfr	Bit Model	OD in	ID in	Depth m	bbl	Model	Liner in	Stroke in	Eff %	Vol/Stk bbl	Stk Rate SPM	Circ Rate USgal/min
12 1/4	HCC	PDC		19 1/2	172.50	Total Hole	Continental Ensco FA-1600	6 1/2	12.00	97.0	0.1194	0	
						1376.1	Continental Ensco FA-1600	6 1/2	12.00	97.0	0.1194	0	
Drill Collars			Drill Pipe				Continental Ensco FA-1600	6 1/2	12.00	97.0	0.1194	0	
OD in	ID in	Length m	OD in	ID in	Length m	13 3/8	12.415	800.00	Active Pits				
8	3 1/4	6.57	5	4.276	2348.34		12 1/4	2591.00	339				
8	2 5/8	9.35	5	3	158.56				Tot Active				
8	2 3/4	27.29							1715.1				
8	2 13/16	9.05							In Storage				
						900	Circulation Times						
							Surface to Bit			min/stks		Total System min/stks	
							Bottoms Up			min/stks			

Mud Properties			Max Ann Velocity		Hole Information		
Property	Fluid Spec	1	2	3	AV Riser	ft/min	Standpipe Pressure
Sample From		Active Pit	Active Pit		AV Casing	ft/min	0 psi
Check Time		09:30	23:00		AV Open Hole	ft/min	Water Depth
MD m		2591.00	2591.00		Vc Open Hole	ft/min	146.00 m
TVD m		2449.98	2449.98		Vc Drill Pipe	ft/min	Hole Flow
Bit Depth m		2588.00	2588.00		Min Ann Velocity		USgal/min
Inc deg		1.46	1.46		AV Riser	ft/min	Riser Booster Rate
Density ppg		9.30	9.30		AV Casing	ft/min	USgal/min
Funnel Visc. sec/quart		87.0	90.0		AV Open Hole	ft/min	
Test Temp degF		95.0	95.0		Bit Information		
Rheol Temp degF		120.0	120.0		Size	12 1/4 in	
PV cP		33	33		Hours On Bit		
YP lbf/100ft^2		20	21		Bit Number		
10sec Gel lbf/100ft^2		9	9		BHA Number	10	
10min Gel lbf/100ft^2		16	15		Depth In	2385.00 m	
HTHP Filtrate cc		3.2	3.0		Bit RPM		
HTHP Cake in/32		2.0	2.0		WOB	kibf	
HTHP Temp degF		250.0	250.0		Nozzles	4x16:4x12	
HTHP Pressure psi		500	500		Bit Hydraulics		
Retort Water %		25.0	25.0		TFA	1.2272 in^2	
Retort Base Fluid %		63.0	63.0		Nozzle Vel	ft/sec	
Retort Solids %		12.0	12.0		Bit Press Loss	psi	
Corrected Solids %		9.9	9.8		HHP / Area	HP/in^2	
Oil:Water Ratio		72:28	72:28		HHP	%	
Alk (Whole Mud-POM) cc/cc		1.70	1.80		Hydraulic Analysis		
Cl (Whole Mud-Clom) cc/cc		52000	53000		Behavior Index (n)		
Ca (Whole Mud-Caom) cc/cc		0	0		Consistency Index (k)		
Excess Lime lb/bbl		2.2	2.3		#sec^n/100ft^2		
Brine Density sg		1.22	1.23		ECD @ Bit Depth		
NaCl % wt		0	0		ppg		
CaCl2 % wt		25	25		ECD @ Casing Shoe		
Elect. Stab.V		508.0	505.0		ppg		
Sand %		0.50	0.50		Fluid Comments/ Recommendations		
					Loaded SBM chemicals & LCM products in the sack store into mini containers in readiness for backload. Chemical inventory still shows:- left over chemicals in sack store + Chemicals in mini-containers on Deck + Chemicals in standby boat - MV Banx . SURFACE ACTIVE VOL (9.3ppg) = (Act Pit #2 - 163 bbls + S/Traps - 150bbl) = 313 bbls. RESERVE VOL(9.3 ppg) = (Pit #1 - 92bbls + pit #3 - 351bbls + pit 4 - 343bbls) = 786bbls. TOTAL USEABLE(9.3 ppg) = (Act Pit #2 - 163bbls + Res Pits 1,3, 4 - 786bbls) = 949bbls. OTHER FLUIDS - Base Oil in Chemical pit - 55 bbls & Slug piit (SBM - 9.2 ppg) - 59 bbls		
					Drilling Comments		
					Continue to monitor well on T/tank & await instructions. Pumped 7 bbls to fill string. Continue to pump @ 40 spm, 1200 psi, steady @ 690 psi. Total pumed, 18 bbls. Continue monitoring. Inject 9.3 SBM mud into formation at depth 2591m. Injection preesure, 700 psi, breakover press - 400 psi, Pump rate - 40 spm, Bbls pumped - 11 bbls with no returns. Monitor on T/tank. Inject @ 200 psi, breakover press 140 psi, pump rate - 10 spm, 4 bbls pumped with no returns. Continue injection @ 200 psi, 10 spm, 4 bbls at intervals & continue monitoring well on T/tank.		

BHDF Fluids Rep	BHDF Rep Phone	Warehouse	Warehouse Phone	Coordinator	Daily Cost	Cumulative Cost	Inventory Value	Page 1
Waboso Peter / Ifeanyi Nwosu	234-803-402-0440	Onne	234-84-462609	Lawson Ogaree	900.00 USD	1800201.18 USD	562953.11 USD	

Any opinion and/or recommendation, expressed orally or written herein, has been prepared carefully and may be used if the user so elects, however, no representative or warranty is made by ourselves or our agents as to the correctness or completeness, and no liability is assumed for any damages resulting from the use of same.

ADVANTAGE Daily Drilling Fluids Report - 72

INTEQ

Rpt Date 16/Jan/2007		Well Name/No Bilabri D4		Section Name/No 12-1/4" Section #3		Mud System SYN-TEQ (PARA)	
Job# 1		Spud Date 09/Nov/2006		MD 2591.00 m		Progress 0.00 m	
Operator Peak Petroleum Indust. Limited		Company Rep Tom G.May / Chris Newton		Contractor Dolphin Drilling Ltd		Contractor Rep Steve Milne / Terry Nanidis	
Field/Lease Bilabri		Blk/Co/Parish OML - 122 / Nigeria		Area Offshore		Country/State Nigeria	
Rig BULFORD DOLPHIN							

Solids Control Equipment							
Name	#	Mfr	Hours hours	Screen Sizes	Act Volume Lost bbl	Res Volume Lost bbl	Comments
CENTRIFUGE	1		0.0		0.0	0.0	
CENTRIFUGE	2		0.0		0.0	0.0	
DESANDER	1		0.0		0.0	0.0	
DESILTER	1		0.0		0.0	0.0	
MUD CLEANER	1		0.0	175, 210	0.0	0.0	
SHALE SHAKER	1		0.0		0.0	0.0	
SHALE SHAKER	1		0.0	210, 2 x 175	0.0	0.0	
SHALE SHAKER	2		0.0		0.0	0.0	
SHALE SHAKER	2		0.0	3 x 175	0.0	0.0	
SHALE SHAKER	3		0.0	3 x 175	0.0	0.0	
SHALE SHAKER	3		0.0		0.0	0.0	
Total Volume Lost					0	0	

Volumes							
Additions bbl		Losses bbl		Total Volumes bbl			
Mud Added	Weight Materials	Downhole	58	Left In Pit	Starting Volume	2673.1	Riser w/o Pipe
Brine	Water	Cased Off		Trip Losses	Daily Additions		Casing w/o Pipe
Base Fluid	Product	Left In Hole		Injected	Daily Losses	58	Open Hole w/o Pipe
Recycled	Other	Discharged		Spill To Environment	Ending Volume	2615.1	String Displacement
		SCE		Onshore Disposal	Net Change	-58.0	String Capacity
		Evaporation		Returned			Total Hole w/ Pipe
		Other Losses					Total Active
							Total Reserve
							900.0

IADC Hours							
Wait				24			

BHDF Fluids Rep Waboso Peter / Ifeanyi Nwosu	BHDF Rep Phone 234-803-402-0440	Warehouse Onne	Warehouse Phone 234-84-462609	Coordinator Lawson Ogaree	Daily Cost 900.00 USD	Cumulative Cost 1800201.18 USD	Inventory Value 562953.11 USD	Page 2
--	---	--------------------------	---	-------------------------------------	---------------------------------	--	---	---------------

Any opinion and/or recommendation, expressed orally or written herein, has been prepared carefully and may be used if the user so elects, however, no representative or warranty is made by ourselves or our agents as to the correctness or completeness, and no liability is assumed for any damages resulting from the use of same.

**BAKER
HUGHES**

Rpt Date 16/Jan/2007		Well Name/No Bilabri D4		Section Name/No 12-1/4" Section #3				Mud System SYN-TEQ (PARA)									
Job# 1		Spud Date 09/Nov/2006		MD 2591.00 m		Progress 0.00 m		Present Activity Wait									
Operator Peak Petroleum Indust. Limited		Company Rep Tom G.May / Chris Newton		Contractor Dolphin Drilling Ltd		Contractor Rep Steve Milne / Terry Nanidis											
Field/Lease Bilabri		Blk/Co/Parish OML - 122 / Nigeria		Area Offshore		Country/State Nigeria		Rig BULFORD DOLPHIN									
Primary Currency USD				Secondary Currency				Totals USD									
Daily Product Cost		0.00		Daily Product Cost		0.00		Primary Product		1723194.93							
Daily Tax		0.00		Daily Tax		0.00		Secondary Product		0.00							
Debit/Credit		0.00		Debit/Credit		0.00		Primary Engineering		77006.25							
Daily Engineering Cost		900.00		Daily Engineering Cost				Secondary Engineering		0.00							
Total Daily Cost		900.00		Total Daily Cost		0.00		Primary Total		1800201.18							
Total Inventory Value		562953.11		Total Inventory Value		0.00		Secondary Total		0.00							
								Deck Load		619856 lb							
Products and Services																	
Product		Units	Start	Transferred In	Received	Returned	Lost	Daily Use	Final	Active Ending Concentrations lb/bbl	Reserve Ending Concentrations lb/bbl						
Bulk																	
MIL-BAR	1000 kg	100							100	128.73	114.15						
Oil Based Product																	
CARBO-GEL	25 kg	270							270	6.00	6.92						
MIL-LIME	25 kg	240							240	5.29	4.61						
OMNI-COTE	55 USgal	10							10	0.26	0.14						
OMNI-MUL	55 USgal	20							20	5.36	4.97						
OMNI-PLEX	55 USgal	16							16	4.82	6.42						
OMNI-TEC	55 USgal	20							20	2.83	2.21						
PARA-TEQ	1 bbl	844							844								
Water Based Product																	
CAUSTIC SODA	25 kg	32							32								
MIL-GUAR	25 kg	50							50	0.25	0.11						
OX-BAN	5 USgal	11							11								
Xanthan Gum	25 kg	39							39	0.43	0.19						
XCIDE 102	55 USgal	5							5	0.01							
LCM																	
CALCIUM CARBONATE - FINE	25 kg	200							200	6.60	3.71						
CALCIUM CARBONATE - MED	25 kg	480							480	6.83	2.96						
MIL-PLUG - MEDIUM	25 kg	71							71	0.04	0.51						
MIL-PLUG-COARSE	25 kg	168							168								
MIL-SEAL-COARSE	25 kg	167							167								
MIL-SEAL-FINE	25 kg	107							107	0.04	0.51						
SOLUFLAKE C	50 lb	40							40	0.04	0.47						
SOLUFLAKE F	50 lb	147							147	0.04	0.47						
SOLUFLAKE M	50 lb	147							147	0.04	0.47						
Other																	
BLACK MAGIC SF T	25 kg	120							120								
CALCIUM CHLORIDE (97%)	25 kg	360							360	11.42	11.98						
BHDF Fluids Rep		BHDF Rep Phone		Warehouse		Warehouse Phone		Coordinator		Daily Cost		Cumulative Cost		Inventory Value		Page 3	
Waboso Peter / Ifeanyi Nwosu		234-803-402-0440		Onne		234-84-462609		Lawson Ogaree		900.00 USD		1800201.18 USD		562953.11 USD			
Any opinion and/or recommendation, expressed orally or written herein, has been prepared carefully and may be used if the user so elects, however, no representative or warranty is made by ourselves or our agents as to the correctness or completeness, and no liability is assumed for any damages resulting from the use of same.																	