

**BAKER
HUGHES**

Rpt Date 24/Jan/2007			Well Name/No Bilabri D4			Section Name/No Temp orary Abandonment #4			Mud System SYN-TEQ (PARA)									
Job# 1		Spud Date 09/Nov/2006			MD 1120.00 m			Progress 123.00 m		Present Activity Cementing								
Operator Peak Petroleum Indust. Limited			Company Rep Chris Newton			Contractor Dolphin Drilling Ltd			Contractor Rep Ally Tough / Nolan Troy									
Field/Lease Bilabri		Blk/Co/Parish OML - 122 / Nigeria				Area Offshore		Country/State Nigeria		Rig BULFORD DOLPHIN								
Drilling Assembly						Casing		Volumes	Pump Information									
Bit Gauge in		Mfr		Bit Model		OD in	ID in	Depth m	bbl	Model		Liner in	Stroke in	Eff %	Vol/Stk bbl	Stk Rate SPM	Circ Rate USgal/min	
12 1/4		HCC		PDC			19 1/2	172.50	Total Hole	Continental Ensco FA-1600		6 1/2	12.00	97.0	0.1194	0		
Drill Collars			Drill Pipe			20	18 3/4	291.60	704	Continental Ensco FA-1600		6 1/2	12.00	97.0	0.1194	0		
OD in	ID in	Length m	OD in	ID in	Length m	13 3/8	12.415	800.00	Active Pits	Continental Ensco FA-1600		6 1/2	12.00	97.0	0.1194	0		
8	3 1/4	6.57	5	4.276	880.34		12 1/4	1120.00	448									
8	2 5/8	9.35	5	3	158.56				Tot Active									
8	2 3/4	27.29							1152	Circulation Times								
8	2 13/16	9.05							In Storage	Surface to Bit		min/stks		Total System		min/stks		
									259	Bottoms Up		min/stks						
Mud Properties						Max Ann Velocity			Hole Information									
Property			Fluid Spec		1	2	3	AV Riser	ft/min	Standpipe Pressure		psi		Water Depth			146.00 m	
Sample From					Reserve	Active Pit		AV Casing	ft/min	Hole Flow		USgal/min		Riser Booster Rate			USgal/min	
Check Time					09:00	23:00		AV Open Hole	ft/min	Solids Analysis								
MD m					1009.00	1120.00		Vc Open Hole	ft/min	Property		1	2		3	4		
TVD m					1000.00	1077.00		Vc Drill Pipe	ft/min	LGS %		4.95		3.98				
Bit Depth m					1009.00	1120.00		Min Ann Velocity		LGS lb/bbl		45.13		36.31				
Density ppg					9.30	9.30		AV Riser	ft/min	HGS %		4.48		5.00				
Funnel Visc. sec/quart					84.0	83.0		AV Casing	ft/min	HGS lb/bbl		65.97		73.59				
Test Temp degF					95.0	95.0		AV Open Hole	ft/min	Avg Dens Sol sg		3.3600		3.4903				
Rheol Temp degF					120.0	120.0		Bit Information										
PV cP					33	31		Size	12 1/4 in									
YP lbf/100ft^2					18	18		Hours On Bit										
10sec Gel lbf/100ft^2					7	7		Bit Number										
10min Gel lbf/100ft^2					14	13		BHA Number	10	Rheology								
HTHP Filtrate cc					3.8	3.8		Depth In	2385.00 m	600 RPM		84		80				
HTHP Cake in/32					2.0	2.0		Bit RPM		300 RPM		51		49				
HTHP Temp degF					250.0	250.0		WOB	klbf	200 RPM		41		40				
HTHP Pressure psi					500	500		Nozzles	4x16:4x12	100 RPM		26		25				
Retort Water %					26.5	27.0		Bit Hydraulics		6 RPM		8		8				
Retort Base Fluid %					62.0	62.0		TFA	1.2272 in^2	3 RPM		6		6				
Retort Solids %					11.5	11.0		Nozzle Vel	ft/sec									
Corrected Solids %					9.4	9.0		Bit Press Loss	psi									
Oil:Water Ratio					70:30	70:30		HHP / Area	HP/in^2	Hydraulic Analysis								
Alk (Whole Mud-POM) cc/cc					2.00	1.90		HHP	%	Behavior Index (n)								
Cl (Whole Mud-Clom) cc/cc					51000	50000				Consistency Index (k)								
Ca (Whole Mud-Caom) cc/cc					0	0				ECD @ Bit Depth								
Excess Lime lb/bbl					2.6	2.5				ECD @ Casing Shoe								
Brine Density sg					1.21	1.20		Fluid Comments/ Recommendations										
NaCl % wt					0	0		SURFACE ACTIVE VOL(9.3ppg) = (Act Pit #2 - 279 bbls + S/Traps - 150bb) = 429 bbls. RESERVE VOL(9.3 ppg) = Pit #3 - 200bbls. TOTAL USEABLE(9.3 ppg) = (Act Pit #2 - 279 bbls + Res Pit #3 - 200 bbls) = 479 bbls. OTHER FLUIDS - Base Oil in Chemical pit -										

ADVANTAGE Daily Drilling Fluids Report - 80

INTEQ

Rpt Date 24/Jan/2007		Well Name/No Bilabri D4		Section Name/No Temp orary Abandonment #4		Mud System SYN-TEQ (PARA)	
Job# 1		Spud Date 09/Nov/2006		MD 1120.00 m		Progress 123.00 m	
Operator Peak Petroleum Indust. Limited		Company Rep Chris Newton		Contractor Dolphin Drilling Ltd		Contractor Rep Ally Tough / Nolan Troy	
Field/Lease Bilabri		Blk/Co/Parish OML - 122 / Nigeria		Area Offshore		Country/State Nigeria	
Rig BULFORD DOLPHIN							

Solids Control Equipment							
Name	#	Mfr	Hours hours	Screen Sizes	Act Volume Lost bbl	Res Volume Lost bbl	Comments
CENTRIFUGE	1		0.0		0.0	0.0	
CENTRIFUGE	2		0.0		0.0	0.0	
DESANDER	1		0.0		0.0	0.0	
DESILTER	1		0.0		0.0	0.0	
MUD CLEANER	1		0.0	175, 210	0.0	0.0	
SHALE SHAKER	1		0.0		0.0	0.0	
SHALE SHAKER	1		24.0	210, 2 x 175	6.0	0.0	
SHALE SHAKER	2		0.0		0.0	0.0	
SHALE SHAKER	2		24.0	3 x 175	5.0	0.0	
SHALE SHAKER	3		24.0	3 x 175	5.0	0.0	
SHALE SHAKER	3		0.0		0.0	0.0	
Total Volume Lost					16	0	

Volumes							
Additions bbl			Losses bbl		Total Volumes bbl		
Mud Added	Weight Materials		Downhole	81	Left In Pit	Starting Volume	1370.1
Brine	Water		Cased Off		Trip Losses	Daily Additions	138
Base Fluid	Product		Left In Hole		Injected	Daily Losses	97
Recycled	Other	138	Discharged		Spill To Environment	Ending Volume	1411.1
			SCE	16	Onshore Disposal	Net Change	41.0
			Evaporation		Returned		
			Other Losses				
						Total Hole w/ Pipe	704.0
						Total Active	1152.0
						Total Reserve	259.0

IADC Hours							
Circulate	12	Flow Check	1	Cementing	2.5	Tripping	7
Miscellaneous	1.5						

BHDF Fluids Rep Ayo Okomayin / Ifeanyi Nwosu	BHDF Rep Phone 234-803-402-0440	Warehouse Onne	Warehouse Phone 234-84-462609	Coordinator Lawson Ogaree	Daily Cost 900.00 USD	Cumulative Cost 1971356.22 USD	Inventory Value 452606.99 USD	Page 2
--	---	--------------------------	---	-------------------------------------	---------------------------------	--	---	---------------

Any opinion and/or recommendation, expressed orally or written herein, has been prepared carefully and may be used if the user so elects, however, no representative or warranty is made by ourselves or our agents as to the correctness or completeness, and no liability is assumed for any damages resulting from the use of same.

**BAKER
HUGHES**

Rpt Date 24/Jan/2007		Well Name/No Bilabri D4		Section Name/No Temp orary Abandonment #4				Mud System SYN-TEQ (PARA)									
Job# 1	Spud Date 09/Nov/2006			MD 1120.00 m		Progress 123.00 m			Present Activity Cementing								
Operator Peak Petroleum Indust. Limited			Company Rep Chris Newton		Contractor Dolphin Drilling Ltd			Contractor Rep Ally Tough / Nolan Troy									
Field/Lease Bilabri		Blk/Co/Parish OML - 122 / Nigeria			Area Offshore		Country/State Nigeria		Rig BULFORD DOLPHIN								
Primary Currency USD				Secondary Currency				Totals USD									
Daily Product Cost		0.00		Daily Product Cost		0.00		Primary Product		1887149.97							
Daily Tax		0.00		Daily Tax		0.00		Secondary Product		0.00							
Debit/Credit		0.00		Debit/Credit		0.00		Primary Engineering		84206.25							
Daily Engineering Cost		900.00		Daily Engineering Cost				Secondary Engineering		0.00							
Total Daily Cost		900.00		Total Daily Cost		0.00		Primary Total		1971356.22							
Total Inventory Value		452606.99		Total Inventory Value		0.00		Secondary Total		0.00							
								Deck Load		523506 lb							
Products and Services																	
Product	Units	Start	Transferred In	Received	Returned	Lost	Daily Use	Final	Unit Price USD	Daily Cost USD	Active Ending Concentrations lb/bbl	Reserve Ending Concentrations lb/bbl					
Bulk																	
MIL-BAR	1000 kg	83						83	540.00		109.19	114.15					
Oil Based Product																	
CARBO-GEL	25 kg	90						90	264.28		5.67	6.92					
MIL-LIME	25 kg	80						80	34.25		4.46	4.61					
OMNI-COTE	55 USgal	2						2	2150.00		0.19	0.14					
OMNI-MUL	55 USgal	12						12	995.06		4.63	4.97					
OMNI-PLEX	55 USgal	4						4	1618.95		4.87	6.42					
OMNI-TEC	55 USgal	4						4	925.00		2.29	2.21					
PARA-TEQ	1 bbl	844						844	280.00								
SA 58	50 lb								97.10								
Water Based Product																	
CAUSTIC SODA	25 kg	32						32	37.89								
MIL-GUAR	25 kg	50						50	135.00		0.17	0.11					
OX-BAN	5 USgal	11						11									
TETRAHIB	55 USgal	2						2	4119.50								
Xanthan Gum	25 kg	77						77	345.22		0.30	0.19					
XCIDE 102	55 USgal	5						5	2508.30								
LCM																	
CALCIUM CARBONATE - FINE	25 kg	200						200	22.68		4.81	3.71					
CALCIUM CARBONATE - MED	25 kg	240						240	22.68		4.66	2.96					
MIL-PLUG - MEDIUM	25 kg	71						71	27.01		0.21	0.51					
MIL-PLUG-COARSE	25 kg	168						168	27.01								
MIL-SEAL-COARSE	25 kg	167						167	36.00								
MIL-SEAL-FINE	25 kg	107						107	36.00		0.21	0.51					
SOLUFLAKE C	50 lb	40						40	57.24		0.19	0.47					
SOLUFLAKE F	50 lb	147						147	57.24		0.19	0.47					
SOLUFLAKE M	50 lb	147						147	57.24		0.19	0.47					
Other																	
BLACK MAGIC SF T	25 kg	120						120	117.25								
CALCIUM CHLORIDE (97%)	25 kg	160						160	23.21		10.36	11.98					
BHDF Fluids Rep		BHDF Rep Phone		Warehouse		Warehouse Phone		Coordinator		Daily Cost		Cumulative Cost		Inventory Value		Page 3	
Ayo Okomayin / Ifeanyi Nwosu		234-803-402-0440		Onne		234-84-462609		Lawson Ogaree		900.00 USD		1971356.22 USD		452606.99 USD			