

# Clearance Report

Closest Approach  
Bilabiri D4 Hz<PWP>

Page 1 of 6



INTEQ

## REFERENCE WELLPATH IDENTIFICATION

|          |                                       |                |                                |
|----------|---------------------------------------|----------------|--------------------------------|
| Operator | Peak Petroleum Industries Nigeria LTD | Slot           | Bilabiri D4                    |
| Area     | Offshore_1                            | Well           | Bilabiri D4                    |
| Field    | BILABIRI D4                           | Wellbore       | Bilabiri D4 Hz<PWB>            |
| Facility | BILABIRI D4                           | Sidetrack from | Bilabiri D4<PWB> at 1100.00 MD |

## REPORT SETUP INFORMATION

|                       |                           |                      |                                         |
|-----------------------|---------------------------|----------------------|-----------------------------------------|
| Projection System     | WGS84 / UTM Zone 31 North | Software System      | WellArchitect™ 1.2                      |
| North Reference       | True                      | User                 | Admin                                   |
| Scale                 | 1.00026                   | Report Generated     | 05/Nov/2006 at 19:00                    |
| Wellbore last revised | 05/Nov/2006               | Database/Source file | WellArchitectDB/Bilabiri_D4_Hz_PWB_.xml |

## WELLPATH LOCATION

|                       | Local coordinates |               | Grid coordinates |                   | Geographic coordinates |               |
|-----------------------|-------------------|---------------|------------------|-------------------|------------------------|---------------|
|                       | North [meters]    | East [meters] | Easting [meters] | Northing [meters] | Latitude [°]           | Longitude [°] |
| Slot Location         | 87.79             | 121.58        | 730639.69        | 515020.69         | 4 39 22.956N           | 5 04 44.634E  |
| Facility Reference Pt |                   |               | 730518.34        | 514932.52         | 4 39 20.098N           | 5 04 40.689E  |
| Field Reference Pt    |                   |               | 730518.34        | 514932.52         | 4 39 20.098N           | 5 04 40.689E  |

## WELLPATH DATUM

|                          |                         |                                                    |               |
|--------------------------|-------------------------|----------------------------------------------------|---------------|
| Calculation method       | Minimum Curvature       | Rig on Bilabiri D4 (RT) to Facility Vertical Datum | 0.00 meters   |
| Horizontal Reference Pt  | Slot                    | Rig on Bilabiri D4 (RT) to Mean Sea Level          | 25.00 meters  |
| Vertical Reference Pt    | Rig on Bilabiri D4 (RT) | Facility Vertical Datum to Mud Line (Facility)     | 177.60 meters |
| MD Reference Pt          | Rig on Bilabiri D4 (RT) |                                                    |               |
| Field Vertical Reference | Mean Sea Level          |                                                    |               |

## POSITIONAL UNCERTAINTY CALCULATION SETTINGS


|                          |                  |                     |               |                              |          |
|--------------------------|------------------|---------------------|---------------|------------------------------|----------|
| Ellipse Confidence Limit | 2.00 Std Dev     | Ellipse Start Depth | 177.60 meters | Surface Position Uncertainty | included |
| Declination              | 3.46° West of TN | Dip Angle           | -17.41°       | Magnetic Field Strength      | 32505 nT |

## ANTI-COLLISION RULE

|                             |                                                                                                            |                      |       |
|-----------------------------|------------------------------------------------------------------------------------------------------------|----------------------|-------|
| Rule Name                   | Separation Factor : R-type Closest Approach w/Hole&Csg Limit:1.5 StdDev:2.00 w/Surface Uncert R=D/(PU+HnC) | Rule Based On        | Ratio |
| Plane of Rule               | Closest Approach                                                                                           | Threshold Value      | 1.50  |
| Subtract Casing & Hole Size | yes                                                                                                        | Apply Cone of Safety | no    |

## HOLE & CASING SECTIONS Ref Wellbore: Bilabiri D4 Hz<PWB> Ref Wellpath: Bilabiri D4 Hz<PWP>

| String/Diameter              | Start MD [meters] | End MD [meters] | Interval [meters] | Start TVD [meters] | End TVD [meters] | Start N/S [meters] | Start E/W [meters] | End N/S [meters] | End E/W [meters] |
|------------------------------|-------------------|-----------------|-------------------|--------------------|------------------|--------------------|--------------------|------------------|------------------|
| 36in Casing                  | 0.00              | 255.00          | 255.00            | 0.00               | 255.00           | 0.00               | 0.00               | 0.00             | 0.00             |
| 13.375in Casing Intermediate | 0.00              | 825.00          | 825.00            | 0.00               | 825.00           | 0.00               | 0.00               | 0.00             | 0.00             |
| 9.625in Casing Production    | 0.00              | 2765.96         | 2765.96           | 0.00               | 2426.00          | 0.00               | 0.00               | -349.58          | -312.10          |



# Clearance Report

Closest Approach  
Bilabiri D4 Hz<PWP>  
Page 2 of 6



## REFERENCE WELLPATH IDENTIFICATION

|          |                                       |                |                                |
|----------|---------------------------------------|----------------|--------------------------------|
| Operator | Peak Petroleum Industries Nigeria LTD | Slot           | Bilabiri D4                    |
| Area     | Offshore_1                            | Well           | Bilabiri D4                    |
| Field    | BILABIRI D4                           | Wellbore       | Bilabiri D4 Hz<PWB>            |
| Facility | BILABIRI D4                           | Sidetrack from | Bilabiri D4<PWB> at 1100.00 MD |

## SURVEY PROGRAM Ref Wellbore: Bilabiri D4 Hz<PWB> Ref Wellpath: Bilabiri D4 Hz<PWP>

| Start MD<br>[meters] | End MD<br>[meters] | Positional Uncertainty Model | Log Name/Comment | Wellbore            |
|----------------------|--------------------|------------------------------|------------------|---------------------|
| 177.60               | 825.00             | NaviTrak (Standard)          |                  | Bilabiri D4<PWB>    |
| 825.00               | 1100.00            | AutoTrak G3 (Standard)       |                  | Bilabiri D4<PWB>    |
| 1100.00              | 2765.96            | AutoTrak G3 (Standard)       |                  | Bilabiri D4 Hz<PWB> |

## CALCULATION RANGE & CUTOFF

|               |                |                    |
|---------------|----------------|--------------------|
| From: 0.00 MD | To: 2765.96 MD | C-C Cutoff: (none) |
|---------------|----------------|--------------------|

## OFFSET WELL CLEARANCE SUMMARY (2 Offset Wellpaths selected)

| Offset Facility | Offset Slot | Offset Well | Offset Wellbore    | Offset Wellpath    | Ref MD<br>[meters] | Min C-C<br>Clear Dist<br>[meters] | Diverging<br>from MD<br>[meters] | Ref MD of<br>Min C-C<br>Ratio<br>[meters] | Min C-C<br>Ratio<br>[fraction] | Min C-C<br>Ratio<br>Dvrg from<br>[meters] | ACR<br>Status |
|-----------------|-------------|-------------|--------------------|--------------------|--------------------|-----------------------------------|----------------------------------|-------------------------------------------|--------------------------------|-------------------------------------------|---------------|
| Bilabri         | Slot 1      | Bilabri-DX2 | Bilabiri D2 ST AWP | Bilabiri D2 ST AWP | 2181.41            | 54.87                             | 2181.41                          | 2172.34                                   | 6.39                           | 2172.34                                   | PASS          |
| Bilabri         | Slot 1      | Bilabri-DX2 | Bilabiri S1 AWP    | Bilabiri D2 S1 AWP | 2178.81            | 81.60                             | 2178.81                          | 2166.13                                   | 9.26                           | 2166.13                                   | PASS          |



# Clearance Report

Closest Approach  
Bilabiri D4 Hz<PWP>

Page 3 of 6



INTEQ

## REFERENCE WELLPATH IDENTIFICATION


|          |                                       |                |                                |
|----------|---------------------------------------|----------------|--------------------------------|
| Operator | Peak Petroleum Industries Nigeria LTD | Slot           | Bilabiri D4                    |
| Area     | Offshore_1                            | Well           | Bilabiri D4                    |
| Field    | BILABIRI D4                           | Wellbore       | Bilabiri D4 Hz<PWB>            |
| Facility | BILABIRI D4                           | Sidetrack from | Bilabiri D4<PWB> at 1100.00 MD |

## CLEARANCE DATA - Offset Wellbore: Bilabiri D2 ST AWP      Offset Wellpath: Bilabiri D2 ST AWP

Facility: Bilabri      Slot: Slot 1      Well: Bilabri-DX2      Threshold Value=1.50

† = interpolated/extrapolated station

| Ref MD<br>[meters] | Ref<br>TVD<br>[meters] | Ref<br>North<br>[meters] | Ref<br>East<br>[meters] | Offset<br>MD<br>[meters] | Offset<br>TVD<br>[meters] | Offset<br>North<br>[meters] | Offset<br>East<br>[meters] | Horiz<br>Bearing<br>[°] | C-C Clear Dist<br>[meters] | Separation<br>Ratio | ACR MASD<br>[meters] | ACR<br>Status |
|--------------------|------------------------|--------------------------|-------------------------|--------------------------|---------------------------|-----------------------------|----------------------------|-------------------------|----------------------------|---------------------|----------------------|---------------|
| 1100.00            | 1100.00                | 0.00                     | 0.00                    | 1102.86                  | 1102.84                   | -165.24                     | 61.69                      | 159.53                  | 176.40                     | 44.90               | 5.77                 | PASS          |
| 1130.00†           | 1129.99                | 0.78                     | 0.09                    | 1133.12                  | 1133.09                   | -164.80                     | 61.51                      | 159.65                  | 176.63                     | 44.06               | 5.89                 | PASS          |
| 1160.00†           | 1159.89                | 3.12                     | 0.37                    | 1163.70                  | 1163.67                   | -164.20                     | 61.32                      | 159.99                  | 178.11                     | 43.18               | 6.07                 | PASS          |
| 1190.00†           | 1189.63                | 7.00                     | 0.84                    | 1193.37                  | 1193.32                   | -163.63                     | 61.09                      | 160.55                  | 181.00                     | 42.59               | 6.25                 | PASS          |
| 1208.02            | 1207.38                | 10.08                    | 1.21                    | 1211.17                  | 1211.13                   | -163.29                     | 60.97                      | 160.98                  | 183.42                     | 42.51               | 6.35                 | PASS          |
| 1220.00†           | 1219.15                | 12.31                    | 1.47                    | 1223.09                  | 1223.04                   | -163.05                     | 60.90                      | 161.28                  | 185.20                     | 42.62               | 6.40                 | PASS          |
| 1250.00†           | 1248.62                | 17.89                    | 2.14                    | 1252.14                  | 1252.08                   | -162.46                     | 60.80                      | 161.98                  | 189.68                     | 42.98               | 6.50                 | PASS          |
| 1280.00†           | 1278.09                | 23.47                    | 2.81                    | 1281.48                  | 1281.42                   | -161.95                     | 60.77                      | 162.64                  | 194.30                     | 43.31               | 6.61                 | PASS          |
| 1310.00†           | 1307.55                | 29.06                    | 3.48                    | 1310.71                  | 1310.65                   | -161.46                     | 60.65                      | 163.30                  | 198.94                     | 43.60               | 6.72                 | PASS          |
| 1340.00†           | 1337.02                | 34.64                    | 4.15                    | 1339.76                  | 1339.69                   | -161.07                     | 60.53                      | 163.93                  | 203.69                     | 43.87               | 6.84                 | PASS          |
| 1370.00†           | 1366.49                | 40.22                    | 4.81                    | 1369.21                  | 1369.14                   | -160.71                     | 60.43                      | 164.53                  | 208.51                     | 44.11               | 6.97                 | PASS          |
| 1400.00†           | 1395.96                | 45.80                    | 5.48                    | 1398.18                  | 1398.11                   | -160.40                     | 60.29                      | 165.12                  | 213.37                     | 44.36               | 7.09                 | PASS          |
| 1430.00†           | 1425.43                | 51.39                    | 6.15                    | 1426.97                  | 1426.90                   | -160.22                     | 60.02                      | 165.72                  | 218.36                     | 44.63               | 7.22                 | PASS          |
| 1460.00†           | 1454.90                | 56.97                    | 6.82                    | 1455.77                  | 1455.69                   | -160.11                     | 59.84                      | 166.28                  | 223.46                     | 44.90               | 7.34                 | PASS          |
| 1490.00†           | 1484.37                | 62.55                    | 7.49                    | 1485.30                  | 1485.22                   | -160.05                     | 59.70                      | 166.80                  | 228.64                     | 45.13               | 7.48                 | PASS          |
| 1520.00†           | 1513.83                | 68.13                    | 8.15                    | 1515.04                  | 1514.96                   | -159.95                     | 59.55                      | 167.30                  | 233.81                     | 45.33               | 7.61                 | PASS          |
| 1550.00†           | 1543.30                | 73.72                    | 8.82                    | 1546.52                  | 1546.44                   | -159.72                     | 59.33                      | 167.79                  | 238.86                     | 45.43               | 7.76                 | PASS          |
| 1580.00†           | 1572.77                | 79.30                    | 9.49                    | 1576.70                  | 1576.62                   | -159.35                     | 58.97                      | 168.29                  | 243.75                     | 45.48               | 7.92                 | PASS          |
| 1610.00†           | 1602.24                | 84.88                    | 10.16                   | 1607.13                  | 1607.04                   | -158.89                     | 58.47                      | 168.79                  | 248.56                     | 45.51               | 8.07                 | PASS          |
| 1640.00†           | 1631.71                | 90.46                    | 10.83                   | 1636.80                  | 1636.70                   | -158.47                     | 57.88                      | 169.30                  | 253.39                     | 45.54               | 8.22                 | PASS          |
| 1670.00†           | 1661.18                | 96.05                    | 11.49                   | 1669.26                  | 1669.14                   | -157.82                     | 56.87                      | 169.87                  | 258.01                     | 45.65               | 8.36                 | PASS          |
| 1700.00†           | 1690.64                | 101.63                   | 12.16                   | 1699.14                  | 1698.98                   | -157.06                     | 55.68                      | 170.45                  | 262.45                     | 45.94               | 8.45                 | PASS          |
| 1730.00†           | 1720.11                | 107.21                   | 12.83                   | 1733.47                  | 1733.27                   | -155.97                     | 54.09                      | 171.09                  | 266.72                     | 46.19               | 8.54                 | PASS          |
| 1760.00†           | 1749.58                | 112.79                   | 13.50                   | 1790.37                  | 1789.66                   | -151.36                     | 48.37                      | 172.48                  | 269.45                     | 45.85               | 8.69                 | PASS          |
| 1766.75            | 1756.22                | 114.05                   | 13.65                   | 1803.59                  | 1802.55                   | -149.52                     | 46.24                      | 172.95                  | 269.59                     | 45.09               | 8.85                 | PASS          |
| 1790.00†           | 1779.12                | 117.97                   | 13.93                   | 1849.06                  | 1846.23                   | -141.05                     | 36.92                      | 174.93                  | 268.56                     | 44.50               | 8.93                 | PASS          |
| 1820.00†           | 1808.87                | 121.85                   | 13.59                   | 1912.39                  | 1904.02                   | -123.34                     | 18.29                      | 178.90                  | 263.05                     | 42.45               | 9.17                 | PASS          |
| 1850.00†           | 1838.74                | 124.37                   | 12.45                   | 1961.91                  | 1946.48                   | -105.02                     | 0.58                       | 182.96                  | 253.72                     | 39.70               | 9.46                 | PASS          |
| 1880.00†           | 1868.65                | 125.54                   | 10.53                   | 2017.97                  | 1991.55                   | -78.82                      | -19.93                     | 188.48                  | 240.40                     | 36.55               | 9.74                 | PASS          |
| 1910.00†           | 1898.52                | 125.35                   | 7.83                    | 2058.02                  | 2022.05                   | -56.68                      | -33.43                     | 192.77                  | 223.82                     | 32.88               | 10.09                | PASS          |
| 1940.00†           | 1928.28                | 123.79                   | 4.35                    | 2084.31                  | 2041.42                   | -41.23                      | -42.23                     | 195.76                  | 205.44                     | 29.28               | 10.40                | PASS          |
| 1970.00†           | 1957.83                | 120.88                   | 0.11                    | 2112.95                  | 2061.82                   | -23.74                      | -52.10                     | 199.85                  | 185.62                     | 25.66               | 10.73                | PASS          |
| 2000.00†           | 1987.10                | 116.62                   | -4.89                   | 2136.78                  | 2077.89                   | -8.53                       | -60.96                     | 204.13                  | 164.47                     | 21.97               | 11.11                | PASS          |
| 2030.00†           | 2016.00                | 111.02                   | -10.62                  | 2157.03                  | 2090.88                   | 4.78                        | -68.99                     | 208.78                  | 142.48                     | 18.36               | 11.52                | PASS          |
| 2060.00†           | 2044.47                | 104.11                   | -17.08                  | 2174.33                  | 2101.49                   | 16.39                       | -76.19                     | 213.97                  | 120.16                     | 14.89               | 11.98                | PASS          |
| 2090.00†           | 2072.41                | 95.89                    | -24.25                  | 2189.13                  | 2110.27                   | 26.46                       | -82.54                     | 220.01                  | 98.24                      | 11.68               | 12.49                | PASS          |
| 2120.00†           | 2099.76                | 86.39                    | -32.11                  | 2202.18                  | 2117.85                   | 35.44                       | -88.26                     | 227.78                  | 77.95                      | 8.91                | 13.01                | PASS          |
| 2150.00†           | 2126.43                | 75.63                    | -40.63                  | 2213.39                  | 2124.13                   | 43.22                       | -93.29                     | 238.39                  | 61.88                      | 6.93                | 13.27                | PASS          |
| 2172.34†           | 2145.82                | 66.83                    | -47.39                  | 2220.52                  | 2128.01                   | 48.22                       | -96.55                     | 249.27                  | 55.50                      | 6.39                | 12.91                | PASS          |
| 2180.00†           | 2152.36                | 63.66                    | -49.79                  | 2222.74                  | 2129.21                   | 49.79                       | -97.58                     | 253.82                  | 54.88                      | 6.45                | 12.63                | PASS          |
| 2181.41†           | 2153.56                | 63.07                    | -50.24                  | 2223.10                  | 2129.40                   | 50.05                       | -97.75                     | 254.68                  | 54.87                      | 6.48                | 12.58                | PASS          |
| 2210.00†           | 2177.48                | 50.49                    | -59.57                  | 2230.49                  | 2133.30                   | 55.29                       | -101.21                    | 276.59                  | 60.89                      | 7.91                | 11.42                | PASS          |
| 2240.00†           | 2201.71                | 36.16                    | -69.94                  | 2236.82                  | 2136.57                   | 59.81                       | -104.20                    | 304.62                  | 77.31                      | 10.51               | 10.91                | PASS          |
| 2270.00†           | 2224.98                | 20.72                    | -80.88                  | 2241.82                  | 2139.09                   | 63.41                       | -106.59                    | 328.94                  | 99.30                      | 13.35               | 11.03                | PASS          |
| 2300.00†           | 2247.25                | 4.21                     | -92.34                  | 2245.64                  | 2140.99                   | 66.16                       | -108.42                    | 345.45                  | 124.04                     | 16.23               | 11.34                | PASS          |



# Clearance Report

Closest Approach  
Bilabiri D4 Hz<PWP>

Page 4 of 6



INTEQ

## REFERENCE WELLPATH IDENTIFICATION

|          |                                       |                |                                |
|----------|---------------------------------------|----------------|--------------------------------|
| Operator | Peak Petroleum Industries Nigeria LTD | Slot           | Bilabiri D4                    |
| Area     | Offshore_1                            | Well           | Bilabiri D4                    |
| Field    | BILABIRI D4                           | Wellbore       | Bilabiri D4 Hz<PWB>            |
| Facility | BILABIRI D4                           | Sidetrack from | Bilabiri D4<PWB> at 1100.00 MD |

## CLEARANCE DATA - Offset Wellbore: Bilabiri D2 ST AWP      Offset Wellpath: Bilabiri D2 ST AWP

Facility: Bilabri      Slot: Slot 1      Well: Bilabri-DX2      Threshold Value=1.50

† = interpolated/extrapolated station

| Ref MD<br>[meters] | Ref<br>TVD<br>[meters] | Ref<br>North<br>[meters] | Ref<br>East<br>[meters] | Offset<br>MD<br>[meters] | Offset<br>TVD<br>[meters] | Offset<br>North<br>[meters] | Offset<br>East<br>[meters] | Horiz<br>Bearing<br>[°] | C-C Clear Dist<br>[meters] | Separation<br>Ratio | ACR MASD<br>[meters] | ACR<br>Status |
|--------------------|------------------------|--------------------------|-------------------------|--------------------------|---------------------------|-----------------------------|----------------------------|-------------------------|----------------------------|---------------------|----------------------|---------------|
| 2330.00†           | 2268.43                | -13.33                   | -104.31                 | 2248.40                  | 2142.35                   | 68.16                       | -109.74                    | 356.18                  | 150.22                     | 19.11               | 11.67                | PASS          |
| 2360.00†           | 2288.49                | -31.86                   | -116.74                 | 2250.19                  | 2143.23                   | 69.46                       | -110.62                    | 3.46                    | 177.21                     | 21.97               | 11.98                | PASS          |
| 2390.00†           | 2307.35                | -51.31                   | -129.61                 | 2251.12                  | 2143.68                   | 70.14                       | -111.06                    | 8.68                    | 204.65                     | 24.81               | 12.25                | PASS          |
| 2420.00†           | 2324.97                | -71.64                   | -142.87                 | 2251.25                  | 2143.74                   | 70.23                       | -111.13                    | 12.61                   | 232.34                     | 27.63               | 12.49                | PASS          |
| 2450.00†           | 2341.30                | -92.79                   | -156.50                 | 2250.64                  | 2143.45                   | 69.79                       | -110.83                    | 15.69                   | 260.13                     | 30.42               | 12.70                | PASS          |
| 2480.00†           | 2356.30                | -114.70                  | -170.45                 | 2249.36                  | 2142.82                   | 68.86                       | -110.21                    | 18.17                   | 287.92                     | 33.19               | 12.89                | PASS          |
| 2510.00†           | 2369.93                | -137.32                  | -184.69                 | 2247.44                  | 2141.88                   | 67.46                       | -109.28                    | 20.22                   | 315.64                     | 35.94               | 13.05                | PASS          |
| 2540.00†           | 2382.14                | -160.57                  | -199.17                 | 2244.91                  | 2140.63                   | 65.64                       | -108.07                    | 21.94                   | 343.22                     | 38.66               | 13.19                | PASS          |
| 2570.00†           | 2392.91                | -184.41                  | -213.87                 | 2241.82                  | 2139.09                   | 63.40                       | -106.58                    | 23.41                   | 370.60                     | 41.37               | 13.31                | PASS          |
| 2600.00†           | 2402.20                | -208.75                  | -228.73                 | 2238.18                  | 2137.25                   | 60.78                       | -104.85                    | 24.69                   | 397.73                     | 44.07               | 13.42                | PASS          |
| 2630.00†           | 2409.99                | -233.54                  | -243.72                 | 2234.01                  | 2135.12                   | 57.80                       | -102.87                    | 25.80                   | 424.58                     | 46.75               | 13.50                | PASS          |
| 2660.00†           | 2416.26                | -258.70                  | -258.79                 | 2229.33                  | 2132.70                   | 54.47                       | -100.67                    | 26.79                   | 451.09                     | 49.43               | 13.57                | PASS          |
| 2690.00†           | 2420.99                | -284.18                  | -273.91                 | 2224.00                  | 2129.88                   | 50.68                       | -98.17                     | 27.69                   | 477.24                     | 52.10               | 13.62                | PASS          |
| 2720.00†           | 2424.16                | -309.89                  | -289.03                 | 2218.06                  | 2126.68                   | 46.49                       | -95.42                     | 28.51                   | 502.98                     | 54.75               | 13.66                | PASS          |
| 2750.00†           | 2425.78                | -335.77                  | -304.11                 | 2211.56                  | 2123.12                   | 41.94                       | -92.46                     | 29.26                   | 528.26                     | 57.42               | 13.68                | PASS          |
| 2765.96            | 2426.00                | -349.58                  | -312.10                 | 2207.87                  | 2121.07                   | 39.38                       | -90.80                     | 29.64                   | 541.52                     | 60.45               | 13.44                | PASS          |

## WELLPATH COMPOSITION Offset Wellbore: Bilabiri D2 ST AWP      Offset Wellpath: Bilabiri D2 ST AWP

| Start MD<br>[meters] | End MD<br>[meters] | Positional Uncertainty Model  | Log Name/Comment                    | Wellbore           |
|----------------------|--------------------|-------------------------------|-------------------------------------|--------------------|
| 0.00                 | 1645.00            | NaviTrak (Standard)           | Bilabiri S1 AWP 17 1/2" <0-1645>    | Bilabiri S1 AWP    |
| 1645.00              | 1961.00            | AutoTrak G1 and G2 (Standard) | Bilabiri S1 AWP 12 1/4" <1645-2902> | Bilabiri S1 AWP    |
| 1961.00              | 3218.00            | AutoTrak G3 (Standard)        | Bilabiri D2 ST AWP                  | Bilabiri D2 ST AWP |

## OFFSET WELLPATH MD REFERENCE -

Offset Wellbore: Bilabiri D2 ST AWP      Offset Wellpath: Bilabiri D2 ST AWP

MD Reference: **Rig on Slot 1 (RT)**

Offset TVD & local coordinates use Reference Wellpath settings  
(See WELLPATH DATUM on page 1 of this report)



# Clearance Report

Closest Approach  
Bilabiri D4 Hz<PWP>


Page 5 of 6



INTEQ

| REFERENCE WELLPATH IDENTIFICATION |                                       |                |                                |
|-----------------------------------|---------------------------------------|----------------|--------------------------------|
| Operator                          | Peak Petroleum Industries Nigeria LTD | Slot           | Bilabiri D4                    |
| Area                              | Offshore_1                            | Well           | Bilabiri D4                    |
| Field                             | BILABIRI D4                           | Wellbore       | Bilabiri D4 Hz<PWB>            |
| Facility                          | BILABIRI D4                           | Sidetrack from | Bilabiri D4<PWB> at 1100.00 MD |

| CLEARANCE DATA - Offset Wellbore: Bilabiri S1 AWP |                        |                          |                         |                          |                           |                             |                            | Offset Wellpath: Bilabiri D2 S1 AWP |                            |                     |                      |               |
|---------------------------------------------------|------------------------|--------------------------|-------------------------|--------------------------|---------------------------|-----------------------------|----------------------------|-------------------------------------|----------------------------|---------------------|----------------------|---------------|
| Facility: Bilabri                                 |                        | Slot: Slot 1             |                         | Well: Bilabri-DX2        |                           | Threshold Value=1.50        |                            |                                     |                            |                     |                      |               |
| † = interpolated/extrapolated station             |                        |                          |                         |                          |                           |                             |                            |                                     |                            |                     |                      |               |
| Ref MD<br>[meters]                                | Ref<br>TVD<br>[meters] | Ref<br>North<br>[meters] | Ref<br>East<br>[meters] | Offset<br>MD<br>[meters] | Offset<br>TVD<br>[meters] | Offset<br>North<br>[meters] | Offset<br>East<br>[meters] | Horiz<br>Bearing<br>[°]             | C-C Clear Dist<br>[meters] | Separation<br>Ratio | ACR MASD<br>[meters] | ACR<br>Status |
| 1100.00                                           | 1100.00                | 0.00                     | 0.00                    | 1102.86                  | 1102.84                   | -165.24                     | 61.69                      | 159.53                              | 176.40                     | 44.36               | 5.82                 | PASS          |
| 1130.00†                                          | 1129.99                | 0.78                     | 0.09                    | 1133.12                  | 1133.09                   | -164.80                     | 61.51                      | 159.65                              | 176.63                     | 43.55               | 5.94                 | PASS          |
| 1160.00†                                          | 1159.89                | 3.12                     | 0.37                    | 1163.70                  | 1163.67                   | -164.20                     | 61.32                      | 159.99                              | 178.11                     | 42.68               | 6.11                 | PASS          |
| 1190.00†                                          | 1189.63                | 7.00                     | 0.84                    | 1193.37                  | 1193.32                   | -163.63                     | 61.09                      | 160.55                              | 181.00                     | 42.12               | 6.30                 | PASS          |
| 1208.02                                           | 1207.38                | 10.08                    | 1.21                    | 1211.17                  | 1211.13                   | -163.29                     | 60.97                      | 160.98                              | 183.42                     | 42.05               | 6.40                 | PASS          |
| 1220.00†                                          | 1219.15                | 12.31                    | 1.47                    | 1223.09                  | 1223.04                   | -163.05                     | 60.90                      | 161.28                              | 185.20                     | 42.16               | 6.44                 | PASS          |
| 1250.00†                                          | 1248.62                | 17.89                    | 2.14                    | 1252.14                  | 1252.08                   | -162.46                     | 60.80                      | 161.98                              | 189.68                     | 42.52               | 6.55                 | PASS          |
| 1280.00†                                          | 1278.09                | 23.47                    | 2.81                    | 1281.48                  | 1281.42                   | -161.95                     | 60.77                      | 162.64                              | 194.30                     | 42.85               | 6.66                 | PASS          |
| 1310.00†                                          | 1307.55                | 29.06                    | 3.48                    | 1310.71                  | 1310.65                   | -161.46                     | 60.65                      | 163.30                              | 198.94                     | 43.14               | 6.77                 | PASS          |
| 1340.00†                                          | 1337.02                | 34.64                    | 4.15                    | 1339.76                  | 1339.69                   | -161.07                     | 60.53                      | 163.93                              | 203.69                     | 43.43               | 6.89                 | PASS          |
| 1370.00†                                          | 1366.49                | 40.22                    | 4.81                    | 1369.21                  | 1369.14                   | -160.71                     | 60.43                      | 164.53                              | 208.51                     | 43.67               | 7.02                 | PASS          |
| 1400.00†                                          | 1395.96                | 45.80                    | 5.48                    | 1398.18                  | 1398.11                   | -160.40                     | 60.29                      | 165.12                              | 213.37                     | 43.92               | 7.14                 | PASS          |
| 1430.00†                                          | 1425.43                | 51.39                    | 6.15                    | 1426.97                  | 1426.90                   | -160.22                     | 60.02                      | 165.72                              | 218.36                     | 44.20               | 7.26                 | PASS          |
| 1460.00†                                          | 1454.90                | 56.97                    | 6.82                    | 1455.77                  | 1455.69                   | -160.11                     | 59.84                      | 166.28                              | 223.46                     | 44.47               | 7.39                 | PASS          |
| 1490.00†                                          | 1484.37                | 62.55                    | 7.49                    | 1485.30                  | 1485.22                   | -160.05                     | 59.70                      | 166.80                              | 228.64                     | 44.71               | 7.52                 | PASS          |
| 1520.00†                                          | 1513.83                | 68.13                    | 8.15                    | 1515.04                  | 1514.96                   | -159.95                     | 59.55                      | 167.30                              | 233.81                     | 44.92               | 7.66                 | PASS          |
| 1550.00†                                          | 1543.30                | 73.72                    | 8.82                    | 1546.52                  | 1546.44                   | -159.72                     | 59.33                      | 167.79                              | 238.86                     | 45.02               | 7.81                 | PASS          |
| 1580.00†                                          | 1572.77                | 79.30                    | 9.49                    | 1576.70                  | 1576.62                   | -159.35                     | 58.97                      | 168.29                              | 243.75                     | 45.08               | 7.96                 | PASS          |
| 1610.00†                                          | 1602.24                | 84.88                    | 10.16                   | 1607.13                  | 1607.04                   | -158.89                     | 58.47                      | 168.79                              | 248.56                     | 45.12               | 8.12                 | PASS          |
| 1640.00†                                          | 1631.71                | 90.46                    | 10.83                   | 1636.80                  | 1636.70                   | -158.47                     | 57.88                      | 169.30                              | 253.39                     | 45.54               | 8.22                 | PASS          |
| 1670.00†                                          | 1661.18                | 96.05                    | 11.49                   | 1669.26                  | 1669.14                   | -157.82                     | 56.87                      | 169.87                              | 258.01                     | 45.65               | 8.36                 | PASS          |
| 1700.00†                                          | 1690.64                | 101.63                   | 12.16                   | 1699.14                  | 1698.98                   | -157.06                     | 55.68                      | 170.45                              | 262.45                     | 45.94               | 8.45                 | PASS          |
| 1730.00†                                          | 1720.11                | 107.21                   | 12.83                   | 1733.47                  | 1733.27                   | -155.97                     | 54.09                      | 171.09                              | 266.72                     | 46.19               | 8.54                 | PASS          |
| 1760.00†                                          | 1749.58                | 112.79                   | 13.50                   | 1790.37                  | 1789.66                   | -151.36                     | 48.37                      | 172.48                              | 269.45                     | 45.85               | 8.69                 | PASS          |
| 1766.75                                           | 1756.22                | 114.05                   | 13.65                   | 1803.59                  | 1802.55                   | -149.52                     | 46.24                      | 172.95                              | 269.59                     | 45.09               | 8.85                 | PASS          |
| 1790.00†                                          | 1779.12                | 117.97                   | 13.93                   | 1849.06                  | 1846.23                   | -141.05                     | 36.92                      | 174.93                              | 268.56                     | 44.50               | 8.93                 | PASS          |
| 1820.00†                                          | 1808.87                | 121.85                   | 13.59                   | 1912.39                  | 1904.02                   | -123.34                     | 18.29                      | 178.90                              | 263.05                     | 42.45               | 9.17                 | PASS          |
| 1850.00†                                          | 1838.74                | 124.37                   | 12.45                   | 1961.54                  | 1946.17                   | -105.18                     | 0.72                       | 182.93                              | 253.72                     | 39.59               | 9.49                 | PASS          |
| 1880.00†                                          | 1868.65                | 125.54                   | 10.53                   | 2009.85                  | 1984.98                   | -83.50                      | -18.17                     | 187.82                              | 240.95                     | 36.16               | 9.87                 | PASS          |
| 1910.00†                                          | 1898.52                | 125.35                   | 7.83                    | 2048.21                  | 2013.54                   | -63.85                      | -34.54                     | 192.62                              | 225.43                     | 32.55               | 10.26                | PASS          |
| 1940.00†                                          | 1928.28                | 123.79                   | 4.35                    | 2079.65                  | 2035.42                   | -46.45                      | -48.91                     | 197.37                              | 208.09                     | 28.91               | 10.67                | PASS          |
| 1970.00†                                          | 1957.83                | 120.88                   | 0.11                    | 2106.11                  | 2052.82                   | -30.99                      | -61.49                     | 202.08                              | 189.43                     | 25.31               | 11.10                | PASS          |
| 2000.00†                                          | 1987.10                | 116.62                   | -4.89                   | 2129.97                  | 2067.68                   | -16.47                      | -73.22                     | 207.18                              | 169.92                     | 21.80               | 11.57                | PASS          |
| 2030.00†                                          | 2016.00                | 111.02                   | -10.62                  | 2150.66                  | 2079.78                   | -3.37                       | -83.71                     | 212.58                              | 149.98                     | 18.45               | 12.07                | PASS          |
| 2060.00†                                          | 2044.47                | 104.11                   | -17.08                  | 2168.05                  | 2089.35                   | 7.98                        | -92.73                     | 218.20                              | 130.29                     | 15.38               | 12.58                | PASS          |
| 2090.00†                                          | 2072.41                | 95.89                    | -24.25                  | 2181.55                  | 2096.50                   | 16.98                       | -99.84                     | 223.77                              | 111.90                     | 12.74               | 13.05                | PASS          |
| 2120.00†                                          | 2099.76                | 86.39                    | -32.11                  | 2193.67                  | 2102.87                   | 25.06                       | -106.25                    | 230.40                              | 96.27                      | 10.69               | 13.39                | PASS          |
| 2150.00†                                          | 2126.43                | 75.63                    | -40.63                  | 2204.88                  | 2108.72                   | 32.55                       | -112.20                    | 238.95                              | 85.40                      | 9.48                | 13.39                | PASS          |
| 2166.13†                                          | 2140.47                | 69.35                    | -45.48                  | 2210.58                  | 2111.69                   | 36.35                       | -115.23                    | 244.68                              | 82.36                      | 9.26                | 13.21                | PASS          |
| 2178.81†                                          | 2151.35                | 64.16                    | -49.42                  | 2214.82                  | 2113.90                   | 39.18                       | -117.48                    | 249.85                              | 81.60                      | 9.38                | 12.93                | PASS          |
| 2180.00†                                          | 2152.36                | 63.66                    | -49.79                  | 2215.27                  | 2114.14                   | 39.49                       | -117.72                    | 250.41                              | 81.61                      | 9.40                | 12.90                | PASS          |
| 2210.00†                                          | 2177.48                | 50.49                    | -59.57                  | 2224.76                  | 2119.08                   | 45.82                       | -122.76                    | 265.78                              | 86.17                      | 10.54               | 12.14                | PASS          |
| 2240.00†                                          | 2201.71                | 36.16                    | -69.94                  | 2233.27                  | 2123.51                   | 51.52                       | -127.28                    | 285.00                              | 98.17                      | 12.53               | 11.63                | PASS          |
| 2270.00†                                          | 2224.98                | 20.72                    | -80.88                  | 2240.68                  | 2127.36                   | 56.49                       | -131.19                    | 305.41                              | 115.51                     | 14.88               | 11.52                | PASS          |
| 2300.00†                                          | 2247.25                | 4.21                     | -92.34                  | 2246.97                  | 2130.61                   | 60.73                       | -134.51                    | 323.27                              | 136.29                     | 17.30               | 11.69                | PASS          |



# Clearance Report

Closest Approach  
Bilabiri D4 Hz<PWP>

Page 6 of 6



INTEQ

## REFERENCE WELLPATH IDENTIFICATION

|          |                                       |                |                                |
|----------|---------------------------------------|----------------|--------------------------------|
| Operator | Peak Petroleum Industries Nigeria LTD | Slot           | Bilabiri D4                    |
| Area     | Offshore_1                            | Well           | Bilabiri D4                    |
| Field    | BILABIRI D4                           | Wellbore       | Bilabiri D4 Hz<PWB>            |
| Facility | BILABIRI D4                           | Sidetrack from | Bilabiri D4<PWB> at 1100.00 MD |

## CLEARANCE DATA - Offset Wellbore: Bilabiri S1 AWP      Offset Wellpath: Bilabiri D2 S1 AWP

Facility: Bilabri      Slot: Slot 1      Well: Bilabri-DX2      Threshold Value=1.50

† = interpolated/extrapolated station

| Ref MD<br>[meters] | Ref<br>TVD<br>[meters] | Ref<br>North<br>[meters] | Ref<br>East<br>[meters] | Offset<br>MD<br>[meters] | Offset<br>TVD<br>[meters] | Offset<br>North<br>[meters] | Offset<br>East<br>[meters] | Horiz<br>Bearing<br>[°] | C-C Clear Dist<br>[meters] | Separation<br>Ratio | ACR MASD<br>[meters] | ACR<br>Status |
|--------------------|------------------------|--------------------------|-------------------------|--------------------------|---------------------------|-----------------------------|----------------------------|-------------------------|----------------------------|---------------------|----------------------|---------------|
| 2330.00†           | 2268.43                | -13.33                   | -104.31                 | 2252.17                  | 2133.30                   | 64.24                       | -137.24                    | 336.99                  | 159.26                     | 19.72               | 11.99                | PASS          |
| 2360.00†           | 2288.49                | -31.86                   | -116.74                 | 2256.29                  | 2135.43                   | 67.03                       | -139.41                    | 347.09                  | 183.63                     | 22.13               | 12.32                | PASS          |
| 2390.00†           | 2307.35                | -51.31                   | -129.61                 | 2259.40                  | 2137.03                   | 69.14                       | -141.04                    | 354.58                  | 208.92                     | 24.52               | 12.66                | PASS          |
| 2420.00†           | 2324.97                | -71.64                   | -142.87                 | 2261.52                  | 2138.12                   | 70.58                       | -142.16                    | 0.29                    | 234.82                     | 26.90               | 12.97                | PASS          |
| 2450.00†           | 2341.30                | -92.79                   | -156.50                 | 2262.67                  | 2138.71                   | 71.36                       | -142.76                    | 4.78                    | 261.10                     | 29.27               | 13.26                | PASS          |
| 2480.00†           | 2356.30                | -114.70                  | -170.45                 | 2262.85                  | 2138.80                   | 71.48                       | -142.85                    | 8.43                    | 287.63                     | 31.64               | 13.52                | PASS          |
| 2510.00†           | 2369.93                | -137.32                  | -184.69                 | 2262.05                  | 2138.40                   | 70.94                       | -142.44                    | 11.47                   | 314.27                     | 34.00               | 13.74                | PASS          |
| 2540.00†           | 2382.14                | -160.57                  | -199.17                 | 2260.29                  | 2137.49                   | 69.74                       | -141.51                    | 14.06                   | 340.92                     | 36.38               | 13.93                | PASS          |
| 2570.00†           | 2392.91                | -184.41                  | -213.87                 | 2257.57                  | 2136.09                   | 67.90                       | -140.08                    | 16.30                   | 367.50                     | 38.77               | 14.10                | PASS          |
| 2600.00†           | 2402.20                | -208.75                  | -228.73                 | 2254.15                  | 2134.32                   | 65.58                       | -138.28                    | 18.25                   | 393.94                     | 41.16               | 14.23                | PASS          |
| 2630.00†           | 2409.99                | -233.54                  | -243.72                 | 2249.98                  | 2132.17                   | 62.76                       | -136.10                    | 19.96                   | 420.19                     | 43.57               | 14.34                | PASS          |
| 2660.00†           | 2416.26                | -258.70                  | -258.79                 | 2245.07                  | 2129.63                   | 59.45                       | -133.51                    | 21.49                   | 446.17                     | 46.00               | 14.43                | PASS          |
| 2690.00†           | 2420.99                | -284.18                  | -273.91                 | 2239.45                  | 2126.72                   | 55.66                       | -130.54                    | 22.87                   | 471.85                     | 48.45               | 14.49                | PASS          |
| 2720.00†           | 2424.16                | -309.89                  | -289.03                 | 2233.14                  | 2123.44                   | 51.43                       | -127.21                    | 24.13                   | 497.16                     | 50.93               | 14.52                | PASS          |
| 2750.00†           | 2425.78                | -335.77                  | -304.11                 | 2225.82                  | 2119.63                   | 46.53                       | -123.32                    | 25.31                   | 522.08                     | 53.46               | 14.53                | PASS          |
| 2765.96            | 2426.00                | -349.58                  | -312.10                 | 2221.02                  | 2117.13                   | 43.32                       | -120.77                    | 25.96                   | 535.15                     | 56.28               | 14.26                | PASS          |

## HOLE & CASING SECTIONS      Offset Wellbore: Bilabiri S1 AWP      Offset Wellpath: Bilabiri D2 S1 AWP

| String/Diameter              | Start MD<br>[meters] | End MD<br>[meters] | Interval<br>[meters] | Start TVD<br>[meters] | End TVD<br>[meters] | Start N/S<br>[meters] | Start E/W<br>[meters] | End N/S<br>[meters] | End E/W<br>[meters] |
|------------------------------|----------------------|--------------------|----------------------|-----------------------|---------------------|-----------------------|-----------------------|---------------------|---------------------|
| 20in Casing                  | 0.00                 | 400.00             | 400.00               | 0.00                  | 400.00              | -341.65               | 119.58                | -340.68             | 120.50              |
| 13.375in Casing Intermediate | 400.00               | 1622.00            | 1222.00              | 400.00                | 1621.91             | -340.68               | 120.50                | -329.50             | 117.99              |

## WELLPATH COMPOSITION      Offset Wellbore: Bilabiri S1 AWP      Offset Wellpath: Bilabiri D2 S1 AWP

| Start MD<br>[meters] | End MD<br>[meters] | Positional Uncertainty Model  | Log Name/Comment                    | Wellbore        |
|----------------------|--------------------|-------------------------------|-------------------------------------|-----------------|
| 0.00                 | 1645.00            | NaviTrak (Standard)           | Bilabiri S1 AWP 17 1/2" <0-1645>    | Bilabiri S1 AWP |
| 1645.00              | 2902.00            | AutoTrak G1 and G2 (Standard) | Bilabiri S1 AWP 12 1/4" <1645-2902> | Bilabiri S1 AWP |

## OFFSET WELLPATH MD REFERENCE -

Offset Wellbore: Bilabiri S1 AWP      Offset Wellpath: Bilabiri D2 S1 AWP

|                                  |                                                                                                                 |
|----------------------------------|-----------------------------------------------------------------------------------------------------------------|
| MD Reference: Rig on Slot 1 (RT) | Offset TVD & local coordinates use Reference Wellpath settings<br>(See WELLPATH DATUM on page 1 of this report) |
|----------------------------------|-----------------------------------------------------------------------------------------------------------------|