

Planned Wellpath Report

BILABIRI D4 Rev1

Page 1 of 4



REFERENCE WELLPATH IDENTIFICATION

Operator	Peak Petroleum Industries Nigeria LTD	Slot	Bilabiri D4
Area	Offshore_1	Well	Bilabiri D4
Field	BILABIRI D4	Wellbore	Bilabiri D4<PWB>
Facility	BILABIRI D4		

REPORT SETUP INFORMATION

Projection System	WGS84 / UTM Zone 31 North	Software System	WellArchitect™ 1.2
North Reference	True	User	Admin
Scale	1.00026	Report Generated	11/25/06 at 15:21:56
Wellbore last revised	11/05/06	Database/Source file	WellArchitectDB/Bilabiri_D4_PWB_.xml

WELLPATH LOCATION

	Local coordinates		Grid coordinates		Geographic coordinates	
	North [meters]	East [meters]	Easting [meters]	Northing [meters]	Latitude [°]	Longitude [°]
Slot Location	0.00	0.00	730639.69	515020.69	4 39 22.956N	5 04 44.634E
Facility Reference Pt			730639.69	515020.69	4 39 22.956N	5 04 44.634E
Field Reference Pt			730639.69	515020.69	4 39 22.956N	5 04 44.634E

WELLPATH DATUM

Calculation method	Minimum curvature	Bulford Dolphin (RT) to Facility Vertical Datum	0.00 meters
Horizontal Reference Pt	Slot	Bulford Dolphin (RT) to Mean Sea Level	25.00 meters
Vertical Reference Pt	Bulford Dolphin (RT)	Facility Vertical Datum to Mud Line (Facility)	177.60 meters
MD Reference Pt	Bulford Dolphin (RT)	Section Origin	N 0.00, E 0.00 m
Field Vertical Reference	Mean Sea Level	Section Azimuth	221.76°



Planned Wellpath Report

BILABIRI D4 Rev1

Page 2 of 4



INTEQ

REFERENCE WELLPATH IDENTIFICATION

Operator	Peak Petroleum Industries Nigeria LTD	Slot	Bilabiri D4
Area	Offshore_1	Well	Bilabiri D4
Field	BILABIRI D4	Wellbore	Bilabiri D4<PWB>
Facility	BILABIRI D4		

WELLPATH DATA (92 stations) † = interpolated/extrapolated station

MD [meters]	Inclination [°]	Azimuth [°]	TVD [meters]	TVD from Fld Vert Ref [meters]	Vert Sect [meters]	North [meters]	East [meters]	Grid East [meters]	Grid North [meters]	Latitude [°]	Longitude [°]	DLS [°/30m]
0.00	0.000	221.758	0.00	-25.00	0.00	0.00	0.00	730639.69	515020.69	4 39 22.956N	5 04 44.634E	0.00
30.00†	0.000	0.000	30.00	5.00	0.00	0.00	0.00	730639.69	515020.69	4 39 22.956N	5 04 44.634E	0.00
60.00†	0.000	0.000	60.00	35.00	0.00	0.00	0.00	730639.69	515020.69	4 39 22.956N	5 04 44.634E	0.00
90.00†	0.000	0.000	90.00	65.00	0.00	0.00	0.00	730639.69	515020.69	4 39 22.956N	5 04 44.634E	0.00
120.00†	0.000	0.000	120.00	95.00	0.00	0.00	0.00	730639.69	515020.69	4 39 22.956N	5 04 44.634E	0.00
150.00†	0.000	0.000	150.00	125.00	0.00	0.00	0.00	730639.69	515020.69	4 39 22.956N	5 04 44.634E	0.00
180.00†	0.000	0.000	180.00	155.00	0.00	0.00	0.00	730639.69	515020.69	4 39 22.956N	5 04 44.634E	0.00
210.00†	0.000	0.000	210.00	185.00	0.00	0.00	0.00	730639.69	515020.69	4 39 22.956N	5 04 44.634E	0.00
240.00†	0.000	0.000	240.00	215.00	0.00	0.00	0.00	730639.69	515020.69	4 39 22.956N	5 04 44.634E	0.00
270.00†	0.000	0.000	270.00	245.00	0.00	0.00	0.00	730639.69	515020.69	4 39 22.956N	5 04 44.634E	0.00
300.00†	0.000	0.000	300.00	275.00	0.00	0.00	0.00	730639.69	515020.69	4 39 22.956N	5 04 44.634E	0.00
330.00†	0.000	0.000	330.00	305.00	0.00	0.00	0.00	730639.69	515020.69	4 39 22.956N	5 04 44.634E	0.00
360.00†	0.000	0.000	360.00	335.00	0.00	0.00	0.00	730639.69	515020.69	4 39 22.956N	5 04 44.634E	0.00
390.00†	0.000	0.000	390.00	365.00	0.00	0.00	0.00	730639.69	515020.69	4 39 22.956N	5 04 44.634E	0.00
420.00†	0.000	0.000	420.00	395.00	0.00	0.00	0.00	730639.69	515020.69	4 39 22.956N	5 04 44.634E	0.00
450.00†	0.000	0.000	450.00	425.00	0.00	0.00	0.00	730639.69	515020.69	4 39 22.956N	5 04 44.634E	0.00
480.00†	0.000	0.000	480.00	455.00	0.00	0.00	0.00	730639.69	515020.69	4 39 22.956N	5 04 44.634E	0.00
510.00†	0.000	0.000	510.00	485.00	0.00	0.00	0.00	730639.69	515020.69	4 39 22.956N	5 04 44.634E	0.00
540.00†	0.000	0.000	540.00	515.00	0.00	0.00	0.00	730639.69	515020.69	4 39 22.956N	5 04 44.634E	0.00
570.00†	0.000	0.000	570.00	545.00	0.00	0.00	0.00	730639.69	515020.69	4 39 22.956N	5 04 44.634E	0.00
600.00†	0.000	0.000	600.00	575.00	0.00	0.00	0.00	730639.69	515020.69	4 39 22.956N	5 04 44.634E	0.00
630.00†	0.000	0.000	630.00	605.00	0.00	0.00	0.00	730639.69	515020.69	4 39 22.956N	5 04 44.634E	0.00
660.00†	0.000	0.000	660.00	635.00	0.00	0.00	0.00	730639.69	515020.69	4 39 22.956N	5 04 44.634E	0.00
690.00†	0.000	0.000	690.00	665.00	0.00	0.00	0.00	730639.69	515020.69	4 39 22.956N	5 04 44.634E	0.00
720.00†	0.000	0.000	720.00	695.00	0.00	0.00	0.00	730639.69	515020.69	4 39 22.956N	5 04 44.634E	0.00
750.00†	0.000	0.000	750.00	725.00	0.00	0.00	0.00	730639.69	515020.69	4 39 22.956N	5 04 44.634E	0.00
780.00†	0.000	0.000	780.00	755.00	0.00	0.00	0.00	730639.69	515020.69	4 39 22.956N	5 04 44.634E	0.00
810.00†	0.000	0.000	810.00	785.00	0.00	0.00	0.00	730639.69	515020.69	4 39 22.956N	5 04 44.634E	0.00
840.00†	0.000	0.000	840.00	815.00	0.00	0.00	0.00	730639.69	515020.69	4 39 22.956N	5 04 44.634E	0.00
870.00†	0.000	0.000	870.00	845.00	0.00	0.00	0.00	730639.69	515020.69	4 39 22.956N	5 04 44.634E	0.00
900.00†	0.000	0.000	900.00	875.00	0.00	0.00	0.00	730639.69	515020.69	4 39 22.956N	5 04 44.634E	0.00
930.00†	0.000	0.000	930.00	905.00	0.00	0.00	0.00	730639.69	515020.69	4 39 22.956N	5 04 44.634E	0.00
960.00†	0.000	0.000	960.00	935.00	0.00	0.00	0.00	730639.69	515020.69	4 39 22.956N	5 04 44.634E	0.00
990.00†	0.000	0.000	990.00	965.00	0.00	0.00	0.00	730639.69	515020.69	4 39 22.956N	5 04 44.634E	0.00
1020.00†	0.000	0.000	1020.00	995.00	0.00	0.00	0.00	730639.69	515020.69	4 39 22.956N	5 04 44.634E	0.00
1050.00†	0.000	0.000	1050.00	1025.00	0.00	0.00	0.00	730639.69	515020.69	4 39 22.956N	5 04 44.634E	0.00
1080.00†	0.000	0.000	1080.00	1055.00	0.00	0.00	0.00	730639.69	515020.69	4 39 22.956N	5 04 44.634E	0.00
1110.00†	0.000	0.000	1110.00	1085.00	0.00	0.00	0.00	730639.69	515020.69	4 39 22.956N	5 04 44.634E	0.00
1140.00†	0.000	0.000	1140.00	1115.00	0.00	0.00	0.00	730639.69	515020.69	4 39 22.956N	5 04 44.634E	0.00
1170.00†	0.000	0.000	1170.00	1145.00	0.00	0.00	0.00	730639.69	515020.69	4 39 22.956N	5 04 44.634E	0.00



Planned Wellpath Report

BILABIRI D4 Rev1

Page 3 of 4




INTEQ

REFERENCE WELLPATH IDENTIFICATION

Operator	Peak Petroleum Industries Nigeria LTD	Slot	Bilabiri D4
Area	Offshore_1	Well	Bilabiri D4
Field	BILABIRI D4	Wellbore	Bilabiri D4<PWB>
Facility	BILABIRI D4		

WELLPATH DATA (92 stations) † = interpolated/extrapolated station

MD [meters]	Inclination [°]	Azimuth [°]	TVD [meters]	TVD from Fld Vert Ref [meters]	Vert Sect [meters]	North [meters]	East [meters]	Grid East [meters]	Grid North [meters]	Latitude [°]	Longitude [°]	DLS [°/30m]
1200.00†	0.000	0.000	1200.00	1175.00	0.00	0.00	0.00	730639.69	515020.69	4 39 22.956N	5 04 44.634E	0.00
1230.00†	0.000	0.000	1230.00	1205.00	0.00	0.00	0.00	730639.69	515020.69	4 39 22.956N	5 04 44.634E	0.00
1260.00†	0.000	0.000	1260.00	1235.00	0.00	0.00	0.00	730639.69	515020.69	4 39 22.956N	5 04 44.634E	0.00
1290.00†	0.000	0.000	1290.00	1265.00	0.00	0.00	0.00	730639.69	515020.69	4 39 22.956N	5 04 44.634E	0.00
1300.00	0.000	221.758	1300.00	1275.00	0.00	0.00	0.00	730639.69	515020.69	4 39 22.956N	5 04 44.634E	0.00
1320.00†	2.000	221.758	1320.00	1295.00	0.35	-0.26	-0.23	730639.46	515020.43	4 39 22.947N	5 04 44.626E	3.00
1350.00†	5.000	221.758	1349.94	1324.94	2.18	-1.63	-1.45	730638.24	515019.06	4 39 22.903N	5 04 44.587E	3.00
1380.00†	8.000	221.758	1379.74	1354.74	5.58	-4.16	-3.71	730635.99	515016.52	4 39 22.820N	5 04 44.514E	3.00
1410.00†	11.000	221.758	1409.33	1384.33	10.53	-7.85	-7.01	730632.70	515012.81	4 39 22.700N	5 04 44.407E	3.00
1440.00†	14.000	221.758	1438.61	1413.61	17.02	-12.70	-11.33	730628.39	515007.96	4 39 22.542N	5 04 44.266E	3.00
1470.00†	17.000	221.758	1467.52	1442.52	25.04	-18.68	-16.67	730623.07	515001.96	4 39 22.348N	5 04 44.093E	3.00
1500.00†	20.000	221.758	1495.96	1470.96	34.55	-25.78	-23.01	730616.75	514994.84	4 39 22.116N	5 04 43.887E	3.00
1530.00†	23.000	221.758	1523.87	1498.87	45.55	-33.98	-30.33	730609.45	514986.62	4 39 21.849N	5 04 43.650E	3.00
1560.00†	26.000	221.758	1551.17	1526.17	57.99	-43.26	-38.62	730601.19	514977.31	4 39 21.547N	5 04 43.381E	3.00
1590.00†	29.000	221.758	1577.78	1552.78	71.84	-53.59	-47.84	730591.99	514966.95	4 39 21.211N	5 04 43.082E	3.00
1620.00†	32.000	221.758	1603.62	1578.62	87.06	-64.95	-57.98	730581.88	514955.56	4 39 20.841N	5 04 42.753E	3.00
1650.00†	35.000	221.758	1628.64	1603.64	103.62	-77.30	-69.01	730570.89	514943.17	4 39 20.439N	5 04 42.395E	3.00
1674.74	37.474	221.758	1648.59	1623.59	118.24	-88.20	-78.75	730561.18	514932.23	4 39 20.084N	5 04 42.079E	3.00
1680.00†	37.474	221.758	1652.76	1627.76	121.44	-90.59	-80.88	730559.06	514929.84	4 39 20.006N	5 04 42.010E	0.00
1710.00†	37.474	221.758	1676.57	1651.57	139.69	-104.21	-93.03	730546.94	514916.18	4 39 19.563N	5 04 41.615E	0.00
1740.00†	37.474	221.758	1700.38	1675.38	157.95	-117.82	-105.19	730534.82	514902.53	4 39 19.120N	5 04 41.221E	0.00
1770.00†	37.474	221.758	1724.19	1699.19	176.20	-131.44	-117.35	730522.70	514888.87	4 39 18.677N	5 04 40.827E	0.00
1800.00†	37.474	221.758	1748.00	1723.00	194.45	-145.05	-129.50	730510.58	514875.22	4 39 18.233N	5 04 40.432E	0.00
1830.00†	37.474	221.758	1771.81	1746.81	212.70	-158.67	-141.66	730498.47	514861.56	4 39 17.790N	5 04 40.038E	0.00
1860.00†	37.474	221.758	1795.62	1770.62	230.95	-172.28	-153.81	730486.35	514847.91	4 39 17.347N	5 04 39.643E	0.00
1890.00†	37.474	221.758	1819.42	1794.42	249.21	-185.90	-165.97	730474.23	514834.25	4 39 16.904N	5 04 39.249E	0.00
1920.00†	37.474	221.758	1843.23	1818.23	267.46	-199.51	-178.12	730462.11	514820.60	4 39 16.460N	5 04 38.855E	0.00
1950.00†	37.474	221.758	1867.04	1842.04	285.71	-213.13	-190.28	730449.99	514806.95	4 39 16.017N	5 04 38.460E	0.00
1980.00†	37.474	221.758	1890.85	1865.85	303.96	-226.75	-202.43	730437.87	514793.29	4 39 15.574N	5 04 38.066E	0.00
2010.00†	37.474	221.758	1914.66	1889.66	322.21	-240.36	-214.59	730425.75	514779.64	4 39 15.131N	5 04 37.672E	0.00
2040.00†	37.474	221.758	1938.47	1913.47	340.47	-253.98	-226.75	730413.63	514765.98	4 39 14.687N	5 04 37.277E	0.00
2056.31	37.474	221.758	1951.41	1926.41	350.39	-261.38	-233.35	730407.05	514758.56	4 39 14.446N	5 04 37.063E	0.00
2070.00†	36.105	221.758	1962.38	1937.38	358.59	-267.49	-238.81	730401.60	514752.42	4 39 14.247N	5 04 36.886E	3.00
2100.00†	33.105	221.758	1987.07	1962.07	375.62	-280.20	-250.16	730390.29	514739.68	4 39 13.833N	5 04 36.517E	3.00
2130.00†	30.105	221.758	2012.61	1987.61	391.34	-291.93	-260.63	730379.85	514727.92	4 39 13.452N	5 04 36.178E	3.00
2160.00†	27.105	221.758	2038.95	2013.95	405.70	-302.64	-270.19	730370.32	514717.18	4 39 13.103N	5 04 35.867E	3.00
2190.00†	24.105	221.758	2066.00	2041.00	418.67	-312.31	-278.83	730361.71	514707.48	4 39 12.788N	5 04 35.587E	3.00
2220.00†	21.105	221.758	2093.69	2068.69	430.20	-320.91	-286.51	730354.06	514698.85	4 39 12.508N	5 04 35.338E	3.00
2250.00†	18.105	221.758	2121.95	2096.95	440.26	-328.42	-293.21	730347.37	514691.32	4 39 12.264N	5 04 35.121E	3.00
2280.00†	15.105	221.758	2150.70	2125.70	448.83	-334.81	-298.92	730341.68	514684.91	4 39 12.056N	5 04 34.935E	3.00



Planned Wellpath Report

BILABIRI D4 Rev1

Page 4 of 4



INTEQ

REFERENCE WELLPATH IDENTIFICATION

Operator	Peak Petroleum Industries Nigeria LTD	Slot	Bilabiri D4
Area	Offshore_1	Well	Bilabiri D4
Field	BILABIRI D4	Wellbore	Bilabiri D4<PWB>
Facility	BILABIRI D4		

WELLPATH DATA (92 stations) † = interpolated/extrapolated station

MD [meters]	Inclination [°]	Azimuth [°]	TVD [meters]	TVD from Fld Vert Ref [meters]	Vert Sect [meters]	North [meters]	East [meters]	Grid East [meters]	Grid North [meters]	Latitude [°]	Longitude [°]	DLS [°/30m]
2310.00†	12.105	221.758	2179.85	2154.85	455.89	-340.08	-303.62	730337.00	514679.63	4 39 11.884N	5 04 34.783E	3.00
2340.00†	9.105	221.758	2209.33	2184.33	461.41	-344.20	-307.29	730333.33	514675.50	4 39 11.750N	5 04 34.664E	3.00
2370.00†	6.105	221.758	2239.07	2214.07	465.38	-347.16	-309.94	730330.70	514672.53	4 39 11.654N	5 04 34.578E	3.00
2400.00†	3.105	221.758	2268.97	2243.97	467.79	-348.95	-311.54	730329.10	514670.73	4 39 11.595N	5 04 34.526E	3.00
2430.00†	0.105	221.758	2298.95	2273.95	468.63	-349.58	-312.10	730328.54	514670.10	4 39 11.575N	5 04 34.508E	3.00
2431.05	0.000	221.758	2300.00 [†]	2275.00	468.63	-349.58	-312.10	730328.54	514670.10	4 39 11.575N	5 04 34.508E	3.00
2460.00†	0.000	0.000	2328.95	2303.95	468.63	-349.58	-312.10	730328.54	514670.10	4 39 11.575N	5 04 34.508E	0.00
2490.00†	0.000	0.000	2358.95	2333.95	468.63	-349.58	-312.10	730328.54	514670.10	4 39 11.575N	5 04 34.508E	0.00
2520.00†	0.000	0.000	2388.95	2363.95	468.63	-349.58	-312.10	730328.54	514670.10	4 39 11.575N	5 04 34.508E	0.00
2550.00†	0.000	0.000	2418.95	2393.95	468.63	-349.58	-312.10	730328.54	514670.10	4 39 11.575N	5 04 34.508E	0.00
2580.00†	0.000	0.000	2448.95	2423.95	468.63	-349.58	-312.10	730328.54	514670.10	4 39 11.575N	5 04 34.508E	0.00
2591.05	0.000	221.758	2460.00	2435.00	468.63	-349.58	-312.10	730328.54	514670.10	4 39 11.575N	5 04 34.508E	0.00

TARGETS

Name	MD [meters]	TVD [meters]	North [meters]	East [meters]	Grid East [meters]	Grid North [meters]	Latitude [°]	Longitude [°]	Shape
1) C2	2431.05	2300.00	-349.58	-312.10	730328.54	514670.10	4 39 11.575N	5 04 34.508E	point

SURVEY PROGRAM Ref Wellbore: Bilabiri D4<PWB> Ref Wellpath: BILABIRI D4 Rev1

Start MD [meters]	End MD [meters]	Positional Uncertainty Model	Log Name/Comment	Wellbore
177.60	2591.05	AutoTrak G1 and G2 (Standard)		Bilabiri D4<PWB>