



TQIS LTD

ENAGEED RESOURCE

WELL NAME: OKI_OZIENGBE SOUTH-5

RIG NAME: HPEB 187

FIELD/STATE: OKI OZIENGBE-EDO STATE



MUD LOG (TVD)

@ 1:1000ft

LEGEND

WOB - Weight on Bit
BG - Background Gas
CB - Core Bit
CG - Connection Gas
CK - Filter Cake
CKF - Check For Flow
CL - Salinity ppm
CO - Circulate Out
CR - Circulate Returns
CT - Carbide Test
DB - Diamond Bit
DCB - Diamond Corebit
DC - Depth Correction

DF - Derrick Floor
DG - Drilling Gas
DS - Directional Survey
DST - Drill Stem Test
EL - Electric Log
EMA - Equivalent c2 in Air
F - Filtrate API cc's
F/T - Flowline Temperature
GCM - Gas Cut Mud
GCW - Gas Cut Water
GOCM - Gas and Oil Cut Mud
GL - Ground Level
KB - Kelly Bushing

LAT - Log After Trip
LC - Lost Circulation
NB - New Bit
NCB - New Core Bit
NR - No Returns
PDCB - Polycrystalline Diam.
Compact Bit
PPM - Parts Per Million
PR - Poor Returns
SPP - Pump Pressure
PV - Plastic Viscosity
RM - Mud Resistivity
RMC - Mud Cake Resistivity

PEFR - Perforated
RMF - Mud Filtrate Resistivity
RPM - Revolution/Minute
RRB - Return Bit
RT - Rotary Table
SD - Sand%
SF - Sea Floor
SO - Show of Oil
SOL - Solids%
STG - Short Trip Gas
SWG - Swab Gas
SVG - Survey Gas
S/T - Suction Temp.

TB - Turbo Drill
TD - Total Depth
TG - Trip Gas
TCL - Trip Chlorides
TVD - True Vert. Depth
V - Viscosity API seconds
W - Weight of Mud ppg
GR - Gamma Ray

Limestone



Dolomite



Siltstone



Sandstone



Sand



Lignite



Cement



Shale



Clay



Spud Date: 30/01/2014

Logging Started: 30/01/2014

Logging Finished: 15/03/2014

Start Depth: 500ft

Finished Depth: 12873ft

ELEVATION

Permnt Datum:

Kelly Bushing: N/A

Water Depth: N/A

Ground Level: 51.64ft

LOCATION

Lease: OPL 274

Geog: N 6 3 40.66" ; E 5 25 24.99"

Colony: 332963.56mE ; 227953.22mN

BOREHOLE RECORD

CASING RECORD

Size	From	To	Size	Weight	From	To
16"	0	6110'	26"	N/A	0	250'
12.25"	6110	9003'	13.375	68	0	6110'
8.5"	9003	12,873"	9.625"	47	0	9003'
			7"	29	9511'	11782'

Logging Personnels:

ALI .N, OTABOR . L, OBASEKI N, UGAH R,
EMMANUEL A, UTULU C. JAMES A, ATAMA Y, MIKE
UTAMUO FLORENCE M

Company Reps:


OSAGIE O. DEBOLA S. ANTHONY .N, IFEANYI N,
FRANCIS A

Wellsite Geologists:



BANKOLE. O, LANRE. O

Remarks:

OKI-OZIENGBE-SOUTH 5 WAS DRILLED
SUCCESSFULLY



SD: OFFFWH-CLR, TRNSP-






MW:8.5
PV: 16
YP: 23
FV:54
PH: 8.5

MW:8.5
PV:16
YP:23
FV:54

OCC C GRN,SBRND-SBANG,
MSRTD

SD:OFFWH-CLR,OCC LTBRN
TRNSP-TRNSL,UNCONS,M-C
GRN,SBRND-SBANG,PSRTD,
QTZ GRN,NO FLOR

SD:OFFWH-CLR,OCC LTBRN
TRNSP-TRNSL,F-M GRN,
SBRND-RND,SBANG,MSRTD,
NO FLOR



PH: 8.5

MW: 9.0
PV: 16
YP: 25
FV: 85
PH: 9.0

CLST: LTGY, SFT, STKY,
WASHABLE





CLST: LTGY, SFT, STKY




SD: OFFWH-CLR, OCC LTBRN
TRNSP-TRNSL, F-M GRN,
SBRND-RND, SBANG, MSRTD,
NO FLOR

CLST: DKGY, SFT, STKY

CLST: DKGY, SFT, STKY

SD: OFFWH-CLR, OCC LTBRN
TRNSP-TRNSL, F-M GRN,
SBRND-RND, SBANG, MSRTD,
NO FLOR













SD:OFFWH-CLR,
TRNSP-TRNSL,F-M GRN,
SBRND-RND,SBANG,MSRTD,
NO FLOR

SD:OFFWH-CLR,OCC LTBRN
TRNSP-TRNSL,F-M GRN,
SBRND-RND,SBANG,MSRTD,
NO FLOR

SH:DKGY-GY,MOHD-HD,
BLKY-SUBPLTY, OCC PLTY

SD:OFFWH-CLR,
TRNSP-TRNSL,F-M GRN,
SBRND-RND,SBANG,MSRTD,
NO FLOR





RPM: 10-15
TORQ: 10-15
WOB: 5-20

MD: 6480.30
INCL: 12.60
AZM: 167.93
TVD: 6379.37

SPP: 3600-3800
RPM: 70-80
TORQ: 13-16
WOB: 5-20

MD: 6963.55
INCL: 11.60
AZM: 178.59
TVD: 6852.85

21/02/2014 MND=7143ft
22/02/2014

6400

6500

6600

6700

6800

6900

7000

7100

7200

MAX GAS= 13 units
C1= 2552.75 ppm

MAX GAS= 15 units
C1= 2948.32 ppm

FV: 27
YP: 27
FV: 73

MW: 10.0 ppg
PV: 28
YP: 26
FV: 70

TRNSL,F-MGRN,OCC CGRN,
-RND SBANG,MDSRTD-WSRTD
NO VISFLOR

SD:OFFWH-CLR,TRNSP-
TRNSL,F-MGRN,OCC CGRN,
-RND SBANG,MDSRTD-WSRTD
NO VISFLOR

SH:GY- DKGY,MOHD-HD
BLKY,NON CALC

SH:GY- DKGY,MOHD-HD
BLKY,NON CALC

SD:OFFWH-CLR,OCCLTBRN
TRNSP-TRNSL,F-MGRN
SBRND-RND,WSRTD
NO VIS FLOR

SH:GY- DKGY,MOHD-HD
BLKY, SBPLTY,NON CALC


SD:OFFWH-CLR,TRNSP-
TRNSL,F-MGRN,SBANG-
SBRND,MOD-WSRTD
NO VIS FLOR


SH:GY- DKGY,MOHD-HD
BLKY, SBPLTY,NON CALC


SD:OFFWH-CLR,TRNSP-
TRNSL,F-MGRN,OCCCRS
SBANG-SBRND,MSRTD
NO VIS FLOR

SD:OFFWH-CLR,TRNSP-
TRNSL,F-MGRN,SBANG-
SBRND,MODSRTD
NO VIS FLOR

SD:OFFWH-CLR,OCCLTBRN







09/03/2014 MND=10818ft
10/03/2014

SPP:2700-3020
RPM:110-120
WOB:5-15
TORQ:16-18

MD:10668.93
INCL:48.72
AZM:180.33
TVD:10243.61

SPP:2700-2900
RPM:110-120
WOB:5-15
TORQ:17-20

MD:10957.54
INCL:49.01
AZM:178.95

SPP:2700-2800psi
RPM:110-120
TORQ:19-22
WOB: 5-10

10000
10100
10200
10300
10400
10500
10600
10700
10800

MAX GAS=63units
C1=7609.2
C2=2663.22
C3=1395.02
IC4=760.82

MAX GAS=49units
C1=5992.6
C2=1084.16
C3=1084.16
IC4=599.66

MAX GAS=52units
C1=6268.8
C2=9484.84
C3=1149.28

MAX GAS=47units
C1=6807.02
C2=1227.25
C3=679.75

MW:10.2
PV:27
YP:31
FV:80

MW:10.2
PV:28
YP:40
FV:80

MW:10.2
PV:28
YP:40
FV:80

SH:GY- DKGY,MOHD-HD
BLKY-PLTY,SUBFISS
NON CALC

SST:OFFWH-LTBRN,TRNSL
F-VEGRN,RND-WRND
WSRTD,FRI,DUL YEL FLR
MOD BLOOM MKY-WH
CUT FLR,NO VIS CUT COL

SH:GY- DKGY,MOHD-HD
BLKY-PLTY,SUBFISS
NON CALC

SST:OFFWH-LTBRN,TRNSL
F-VEGRN,RND-WRND
WSRTD,FRI,ARG,DUL YEL
FLR,MOD BLOOM MKY-WH
CUT FLR,NO VIS CUT COL

SST:GY-LTGY F-VFG
SUBRND-RND,WSRTD,FRI-
CONS ARG,DUL YEL FLR,F
STRM CUT FLOR,NO VIS C

SST:GY-LTBRN F-VEGRN
SUBRND-RND,WSRTD
DUL YEL FLR,FST ST
MKY WH CUT FLOR,NO VIS
CUT FLR

SST:GY-LTGY F-VEGRN
SUBRND-RND,WSRTD
DUL YEL FLR
NO VIS CUT FLR

SH:GY- DKGY,MOHD-HD
BLKY-PLTY,SUBFISS
SL CALC,SLTY

SH:GY- DKGY,MOHD-HD
BLKY-PLTY,SUBFISS
SL CALC,SLTY

SST:GY-LTGY F-VEGRN
SUBRND-RND,WSRTD
FRIA,DUL YEL FLR,FST
STRM CUT FLR

SH:DKGY,MOHD-HD
BLKY-PLTY,SUBFISS-FISS
SLY CALC

SH:DKGY,MOHD-HD
BLKY-PLTY,SUBFISS-FISS
SLY CALC

SST:GY-LTGY F-VEGRN
RND-WRND,WSRTD
FRIA,PINPOINT YEL FLR,
SLOW STRM MLKY WHT FLR
NO VIS CUT COLOR

