

**DEPARTMENT OF CSE**  
**CS T61 ENTERPRISE SOLUTIONS**  
**Unit-IV – PEOPLESOFT**  
**QUESTION BANK WITH ANSWER**

---

**PeopleSoft:** Basic PeopleSoft Functionality – Opening Multiple Windows - Database structure – Understanding People Soft Data Mover – Records - Pages vs. Forms. **PeopleSoft HRMS:** Introduction to PeopleSoft HRMS database - PeopleSoft products - Functional PeopleSoft - financial management system - PeopleSoft Enterprise HRMS.

---

**PART A (2 MARKS)**

**1. Define people soft.**

PeopleSoft, Inc. was a company that provided Human Resource Management Systems (HRMS), Financial Management Solutions (FMS), Supply Chain Management (SCM), Customer Relationship Management (CRM), and Enterprise Performance Management (EPM) software, as well as software for manufacturing, and student administration to large corporations, governments, and organizations.

**2. When PeopleSoft is founded?**

- Founded in 1987 by Ken Morris and David Duffield, PeopleSoft was originally headquartered in Walnut Creek, California before moving to Pleasanton, California.
- Duffield envisioned a client–server version of Integral Systems' popular mainframe HRMS package.

**3. Draft a note on evolution of PeopleSoft.**

- 1987 – Addressing organizational Human Relations departments, from recruitment to retirement. Managing the payroll, benefits, travel, expenses, and vacation of all employees was the key focus of the first PeopleSoft product.
- 1997 – Release of PeopleSoft 7, they upgraded the supply chain and finance modules, and added the functionality for analyzing business data.

- January 2000 – PeopleSoft 8 saw the addition of a module for customer relationship management through the acquisition of Vantive Corporation.

#### **4. Which corporation control PeopleSoft?**

- It existed as an independent corporation until its acquisition by Oracle Corporation in 2005.
- The PeopleSoft name and product line are now marketed by Oracle.

#### **5. List out the applications of PeopleSoft.**

The applications are

- Comprehensive business and industry solutions
- Enabling organizations to increase productivity
- Accelerate business performance and
- Provide a lower cost of ownership

#### **6. Mention the benefits of PeopleSoft.**

- End-user initiate transactions and date in to the system once and make it accessible for multiple purposes (Finance, Human Resources, and Reports)
- Tracking of transaction status is available online, almost eliminating the need to make multiple phone calls regarding the transaction's status.
- Various transactions processing are online
- Transaction approvals have been simplified
- Some transactions can be approved and submitted online, while meeting internal control, and presenting less need to hand carry papers from office to office.

#### **7. Define Multiple Windows.**

- IE 8 can open multiple unique sessions (but only when using the new IE 8 menu option called "New Session" or when creating a new shortcut with a special -no merge instruction sent to IE executable)
- Do not use Windows Start > Internet Explorer if you want a new session - IE 7 can open as well new unique sessions but each time one should use the Windows Start > Internet Explorer to start a new browser instance (this is opposite to IE 8 new behavior - see above)

- Using New Window (from any IE version or Firefox ...from menu or using CTRL+N ...or from PIA "New Window" links) will always open a new window tied to the same browser session
- This will share the same cookies with previous windows.

## 8. What is People soft Database structure?

- PeopleSoft has a long history of offering customers a choice of market-leading databases.
- People Tools provides an abstraction layer, which insulates application developers from the intricacies of each of the specific database platforms. Customer databases choices include:
  - Oracle
  - IBM DB2
  - Microsoft SQL Server
  - Informix
  - Sybase

The following image describes three distinct yet integrated database layers for PeopleSoft system.



## 9. Write a note on PeopleSoft Database Layer.

There are three types of layers in PeopleSoft

- System Tables
- People Tools metadata
- PeopleSoft application data tables

## 10. Define PeopleSoft Forms.

- The Forms and Approval Builder enables you to design online forms, specify the approval process they require, and deploy them to users within your organization. Use this feature to convert manual procedures within your organization to paperless processes that include workflow-based approvals and an audit trail for tracking progress.

- No coding is required on your part, and future upgrades to your PeopleSoft system will not require you to update these forms, since the forms you create are not customizations

#### **11. Write a short notes on Data Mover.**

- PeopleSoft Data Mover, is used to import / export data between databases. Apart from this, Data Mover can be used for a variety of functions like database security management, running SQL scripts etc.
- On Windows machines, you can use the Data Mover using the GUI as well as from the command prompt. While UNIX variants support only command line operation.

#### **12. Delineate Records.**

- Fields that are grouped together as a unit are records.
- PeopleSoft records can be defined as the collection of fields on a page. It's similar what we use tables in RDBMS.

#### **13. Define PAGES.**

- Pages are the graphical interface between your users and your application database.
- As a system designer, you configure or build pages that meet the data requirements of the application and that are easy to use and understand.
- Using PeopleSoft Application Designer, you can create, modify, and delete page definitions in your PeopleSoft system.

#### **14. What are the types of records?**

- Table
- View
- Derived/Work
- Sub record
- Dynamic View
- Query View
- Temp table

#### **15. Write a note on Multiple Occurrence of Data.**

- On some pages, you may want a few of the field controls to display multiple rows or occurrences of data. To do this, you can add a level-based control: a scroll area, a grid, or a scroll bar.
- Users can then add, edit, delete, find, and scroll through multiple occurrences of data in a page control or group of controls using action buttons, links, or the browser scroll bar, depending on how you set the occurs count.
- Using a scroll area or a grid, rather than a scroll bar, is the preferred page design to show multiple occurrences of data.

#### **16. Define Sub records.**

- PeopleSoft sub records are the collection of fields that are grouped together to form an entity so that they can be used for building blocks for multiple records.
- Since sub records are not build through application designer they don't have their existence in the database.

#### **17. How a Form is created?**

The steps used to create a form:

- Defining the basic information for a form, including the form ID and form owner.
- Providing instructions that describe how to use the form.
- Specifying the fields that appear on the form.
- Attaching files to the form (optional).
- Defining the menu item that is used to access the form.
- Specifying the approval workflow that is required for the form.
- Previewing, testing, and activating the form.

#### **18. List the types of fields in forms.**

- Numeric
- Text
- Date
- Time
- Yes/No
- Prompt

### **19. Define PeopleSoft HRMS.**

- Human Resources Management System (HRMS) or Human Resources Information System (HRIS), refers to the systems and processes at the intersection between human resource management (HRM) and information technology.
- It merges HRM as a discipline and, in particular, it's basic HR activities and processes with the information technology field.

### **20. Mention the types of PeopleSoft Enterprise HRMS.**

- PeopleSoft Enterprise HRMS integrations
- PeopleSoft Enterprise HRMS implementation

### **21. What is PeopleSoft Enterprise HRMS Integration?**

- PeopleSoft HRMS integrates with other PeopleSoft applications, such as PeopleSoft Enterprise Financials, PeopleSoft Enterprise Workforce Analytics, and PeopleSoft Enterprise Learning Management.

### **22. Write a note on PeopleSoft Enterprise HRMS Implementation.**

- PeopleSoft Setup Manager enables you to generate a list of setup tasks for your organization based on the features that you are implementing.
- The setup tasks include the components that you must set up, listed in the order in which you must enter data into the component tables, and links to the corresponding People Book documentation.

### **23. Draft a note on Service Automation.**

- Oracle's PeopleSoft Enterprise Services Automation applications enables project-centric organizations and departments to establish core operational processes that support full project lifecycle management—across operations and finance—from project selection, planning and staffing, through execution, cost control, and analysis

### **24. Define Enterprise Performance Management.**

- Oracle's PeopleSoft Enterprise Performance Management enables organizations to achieve world-class performance by aligning the right information and resources to strategic objectives.

- PeopleSoft Enterprise Performance Management offers performance management solutions for every budget and every phase of the management cycle, helping managers formulate strategies for profitable growth, align strategies with operational plans, and actively monitor day-to-day operations.

**25. What is meant by Supplier Relationship Management?**

- PeopleSoft Supplier Relationship Management provides packaged integration of procurement functions with financial management, human capital management, and ERP suites
- PeopleSoft Supplier Relationship Management gives customers the flexibility to leverage applications on-demand, on-premises, or in any combination needed to achieve procurement objectives.
- PeopleSoft Supplier Relationship Management fully integrates procurement with HR in order to provide total workforce management of both contingent and full-time workers.


**26. Delineate Supply Chain Management.**

- Oracle's PeopleSoft Supply Chain Management (SCM) provides a cohesive yet flexible solution for the synchronized supply chain, driving efficiencies in cost savings over your entire supply chain—including your plan-to-produce and order-to-cash business processes.

**27. List out the FMS Modules.**

- Financial Management System (FMS) encompasses modules including: accounts payable, receivable, billing, general ledger.
- Each module is used in a Cost Center to manage a budget and to organize transactions.

**28. Draw the diagram of PeopleSoft workflow process.**



### 29. What is Business Reports?

- Using the Business Intelligence Reporting application, you can view detailed or summary reports of financial activity
- Review monthly or annual expenses and revenue by Cost Center
- Review project activity
- Review salary and wages for a Cost Center.

### 30. List out the products of PeopleSoft.

#### PeopleSoft Products

- Campus Solutions
- Customer Relationship Management
- Enterprise Performance Management
- Financial Management
- Human Capital Management
- Service Automation
- Supplier Relationship Management
- Supply Chain Management

### 31. What is meant by PeopleSoft accelerator?

- A small change can have a disastrous effect on your PeopleSoft system.



- Every update or change requires testing to make sure it doesn't bring your business down. All that testing takes time and money away from your business.
- For businesses that rely on HP Software Quality Management and PeopleSoft, we've helped you get started with a platform and have prebuilt the business-process tests for you.
- Validate your critical cross-platform business processes seamlessly, reducing risk while being more responsive.

### **32. Define Financial Management Systems.**

- New software used to manage the financials of UT Dallas Product name is PeopleSoft Financials Management System. Covers the following
- Financials (account receivable, account payable, asset management, budget, account reconciliation, IDTs, etc.)
- Human resources (payroll)
- eProcurement (all supply ordering, check requests)
- Business Intelligence reports

## **PART – B (11 MARKS)**

- 1. Explain in detail about basic functionality of PeopleSoft.**

## **PEOPLESOFT**

- PeopleSoft, Inc. was a company that provided Human Resource Management Systems (HRMS), Financial Management Solutions (FMS), Supply Chain Management (SCM), Customer Relationship Management (CRM), and Enterprise Performance Management (EPM) software, as well as software for manufacturing, and student administration to large corporations, governments, and organizations.
- Founded in 1987 by Ken Morris and David Duffield, PeopleSoft was originally headquartered in Walnut Creek, California before moving to Pleasanton, California. Duffield envisioned a client–server version of Integral Systems' popular mainframe HRMS package.

## **BASIC PEOPLESOFT FUNCTIONALITY**

### **Evolution of PeopleSoft**

- 1987 – Addressing organizational Human Relations departments, from recruitment to retirement. Managing the payroll, benefits, travel, expenses, and vacation of all employees was the key focus of the first PeopleSoft product.
- 1997 – Release of PeopleSoft 7, they upgraded the supply chain and finance modules, and added the functionality for analyzing business data.
- January 2000 – PeopleSoft 8 saw the addition of a module for customer relationship management through the acquisition of Vantive Corporation.

### **Applications of PeopleSoft**

- The applications are comprehensive business and industry solutions, enabling organizations to increase productivity, accelerate business performance, and provide a lower cost of ownership.

### **Benefits of PeopleSoft**

- End-user initiate transactions and date in to the system once and make it accessible for multiple purposes (Finance, Human Resources, Reports)
- Tracking of transaction status is available online, almost eliminating the need to make multiple phone calls regarding the transaction's status.
- Various transactions processing are online
- Transaction approvals have been simplified
- Some transactions can be approved and submitted online, while meeting internal control, and presenting less need to hand carry papers from office to office.

## **PeopleSoft Architecture Core Components**

- PeopleSoft Enterprise Solution consists of several core components which are required for functioning of PeopleSoft Software.
- All these core components are interconnected and send/receive data and information required for processing of business needs.
- **Database Server**
  - Oracle ( 8i, 9i ,10g, 11i)
  - MS Sql Server
  - DB2 , Informix , Sybase
- **Web server**
  - BEA Web Logic
  - IBM WebSphere
- **Application server**
  - It is known as the heart of PeopleSoft and processes all the business logic.
- **NT File server**
  - Batch server – used for running PeopleSoft processes and reports e.g. application engine ,sql reports etc.
- **Client ( Any Internet Browser)**
  - PeopleSoft Internet Architecture is accessed via a URL and can be easily browsed from any operating system and device which has a browser. You can access Peoplesoft from your iPhone, iPad or any other device that has Peoplesoft supported browsers.
  - Internet explorer
  - Firefox
  - Chrome
  - Netscape navigator

## **PeopleSoft 2 Tier Architecture**


- 2 tier architecture of PeopleSoft Application depicts direct connection between People Tools and Database. Best example of this 2 tier architecture is PeopleSoft Tools like PeopleSoft Application Designer and PeopleSoft Data mover Tool.
- These tools make direct connection with PeopleSoft Database and are used by PeopleSoft developers and administrators.



***PeopleSoft 2 Tier Architecture***

**PeopleSoft 3 Tier Architecture (Logical)**

- In 3 tier setup of PeopleSoft architecture, PeopleSoft Application Designer doesn't connect to PeopleSoft Database directly.
- Instead it connects to Application Server using Tuxedo and then Application Server in turn connects with Database.
- Application Server communicates with Database using SQL queries



***PeopleSoft 3 Tier Architecture***

**2. Sketch and explain in detail about PeopleSoft database structure.**

- PeopleSoft has a long history of offering customers a choice of market-leading databases. People Tools provides an abstraction layer, which insulates application developers from the intricacies of each of the specific database platforms. Customer databases choices include:
  - Oracle
  - IBM DB2
  - Microsoft SQL Server
  - Informix
  - Sybase

- After you install your database engine there are three distinct layers within the database that work in concert to store and manage data for your PeopleSoft system.
- The database system tables manage both the PeopleTools and PeopleSoft application database objects, while the PeopleSoft application tables reside within the infrastructure defined by the PeopleTools metadata.

The following image describes three distinct yet integrated database layers for PeopleSoft system.



- **System tables**, also called system catalog tables, are analogous to a table of contents for a book or to file allocation tables on a hard drive. The structure and table names vary depending on which RDBMS you use. System catalog tables:
  - Keep track of all of the objects that reside in the database instance.
  - Are created by and owned by the RDBMS.
  - Are often described as system metadata.
- **People Tools tables** provide the infrastructure for PeopleSoft applications by storing and managing PeopleSoft application metadata. This metadata consists of information that defines the application, such as records, fields, pages, PeopleCode, and security. People Tools tables:
  - Define the structure of all object definitions that make up an application.
  - Use the same table structure for all applications.
  - Contain data that is added and updated only when the application is installed, or when using development tools such as PeopleSoft Application Designer or Data Mover.
- **Application data tables** store data entered through a PeopleSoft application. The specific tables and their structures vary by application. Application data tables:
  - Contain transactional data entered by users.

PeopleSoft database architecture consists of three categories as follows:

- SYSTEM CATALOG TABLE

- PEOPLETOOLS TABLE
- APPLICATION TABLE

### **SYSTEM CATALOG TABLE**

- This tables are handled by DBA's since it has the DB related information along with it is used to check the performance of the PeopleSoft DB.
- Any change in the application tables updates the system catalog tables.
- Example of system catalog tables are: SYSCOLUMNS, SYSTABLES

### **PEOPLETOOLS TABLES**

- All delivered tables can be found in Peopletools Tables
- The metadata is stored in Peopletools tables like fields, records, page, component, menu, AE.
- Example of peopletools table are: PSRECDEFN, PSDBFIELD

### **APPLICATION TABLES**

- The tables we develop are stored in application tables. PeopleSoft has preferred the naming convention of application tables to be starting with PS\_
- Example of application tables are: PS\_JOB
  - PS\_EMPL\_TBL
  - PSRECDEFN
  - PSDBFIELD
  - PS\_JOB
  - PS\_EMP\_TBL
- Application tables are further categorized into three parts as follows:
  - Control Table
  - Transaction Table
  - Run control Table

### **3. Describe in detail about Data Mover.**

- PeopleSoft Data Mover, is used to import / export data between databases.
- Apart from this, Data Mover can be used for a variety of functions like database security management, running SQL scripts etc. On Windows machines, you can use the Data Mover using

the GUI as well as from the command prompt. While UNIX variants support only command line operation.

- PeopleSoft Data Mover enables the database administrator or system programmer to perform a number of functions, including:
  - Transfer application data between PeopleSoft databases.
  - Move PeopleSoft databases across operating systems and database platforms.
  - Execute Structured Query Language (SQL) statements against any PeopleSoft database, regardless of the underlying operating system or database platform.
  - Create, edit, and run scripts.

### **PeopleSoft Data Mover Environment**

- **Using the Data Mover development environment.**

This is a graphical user interface (GUI), which runs only in Microsoft Windows. Use the Data Mover shortcut in the PeopleSoft program group. Select Start, Programs, your\_PSFT\_program\_group, Data Mover.

- **Using the Data Mover command-line interface.**

The command-line interface is intended mainly for UNIX servers. You run PeopleSoft Data Mover from a console in Microsoft Windows and from a telnet session in UNIX.

### **PeopleSoft Data Mover Operating Modes**

Operating modes determine how you are connected to the database. PeopleSoft Data Mover operating modes are:

- **Regular mode.**
  - Most of the time, you use regular mode. To sign in to regular mode, enter your PeopleSoft user ID and password during sign-in. In regular mode, all commands are valid.
- **Bootstrap mode.**
  - In bootstrap mode, you use a database access ID and password when signing in. Typically, you use bootstrap mode for database loading, because no PeopleSoft security tables are established yet. You also use bootstrap mode for running some security commands, such as ENCRYPT\_PASSWORD.

### **Data Mover script commands:**

- PeopleSoft Data Mover commands are platform-independent and are unique to PeopleSoft Data Mover.
- You can use PeopleSoft Data Mover commands for importing, exporting, and other tasks, such as controlling the run environment, renaming fields and records, administering database security, and denoting comments.

### **Supported SQL commands:**

- With PeopleSoft Data Mover, you can use supported SQL commands in scripts on any supported database platform.
- Except as noted in the following discussion regarding standard SQL commands, you can use all of the supported SQL commands with the following Data Mover SET statements:
  - SET LOG
  - SET NO COMMIT
  - SET NO TRACE

### **Standard SQL Commands with DMS Scripts**

- PeopleSoft Data Mover supports the following standard SQL commands:
  - ALTER
  - COMMIT
  - CREATE
  - DELETE

## **4. Explicate in detail about Records and its types.**

- Fields that are grouped together as a unit are records.
- PeopleSoft records can be defined as the collection of fields on a page. It's similar what we use tables in RDBMS.
- The difference in PeopleSoft records is the structure of PeopleSoft records is stored in metadata tables that can be defined or edited through PeopleSoft application designer.
- Seven types of PeopleSoft Records:
  - Table
  - View
  - Derived/Work
  - Sub record



- Dynamic View
- Query View
- Temp table

**Table:**

- A table in PeopleSoft is similar like other database tables which has fields and that can be built and alter using application designer in PeopleSoft.

**View:**

- PeopleSoft View is a query written specially to retrieve/modify data on the records and also view's are used to show transaction data on reports and much more.

**Derived/Work:**

- Derived record are not built by application designer since there is no option to do that.
- It is just used for temporary storage and display purpose and the derived/work record data is saved never anywhere.

**Subrecord:**

- PeopleSoft subrecords are the collection of fields that are grouped together to form an entity so that they can be used for building blocks for multiple records.
- Since subrecords are not build through application designer they don't have their existence in the database.

**Dynamic View:**

- With dynamic view we can define a record definition that can be used like a view in pages and PeopleCode and is not actually stored as a SQL view in the database.

**Query View:**

- With Query view we can define the record definition as a view that is created using the PS Query. This kind of view when created by PeopleSoft Application Designer it prompts you to save the definition.

**Temp table:**

- Temporary tables in PeopleSoft are there to avoid the signification risk of data contention and helps to improve performance since the application data is getting processed in temporary table not on the large application data tables.

**5. Discuss in detail about PeopleSoft pages and forms.**

## **FORMS:**

- The Forms and Approval Builder enables to design online forms, specify the approval process they require, and deploy them to users within your organization.
- Use this feature to convert manual procedures within your organization to paperless processes that include workflow-based approvals and an audit trail for tracking progress.
- No coding is required on your part, and future upgrades to your PeopleSoft system will not require you to update these forms, since the forms you create are not customizations.
- Once a form is published, users navigate to the form using the main menu, complete the fields and submit it for approval.
- Each published form includes three tabs: Form, Instructions, and Attachments.
- An audit trail of the approval history and comments is automatically generated as the form goes through the approval process. You can review the audit trail to see the history for each step of the approval chain.

### **Form Design**

- To create forms, use the Design Form Wizard component (FORM\_DESIGN\_WIZARD), which guides you through the following steps of the form creation process:
  - Defining the basic information for a form, including the form ID and form owner.
  - Providing instructions that describe how to use the form.
  - Specifying the fields that appear on the form.
  - Attaching files to the form (optional).
  - Defining the menu item that is used to access the form.
  - Specifying the approval workflow that is required for the form.
  - Previewing, testing, and activating the form.
- Forms can contain fields arranged into one or two columns. You can specify which fields are required, and define the edits that a field must pass in order for the completed form to be saved. As you design the form, you can use the following field types:
  - Numeric
  - Text
  - Date
  - Time
  - Yes/No
  - Prompt:

Enables form users to select values from existing PeopleSoft records to complete the field.

- **Code:**

Enables you to build a list of values that appear in a drop-down list. Form users can select a value from the list to complete the field.

- **Section:**

Enables you to organize the form into multiple sections.

## Form Status

- It is important to understand the distinction between a form and a form instance. For the purposes of this documentation, when we use the term form, we are referring to the “master” form, or template, that form designers create using the Form Design Wizard component.
- A form instance is a deployed form that has been completed by a form user. Each form instance is automatically assigned a unique sequence number, so all completed forms can be tracked and managed independently.

The possible status values for a *form* are:

|                         |                                                                                                                                                                                                                                                                                                          |
|-------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b><i>In Design</i></b> | Indicates a form that is being designed, and is not active.                                                                                                                                                                                                                                              |
| <b><i>Activated</i></b> | Indicates a form that is active and available for form users to complete. Depending on your user role, you can activate a form using the following pages: <ul style="list-style-type: none"><li>• Design Form: Complete page of the Form Design Wizard component.</li><li>• Manage Forms page.</li></ul> |
| <b><i>Inactive</i></b>  | Indicates a form that has been inactivated by either the form's owner or a form administrator. Form administrators or form owners can inactivate forms by using the Manage Forms page. When a form is <b>inactive</b> , form users are not permitted to complete the form.                               |

The possible status values for a *form instance* are:

|                                              |                                                                                                                                    |
|----------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------|
| <b><i>Initial</i></b>                        | When a form user accesses an activated form and begins to complete it, the status of the form instance is set to <i>Initial</i> .  |
| <b><i>Pending</i></b>                        | When the form user finalizes the form instance and submits it for approval, the status changes to <i>Pending</i> .                 |
| <b><i>On Hold</i></b>                        | When an approver or reviewer requests more information about a submitted form, the status changes to <i>On Hold</i> .              |
| <b><i>Approved, Denied, or Cancelled</i></b> | As the form instance flows through the required approval chain, the status subsequently updates to approved, denied, or cancelled. |

## Security and Delivered Roles

- User roles determine who has permission to access, design, and administer forms.
- The following table lists the delivered roles and associated permission lists for Form and Approval Builder.

|                    |                                                            |
|--------------------|------------------------------------------------------------|
| FORM_USER          | Form user: Can complete and submit forms.                  |
| FORM_DESIGNER      | Form designer: Can complete and submit forms, design forms |
| FORM_ADMIN         |                                                            |
| FORM_CI_DEVELOPERS | Form to component interface (CI) developer                 |

## PAGES

- Pages are the graphical interface between the users and the application database.
- As a system designer, we configure or build pages that meet the data requirements of the application and that are easy to use and understand.
- Using PeopleSoft Application Designer, we can create, modify, and delete page definitions in your PeopleSoft system.
- The page design based on the type of data that we plan to access and maintain. In some cases, a page references a single record definition; in others, you may want to reference multiple records.

- To accommodate a variety of page designs, PeopleSoft Application Designer uses level-based controls.
- The three level-based controls are:
  - Grids
  - Scroll areas
  - Scroll bars
- You specify the level of these controls by setting occurs levels on the Record tab of the page field properties dialog box for the level-based control that you are configuring.
- Level-based controls have four levels:
- **Level 0**
  - This level directly corresponds to the high-level key information of the underlying record.
  - Level 0 fields are usually physically located at the top of the page, set to be display-only, and display the data that the user entered on the initial search page.
- **Levels 1–3**
  - These levels correspond to lower level key information that is subordinate to the Level 0 key values.
  - Level 1 is subordinate to Level 0; Level 2 is subordinate to and nested within Level 1; and Level 3 is subordinate to and nested within Level 2.
- The first occurs level on a page is Level 0.
- In general, this level is reserved for the primary key fields that are used to search for data.
- A page might not contain any level-based controls; in such a case, all fields are set to Level 0.
- This case is particularly true for secondary pages or subpages that contain few data entry fields, as shown in the following example.
- The third column, Lvl (Level), that appears in the grid on the Order tab indicates that all fields on the page are at Level 0:

#### **Example of page definition Order tab**

This denotes the fields and controls on the Example of page definition Order tab.

| ACTIVITY_GUIDE_SBP (Page) |          |       |               |               |              |               |                          |
|---------------------------|----------|-------|---------------|---------------|--------------|---------------|--------------------------|
| Layout                    |          | Order |               |               |              |               |                          |
| Tab Order                 | Field ID | Lv    | Label         | Type          | Field        | Record        | Display Control          |
| 1                         | 1        | 0     | Subpage       |               |              | NOSEARCH_VW   | <input type="checkbox"/> |
| 2                         | 2        | 0     | Activity Name | Group Box     | ACTIVITYNAME | PSACTIVITYGUI | <input type="checkbox"/> |
| 3                         | 3        | 0     | Step 1 Link   | Push Btn/Link | STEP_1_URL   | PSACTIVITYGUI | <input type="checkbox"/> |
| 4                         | 4        | 0     | Image 1       | Image         | STEP_2_IMAGE | PSACTIVITYGUI | <input type="checkbox"/> |
| 5                         | 5        | 0     | Image 1       | Image         | STEP_1_IMAGE | PSACTIVITYGUI | <input type="checkbox"/> |
| 6                         | 6        | 0     | Step 2 Link   | Push Btn/Link | STEP_2_URL   | PSACTIVITYGUI | <input type="checkbox"/> |
| 7                         | 7        | 0     | Image 1       | Image         | STEP_3_IMAGE | PSACTIVITYGUI | <input type="checkbox"/> |
| 8                         | 8        | 0     | Step 3 Link   | Push Btn/Link | STEP_3_URL   | PSACTIVITYGUI | <input type="checkbox"/> |
| 9                         | 9        | 0     | Image 1       | Image         | STEP_4_IMAGE | PSACTIVITYGUI | <input type="checkbox"/> |
| 10                        | 10       | 0     | Step 4 Link   | Push Btn/Link | STEP_4_URL   | PSACTIVITYGUI | <input type="checkbox"/> |

- Nesting controls involve two or more level-based controls on a page, such as two scroll areas, when the second scroll area has occurs level of 2.
- You nest controls when the new data that you want to add is a repeating set of data for each entry in your first level-based control. In doing so, you create a hierarchical, or parent and child, relationship between the controls and the processing of the record definitions.
- The Level 2 control is the child of and is subordinate to the Level 1 control.

#### Example of Compensation page with nested grid in scroll area

- This example illustrates the fields and controls on the Example of Compensation page with nested grid in scroll area.

#### Levels and Runtime Processing

- Levels play an important role in runtime processing.
- The component processor relies on the level at which you place a field on a page to determine how to process any PeopleCode attached to the field in the record definition.

#### Effective Dates and Level-Based Controls

- The EFFDT (effective date) field must be the only key field that is controlled by level-based controls that you create to help users maintain multiple occurrences of data that is keyed by effective date. Otherwise, the effective date processing for update actions does not function correctly.

**Compensation** Find First 1 of 1 Last

Effective Date: 01/01/2000 Go To Row

Effective Sequence: 0 Action: Hire

HR Status: Active Reason:

Payroll Status: Active Job Indicator: Primary Job Current

Compensation Rate: 1,776.67 AUD \*Frequency: M Monthly

Comparative Information

Pay Rates

Default Pay Components Contract Change Prorate Option

**Pay Components** Customize Find First 1-2 of 2 Last

Amounts Controls Changes Conversion

|   | *Rate Code | Seq | Comp Rate    | Currency | Frequency | Points | Percent | Rate Code Group |   |   |
|---|------------|-----|--------------|----------|-----------|--------|---------|-----------------|---|---|
| 1 | KABS01     | 0   | 1,776.667000 | AUD      | M         |        |         |                 | + | - |
| 2 | KABSTL     | 0   | 1,950.500000 | AUD      | M         |        |         |                 | + | - |

Calculate Compensation

### Prompt fields:

- You can enable your users to look up the valid values that they can enter in a field.
- For this, PeopleSoft Application Designer provides prompts, or lookup buttons. Your PeopleSoft applications use the following three types of prompts:

#### Drop-down list box

- This type of prompt generates a list of values, which appears directly below the prompt field when the user clicks the down arrow that appears beside the field.

#### Calendar prompt

- This type of prompt generates a small calendar, which appears next to the date field, when the user clicks the calendar button. Users can navigate the calendar to find and select a date.

#### Lookup button

- A prompt or lookup button opens a lookup page in the user's browser populated with up to 300 available values for that field. The user can then either select the desired value or refine their search further.

### Work Location page showing sample prompt fields:

This example illustrates the fields and controls on the Work Location page showing sample prompt fields.

Work Location   Job Information   Job Labor   Payroll   Salary Plan   Compensation

**Jaime Salazar**  
Employee

Empl ID: KYLA15  
Empl Record: 0

Find First 1 of 1 Last

Go To Row + -

\*Effective Date: 01/01/2008

Effective Sequence: 0

HR Status: Active

Payroll Status: Active

Position Number:

Position Entry Date:

\*Regulatory Region: MEX

\*Company: KYF

\*Business Unit: KY001

\*Department: 22000

Department Entry Date: 01/01/2000

\*Location: KYDF

Establishment ID:

Last Start Date: 01/01/2000

Expected Job End Date:

Spain

Japan

Pay Rate Change

Other

Primary Job

Not Applicable

Primary Job

Secondary Job

Current Date

Compania Financiera

Unidad de Negocios 1 - Mexico

Sales and Services

Mexico Headquarters

Date Created: 12/18/2008

Job Data   Employment Data   Earnings Distribution   Benefits Program Participation

## Hidden pages

- Hidden pages are work pages that are associated with derived or work records; they are often used in work groups. You can store all of your work field controls on hidden pages.
- Create these pages when you want PeopleCode calculations to be performed in the background so that the user does not see them. As a convention, the names of work pages that are delivered with your application names end with the suffix \_WRK; you should follow the same naming convention.
- An example name is: MC\_TYPE\_WRK.

## 6. Elucidate about PeopleSoft HRMS database.

### INTRODUCTION TO PEOPLESOFT HRMS DATABASES

- Functional flexibility, the ability to perform human resources feats in a single click, is a cornerstone of the PeopleSoft product.
- On the other hand, PeopleSoft is a software product with many programmers behind it. These programmers work together, writing separate components and improving technical benchmarks, like access time and storage capabilities.
- To prevent a tangled web of data, PeopleSoft stores data using a database organizational concept called "data integrity." The philosophy of data integrity is simple: a database stores data efficiently by storing it once, and only once.



- Duplication equals inefficiency and creates a chance that data will be changed in one place and not another. With each new PeopleSoft release, data is spread thinner and thinner, to more and more tables.
- Tables contain the most commonly used data in PeopleSoft HRMS. These tables are not all essential, but they are accessed often and provide the foundation for the database.

### **Types of Tables:**

There are six basic types of tables

- **Base Table:**
  - A base table is the place where nearly every query starts. These tables store information about an employee and contain data about the employee.
  - A base table stores live data that is continually changing.
  - The table could store information about employees, their dependents, their earnings, taxes, deductions, or benefits. In short, these tables hold the real data, the non-static data.
- **Control Table**
  - A control table contains a short list of values that classify and categorize.
  - For example, a table that contains all of the possible earnings codes (regular, bonus, overtime, etc.) is a control table, whereas the table that contains the actual earning amounts is a base table.
  - Each control table has a key (the code) which ties to a field on a base table.
- **Views**
  - Views are timesavers; they are the result set of an SQL statement.
  - For example, the benefits view table takes fields from several tables, links them together correctly, and presents the result as a new table.
- **Reporting Tables**
  - These tables are similar to views, but are not dynamic.
  - Their data is only current after a program is executed every night.
  - Their chief benefit is performance. Instead of joining 10 tables every time you look something up, the tables are joined once at night and then used throughout the next day as a single table.
- **Application Tables**
  - The PeopleSoft application stores application rules and definitions in application tables. Occasionally these tables temporarily store data in the middle of a process.

- With few exceptions, these tables store data that is not relevant to the organization.
- **The Non-Table: Sub-Records**
  - PeopleSoft is intent on making sure no data or effort is ever duplicated. For this reason, they created sub records.
  - Sub-records are like a mini-table, since they are a definition of a group of fields.
  - The sub-record is a single definition that is used in many different records.
  - Addresses are consistently stored, and if a change is required, such as an extra digit added to the postal code definition, that change needs to be made in only one place—that is, from an application standpoint.
- **Identifying the Elements in table:**
  - Once we find the table we're looking for, there are several ways to look at it.
  - Most people find it quicker and more convenient to print out the table.
  - PeopleSoft prints the table with the record name, field names, definitions, formats, descriptions, and other technical information.

## Keys

- Identifying the keys in a table is a critical step to retrieving accurate data.
- Keys are the unique identifiers of a row in the table. Sometimes there is one key, such as employee ID, but more often there are several.
- When there is more than one key, the values in a certain key could be duplicated, but there are never two rows with the same values in every key.
- In other words, the combination of the key fields must be unique.

| EMPLID | COMPANY | EFFDT       | STATE |
|--------|---------|-------------|-------|
| -----  | -----   | -----       | ----- |
| 8121   | CCB     | 01-JAN-1991 | CA    |
| 8121   | CCB     | 01-JAN-1991 | PA    |
| 8200   | PST     | 01-OCT-1993 | CT    |
| 8200   | PST     | 01-JAN-1991 | CA.   |

- When selecting data, always consider every key. To retrieve the appropriate row, each key must be limited to exactly the values you are looking for.

## Required Fields

- The column labeled “Req” tells you whether PeopleSoft requires a field.
- A required field, from an application perspective, must be filled in. When inserting data using a SQL statement the required flag tells you whether to expect blanks in the data returned.
- If it isn’t required, there is a good chance some fields will be blank.
- If it is required, there is a slim chance that the field will be blank.

### **Translation Values**

- Many fields have only a few possible values. These values are stored in a common table.
- The table printout provides a nice way to look at the possible values for certain fields, for example, status field can only have three possibilities: E, G, or N. Hard-coding the criteria of ‘E’ for exempt into your query would return employees who are exempt from state taxes.

### **Prompt Tables**

- The prompt table column lists the tables that provide values for a certain field.
- Often this is a control table. In PeopleSoft, when typing state tax data into a panel, you can prompt for a list of possible companies.

## **7. Explain in brief about PeopleSoft Products.**

### **PeopleSoft Products**

#### **PeopleSoft Accelerator**

- A small change can have a disastrous effect on your PeopleSoft system.
- Every update or change requires testing to make sure it doesn't bring your business down. All that testing takes time and money away from your business. A Full Automation Framework
- Our Accelerator Platform provides a complete environment with a structured approach ready for fast customization. By the time implementation is over, you'll have a library of test cases that cover a vast array of business processes customized for your unique environment.

Script less Testing For:

- Patches
- Hot Packs
- Upgrades
- Technology Stack Upgrades or Modifications

#### **Generate Thorough Documentation**

- No guesswork here. Accelerator documents all tests performed and the results achieved with the meticulous accuracy that manual testers only experience in their nightmares.

- Audit and compliance made easy - reporting can now be done with no additional costs or complexity.

## **PeopleSoft Products**

- Campus Solutions
- Customer Relationship Management
- Enterprise Performance Management
- Financial Management
- Human Capital Management
- Service Automation
- Supplier Relationship Management
- Supply Chain Management

## **Campus Solutions**

- PeopleSoft Campus Solutions partners with higher education industry leaders around the globe to deliver the most modern technology solution designed specifically for higher education. Our investment in PeopleSoft Campus Solutions delivers:
- A global perspective supporting education and research without boundaries
- Support for varied models of instruction and business requirements
- The deepest and broadest set of capabilities to support the student life-cycle
- Innovative technology to enhance, strengthen and adapt capabilities
- The ability to recruit, enroll and manage a flow of students seeking higher education across borders
- Support for multi-institution, multi-currency, multi-campus, and multi-language operations

## **Customer Relationship Management:**

- Setting up installation, basic system tables, and security options.
- Setting up and using features that are common to multiple PeopleSoft CRM applications, such as notes, search collections, alternate character, interactive reports, and diagnostic reports.
- Administering worker information.
- Setting up and using interactions and 360-degree views.
- Setting up and using self-service applications.
- Managing relationships with customers.

**Enterprise Performance Management:**

- PeopleSoft Enterprise Performance Management offers performance management solutions for every budget and every phase of the management cycle, helping managers formulate strategies for profitable growth, align strategies with operational plans, and actively monitor day-to-day operations.
- Reduce month-end close from weeks to days to achieve best-in-class status against industry standards
- Consolidate the financials from thousands of groups worldwide and report the numbers to Wall Street
- "The tight integration between [performance management] and PeopleSoft applications is very attractive to customers that want a single, standard platform for information."

**Financial Management**

- Oracle's PeopleSoft Financial Management reduces costs by automating, centralizing, and standardizing global transactional processes.
- Manage risk and reduce compliance costs with end-to-end processes for governance, risk, and compliance.
- Make the right investments in the business with integrated performance management and business intelligence.

**Human Capital Management**

- Oracle's PeopleSoft Human Capital Management enables you to architect a global foundation for HR data and improved business processes.
- PeopleSoft Human Capital Management delivers a robust set of best-in-class human resources functionality that enables you to increase productivity, accelerate business performance, and lower your cost of ownership.

**Service Automation**

- Oracle's PeopleSoft Enterprise Services Automation applications enables project-centric organizations and departments to establish core operational processes that support full project lifecycle management—across operations and finance—from project selection, planning and staffing, through execution, cost control, and analysis.

## **Supplier Relationship Management**

- PeopleSoft Supplier Relationship Management provides packaged integration of procurement functions with financial management, human capital management, and ERP suites
- PeopleSoft Supplier Relationship Management gives customers the flexibility to leverage applications on-demand, on-premises, or in any combination needed to achieve procurement objectives.
- PeopleSoft Supplier Relationship Management fully integrates procurement with HR in order to provide total workforce management of both contingent and full-time workers.

## **Supply Chain Management**

- Oracle's PeopleSoft Supply Chain Management (SCM) provides a cohesive yet flexible solution for the synchronized supply chain, driving efficiencies in cost savings over your entire supply chain—including your plan-to-produce and order-to-cash business processes.
- Extends your supply chain in real time by connecting suppliers and customers with company business processes.
- Provides integrated spend management for all categories of goods and services.
- Delivers embedded analytics to monitor supply chain performance and adjust as conditions and business goals shift.


## **8. Detail about Functional management system.**

- New software used to manage the financials of UT Dallas Product name is PeopleSoft Financials Management System. Covers the following
  - Financials (account receivable, account payable, asset management, budget, account reconciliation, IDTs, etc.)
  - Human resources (payroll)
  - e Procurement (all supply ordering, check requests)
  - Business Intelligence reports

## **The FMS Modules**

- Financial Management System (FMS) encompasses modules including:
  - Accounts payable,

- Receivable,
  - Billing,
  - General ledger.
- Each module is used in a Cost Center to manage a budget and to organize transactions.



- The Financial Management System (FMS) is composed of many modules. The modules are designed to perform specific activity.
- Those activities or tasks include accounts payable, accounts receivable, billing, payroll processing, etc.

### **General Ledger**

- Financial transactions are generated in separate systems and loaded into the General Ledger.
- The remaining financial transactions are entered into the General Ledger by you using PeopleSoft Financials applications.
- Examples include daily cash receipts, service center charges and departmental allocations and corrections.

### **Accounts Payable Integration**

- Each application uses details from PeopleSoft transactions.
- This information is used to build reports, which in turn is used to ensure accurate accounting of funds distribution (your yearly budget).

## **Commitment Control**

- Commitment Control is used in PeopleSoft to manage all budget activity. Using Commitment Control, you can
- View all available balances and transactions (revenue or expense) for a given Cost Center
- Move funds between Cost Centers
- Add or reduce funds for a Cost Center

## **Purchasing Applications**

- **eProcurement-**
  - Used to purchase goods and services using a web-based application
  - Available from Galaxy portal
- **eProcurement is designed to:**
  - Reduce Purchase Order cycle time
  - Make purchasing and check requests as easy as possible
  - Provide easy on-line access to most commonly ordered products and services

## **Travel and Expenses**


- Used to authorize and record any travel expenses incurred by UT Dallas faculty, administrator, staff or student for university business
- Use paper forms to set up travel and record expenses
- Transactions are captured in General Ledger

## **Purchasing Card**

- Used to make authorized purchases
- Transactions are captured in General Ledger

## ***Workflow Process***





- The Creator submits a transaction such as an IDT Journal to Workflow Approval. Each approver (Approver 1 and Approver 2), reviews and approves or denies the journal.
- The Finance or Budget approver finalizes the transaction.

### **Business Reports:**

- Using the Business Intelligence Reporting application, you can view detailed or summary reports of financial activity
- Review monthly or annual expenses and revenue by Cost Center
- Review project activity
- Review salary and wages for a Cost Center.

## **9. Draft a note on PeopleSoft enterprise HRMS.**

### **PEOPLESOFT ENTERPRISE HRMS**

- PeopleSoft HRMS is an integrated suite of applications and business processes that are based on PeopleSoft's Pure Internet Architecture (PIA) and enterprise portal technologies.
- The sophisticated features and collaborative, self-service functionality available in PeopleSoft HRMS enable you to manage your human resources from recruitment to retirement while aligning your workforce initiatives with strategic business goals and objectives.

## **Types of PeopleSoft Enterprise HRMS is**

- PeopleSoft Enterprise HRMS integrations.
- PeopleSoft Enterprise HRMS implementation.

## **PeopleSoft Enterprise HRMS Integrations**

- PeopleSoft HRMS integrates with other PeopleSoft applications, such as PeopleSoft Enterprise Financials, PeopleSoft Enterprise Workforce Analytics, and PeopleSoft Enterprise Learning Management.
- PeopleSoft HRMS also integrates with other third-party applications. PeopleSoft HRMS uses various integration technologies to send and receive data.

## **PeopleSoft Enterprise HRMS Implementation**

- PeopleSoft Setup Manager enables you to generate a list of setup tasks for your organization based on the features that you are implementing.
- The setup tasks include the components that you must set up, listed in the order in which you must enter data into the component tables, and links to the corresponding People Book documentation.
- PeopleSoft HRMS also provides component interfaces to help you load data from your existing system into PeopleSoft HRMS tables.
- Use the Excel to Component Interface utility with the component interfaces to populate tables.

This table lists all of the components documented in the PeopleSoft Enterprise HRMS Application Fundamentals People Soft that have component interfaces:

| <b>Component</b>                                       | <b>Component Interface</b> |
|--------------------------------------------------------|----------------------------|
| Departments component<br>(DEPARTMENT_TBL)              | DEPARTMENT_TBL             |
| Establishment component<br>(ESTABLISHMENT_DATA)        | ESTABLISHMENT_DATA         |
| Job Code Task Table component<br>(JOB_CODE_TASK_TABLE) | JOB_CODE_TASK_TABLE        |
| Job Code Table component<br>(JOB_CODE_TBL)             | CI_JOB_CODE_TBL            |
| Job Tasks component<br>(JOB_TASK_TABLE)                | JOB_TASK_TABLE             |
| Location component<br>(LOCATION_TABLE)                 | LOCATION_TABLE             |
| FLSA Calendar Table<br>(FLSA_CALENDAR)                 | FLSA_CALENDAR              |
| Pay Run Table (PAY_RUN_TABLE)                          | PAY_RUN_TABLE              |
| Tax Location Table component<br>(TAX_LOCATION_TBL)     | TAX_LOCATION_TBL           |