

AIM:

To Study of SQL - DDL, DML, TCL and DCL commands.

DDL COMMANDS**CREATE**

SQL> create table database(S_no number(4), s_name varchar2(10), s_dob date, total number(8,2));

Table created.

SQL> desc database

Name	Null?	Type
S_NO		NUMBER(4)
S_NAME		VARCHAR2(10)
S_DOB		DATE
TOTAL		NUMBER(8,2)

SQL> create table db1 as select * from database;

Table created.

SQL> desc db1

Name	Null?	Type
S_NO		NUMBER(4)
S_NAME		VARCHAR2(10)
S_DOB		DATE
TOTAL		NUMBER(8,2)

SQL> create table db2 as select s_name,s_dob from database;

Table created.

SQL> desc db2

Name	Null?	Type
S_NAME		VARCHAR2(10)
S_DOB		DATE

ALTER

SQL> alter table database modify S_no number(6);
Table altered.

SQL> desc database

Name	Null?	Type
S_NO		NUMBER(6)
S_NAME		VARCHAR2(10)
S_DOB		DATE
TOTAL		NUMBER(8,2)

SQL> alter table database modify (S_no number(8),s_name varchar2(12));
Table altered.

SQL> desc database

Name	Null?	Type
S_NO		NUMBER(8)
S_NAME		VARCHAR2(12)
S_DOB		DATE
TOTAL		NUMBER(8,2)

SQL> alter table database add rank number(2);
Table altered.

SQL> desc database

Name	Null?	Type
S_NO		NUMBER(8)
S_NAME		VARCHAR2(12)
S_DOB		DATE
TOTAL		NUMBER(8,2)
RANK		NUMBER(2)

SQL> alter table database add(age number(2), grade char(1));
Table altered.

SQL> DESC DATABASE

Name	Null?	Type

S_NO		NUMBER(8)
S_NAME		VARCHAR2(12)
S_DOB		DATE
TOTAL		NUMBER(8,2)
RANK		NUMBER(2)
AGE		NUMBER(2)
GRADE		CHAR(1)

DROP

SQL> alter table database drop column age;
Table altered.

SQL> DESC DATABASE

Name	Null?	Type

S_NO		NUMBER(8)
S_NAME		VARCHAR2(12)
S_DOB		DATE
TOTAL		NUMBER(8,2)
RANK		NUMBER(2)
GRADE		CHAR(1)

SQL> alter table database drop(grade,rank);
Table altered.

SQL> DESC DATABASE

Name	Null?	Type

S_NO		NUMBER(8)
S_NAME		VARCHAR2(12)
S_DOB		DATE
TOTAL		NUMBER(8,2)

RENAME

SQL> alter table database rename column s_name to sname;
Table altered.

SQL> alter table database rename column s_no to sno;

Table altered.

SQL> DESC DATABASE

Name	Null?	Type
SNO		NUMBER(8)
SNAME		VARCHAR2(12)
S_DOB		DATE
TOTAL		NUMBER(8,2)

SQL> RENAME DATABASE TO RECORD;

Table renamed.

SQL> DESC RECORD

Name	Null?	Type
SNO		NUMBER(8)
SNAME		VARCHAR2(12)
S_DOB		DATE
TOTAL		NUMBER(8,2)

NOT NULL

SQL> alter table record modify sno not null;

Table altered.

SQL> DESC RECORD

Name	Null?	Type
SNO	NOT NULL	NUMBER(8)
SNAME		VARCHAR2(12)
S_DOB		DATE
TOTAL		NUMBER(8,2)

NULL

SQL> alter table record modify sno null;

Table altered.

SQL> DESC RECORD

Name	Null?	Type
SNO		NUMBER(8)

SNAME	VARCHAR2(12)
S_DOB	DATE
TOTAL	NUMBER(8,2)

PRIMARY KEY

SQL> create table data (d_no number(3)primary key,d_name char(12),mark number(4));
Table created.

SQL> desc data

Name	Null?	Type

D_NO	NOT NULL	NUMBER(3)
D_NAME		CHAR(12)
MARK		NUMBER(4)

SQL> insert into data values(1,'abi',500);
1 row created.

SQL> insert into data values(2,'dhivya',501);
1 row created.

SQL> select * from data;

D_NO	D_NAME	MARK

1	abi	500
2	dhivya	501

DQL COMMAND

SELECT

SQL>select mark from data where d_no=1
MARK

500

USING ALTER COMMAND

SQL> alter table dbs add primary key(dbsno);
Table altered.

SQL> DESC DBS

Name	Null?	Type
DBSNO	NOT NULL	NUMBER(3)
DBSNAME		CHAR(8)
MARK		NUMBER(3)

FOREIGN KEY

SQL> create table dept(dno number(3) primary key,
2 dname varchar2(20),
3 location varchar2(15));
Table created.

SQL> create table emp(eno number(3),dno number(3) references dept(dno),
2 design varchar2(20));
Table created.

SQL> desc emp

Name	Null?	Type
ENO		NUMBER(3)
DNO		NUMBER(3)
DESIGN		VARCHAR2(20)

SQL> desc dept

Name	Null?	Type
DNO	NOT NULL	NUMBER(3)
DNAME		VARCHAR2(20)
LOCATION		VARCHAR2(15)

CHECK CONSTRAINTS

COLUMN LEVEL

SQL> create table database(dbno number(3),dbname char(8),mark number(3)constrai
t database_mark_ck check(mark>50 and mark<100));
Table created.

SQL> desc database;

Name	Null?	Type
DBNO		NUMBER(3)

DBNAME	CHAR(8)
MARK	NUMBER(3)

SQL> insert into database values(1,'dhivya',88);
1 row created.

TABLE LEVEL

SQL> create table dbs(dbsno number(3),dbsname char(8),mark number(3));
Table created.

SQL> alter table dbs add constraints dbs_mark_ck check(mark>50 and mark<100);
Table altered.

SQL> desc dbs

Name	Null?	Type

DBSNO		NUMBER(3)
DBSNAME		CHAR(8)
MARK		NUMBER(3)

SQL> insert into dbs values(1,'dhana',88);
1 row created.

UNIQUE CONSTRAINTS

SQL> create table dbs1(dbno number(3),dbname char(8),mark number(3)constraint
dbs1_mark_uk unique);
Table created.

SQL> desc dbs1

Name	Null?	Type

DBNO		NUMBER(3)
DBNAME		CHAR(8)
MARK		NUMBER(3)

SQL> select * from dbs1;

DBNO	DBNAME	MARK

1	ABI	456

SQL> insert into dbs1 values(1,'dhivya',456);

```
insert into dbs1 values(1,'dhivya',456)
```

```
*
```

```
ERROR at line 1:
```

```
ORA-00001: unique constraint (A212411104011.DBS1_MARK_UK) violated
```

CONSTRAINT ENABLE/DISABLE

```
SQL> alter table dbs disable constraint dbs_mark_ck;
```

```
Table altered.
```

```
SQL> insert into dbs values(1,'dhivya',48);
```

```
1 row created.
```

DML COMMANDS

INSERT

```
SQL> insert into record values(001,'Abi','23nov93',999);
```

```
1 row created.
```

```
SQL> insert into record values(002,'Arthi','29jan93',999);
```

```
1 row created.
```

```
SQL> insert into record values(003,'Dhivya','24aug93',998);
```

```
1 row created.
```

```
SQL> select * from record;
```

SNO	SNAME	S_DOB	TOTAL
1	Abi	23-NOV-93	999
2	Arthi	29-JAN-94	999
3	Dhivya	24-AUG-93	998

```
SQL> insert into record values(&sno,&sname','&s_dob',&total);
```

```
Enter value for sno: 002
```

```
Enter value for sname: Arthi
```

```
Enter value for s_dob: 29jan94
```

```
Enter value for total: 997
```

```
old 1: insert into record values(&sno,&sname','&s_dob',&total)
```

```
new 1: insert into record values(002,'Arthi','29jan94',997)
```

```
1 row created.
```

```
SQL> /
```

```
Enter value for sno: 003
```

```
Enter value for sname: Dhivya
```

Enter value for s_dob: 24aug93
 Enter value for total: 998
 old 1: insert into record values(&sno,&sname','&s_dob',&total)
 new 1: insert into record values(003,'Dhivya','24aug93',998)
 1 row created.

SQL> /

Enter value for sno: 004
 Enter value for sname: saranya
 Enter value for s_dob: 24nov1993
 Enter value for total: 998
 old 1: insert into record values(&sno,&sname','&s_dob',&total)
 new 1: insert into record values(004,'saranya','24nov1993',998)
 1 row created.

SQL> select * from record;

SNO	SNAME	S_DOB	TOTAL
1	Abhi	23-NOV-93	999
2	Arthi	29-JAN-94	997
3	Dhivya	24-AUG-94	998
4	saranya	24-NOV-93	998

SAVEPOINT AND ROLLBACK

SQL> select * from record;

SNO	SNAME	S_DOB	TOTAL
2	Arthi	29-JAN-94	997
3	Dhivya	24-AUG-93	1000
1	Abhi	23-NOV-93	999
4	saranya	24-NOV-93	998

SQL> savepoint r1;
 Savepoint created.

SQL> update record set total=1000 where sno=4;
 1 row updated.

SQL> select * from record;

SNO	SNAME	S_DOB	TOTAL
2	Arthi	29-JAN-94	997
3	Dhivya	24-AUG-93	1000

1 Abhi	23-NOV-93	999
4 saranya	24-NOV-93	1000

SQL> roll back r1;
Rollback complete.

SQL> select * from record;

SNO	SNAME	S_DOB	TOTAL
2	Arthi	29-JAN-94	997
3	Dhivya	24-AUG-93	1000
1	Abhi	23-NOV-93	999
4	saranya	24-NOV-93	998

DCL COMMANDS

Oracle provides extensive feature in order to safeguard information stored in its tables from unauthorised viewing and damage. The rights that allow the user of some or all oracle resources on the server are called privileges.

a) Grant privileges using the GRANT statement

The grant statement provides various types of access to database objects such as tables, views and sequences and so on.

Syntax:

```
GRANT <object privileges>
ON <objectname>
TO <username>
[WITH GRANT OPTION];
```

b) Revoke permissions using the REVOKE statement:

The REVOKE statement is used to deny the Grant given on an object.

Syntax:

```
REVOKE <object privilege>
ON
FROM <user name>;
```

Result:-

Thus, the above SQL commands studied and executed successfully.

AIM:

To implement a database application using oracle.

INTRODUCTION TO ORACLE APPLICATION EXPRESS:

Oracle Application Express(abbreviated APEX,previously named Oracle HTML DB)Is a web-based software development environment that runs on an Oracle database.It is fully supported and comes standard(at no additional cost)with all Oracle Database edition and starting,with Oracle 11g,is installed by default as part of the core database install.

CREATION OF DATABASE APPLICATION:

Step 1:visit <http://127.0.0.1:8080/apex/f?p=4950> and create workspace.

Application Express

127.0.0.1:8080/apex/f?p=4950:7:1507600335866598::NO

Oracle Database XE 11.2

Welcome: SYSTEM Logout

Home Storage Sessions Parameters Application Express

Home Oracle Application Express

Create Application Express Workspace

Cancel Create Workspace

Database User ☒ Create New ☐ Use Existing

* Database Username dataapp

* Application Express Username dataapp

* Password ****

* Confirm Password ****

Getting Started

Already have an account? Login Here


To get started with Oracle Application Express, create a workspace. You will need to specify:

- Database Username - Name of the database user to be created
- Application Express Username - Your login name for the Application Express Workspace
- Password - Password of both your database user and Application Express user


Once created, you will be able to [login to your Application Express workspace](#) using these credentials

Oracle


Step 2:Enter Application workspace,username and password.




Step 3:Go to SQL Workshop.And click DATA Workshop




Step 4:Select Text Data.




Step 5:Load Data from existing data.






Step 6: Load TableName as DEPT.




Step 7: Choose file from downloads and load it.



The screenshot shows the Oracle Application Express interface for the 'Load Data' process. The browser address bar indicates the URL is 127.0.0.1:8080/apex/www_flow.accept. The page title is 'ORACLE Application Express' and the user is 'Welcome DATAAPP'. The navigation menu includes 'Home', 'Application Builder', 'SQL Workshop', 'Team Development', and 'Administration'. The breadcrumb trail is 'Home > SQL Workshop > Utilities > Data Workshop > Load Data'. The left sidebar contains buttons for 'Schema', 'Table Name', 'File Details', and 'Column Mapping', with 'Column Mapping' being the active step. The main content area is titled 'Load Data' and includes a 'Cancel' button, '< Previous' button, and a 'Load Data' button. The 'Schema' is set to 'DATAAPP' and the 'Table Name' is 'DEPT'. The 'Define Column Mapping' section shows 'Column Names' as 'DEPTNO - number', 'Format' as an empty field, and 'Upload' as 'Yes'. A right-hand panel provides instructions: 'Use this page to locate the file to be uploaded. If the first row contains column names, select First row contains column names.' and 'This page previews how your data will be loaded. Match the database column names with columns in the data. To upload columns, select Yes or No. An asterisk (*) indicates a required column. To upload data to the selected table, click Import Data. Use SQL Workshop to modify table attributes such as changing the column length, making not null columns, or changing the column type.' The footer shows 'Workspace: DATAAPP User: DATAAPP' and 'Application Express 4.0.2.00.09'. The system tray at the bottom indicates the time is 12:08 AM on 1/1/2002.

Step 8:File will be added.




Step 9:Go to Database application and create database.








Step 10: Select from scratch and click next.



Step 11: Create Application and create next.



Step 12: Click report and Form.



Step 13: Click Master detail.

The screenshot shows the 'Create Application' wizard in Oracle Application Express. The 'Pages' tab is selected in the left-hand navigation pane. The main area displays the 'Add Page' dialog. A table lists the existing pages in the application:

Page	Page Name	Page Type	Source Type	Source	Delete
1	Descl	Report	Table	DEPT	X
2	Descl	Form	Table	DEPT	X
3	Empo	Report	Table	EMP	X
4	Master Detail	Master Detail	Table	EMP	X


Below the table, the 'Add Page' section shows the 'Select Page Type' options. The 'Master Detail' option is selected. The 'Action' is set to 'Add a master detail form'. The 'Subordinate to Page' is set to 'Top Level Page'. The 'Master Table Name' and 'Detail Table Name' fields are empty.

On the right side, there is a 'Help' section titled 'Add Page' that explains the different page types and their functionality.


Step 14: Create Application with one level of tabs.

The screenshot shows the 'Create Application' wizard in Oracle Application Express. The 'Tabs' tab is selected in the left-hand navigation pane. The main area displays the 'Create Application' dialog. The 'Application Name' is 'APPDATA 03'. The 'Tabs' section shows the 'One Level of Tabs' option selected. Below the tabs, there are three preview windows showing the application layout with one level of tabs.


At the bottom of the screen, the workspace information is displayed: 'Workspace: APPDATA User: APPDATA' and 'Application Express 4.0.2.00.09'. The language is set to 'en' and the copyright is 'Copyright © 1999, 2010, Oracle. All rights reserved.'




Step 15: Change the data format.




Step 16:Select theme12 and click next.



Step 17:Application successfully created.




Step 18:Run application.




Login

Username

Password



Step 19:Table will display.



RESULT:

Thus database application using oracle is implemented successfully.

AIM:

To implement a report using oracle 11G.

INTRODUCTION TO ORACLE APPLICATION EXPRESS:


Oracle Application Express (abbreviated APEX, previously named Oracle HTML DB) is a web-based software environment that runs on an Oracle database. It is fully supported and comes standard¹

(at no additional cost) with all Oracle Database editions and starting with Oracle 11g, is installed by default as part of the core database install.

CREATION OF INTERACTIVE REPORT:


STEPS:

Step 1: Visit <http://127.0.0.1:8080/apex/f?p=4950> and create workspace.



Step 2: Enter Application express workspace and credentials.

ORACLE® Application Express



Enter Application Express workspace and credentials.

Workspace:

Username:

Password:

[Click here to learn how to get started](#)

Oracle Application Express is a rapid Web application development tool that lets you share data and create custom applications. Using only a Web browser and limited programming experience, you can develop and deploy powerful applications that are both fast and secure.

Language: English, Português (Brasil), 中文 (简体), 日本語

Workspace

- [Reset Password](#)
- [Find My Workspace](#)
- [Administration](#)

Getting Started

- [Learn ...](#)
- [Oracle Technology Network](#)
- [apex.oracle.com](#)
- [Oracle by Example's](#)

Community

- [Discussion Forum](#)
- [Packaged Applications](#)
- [Partners](#)
- [BLOGs](#)

Step 3: Under Application builder click database application.

ORACLE® Application Express Welcome YUVI (Logout)

Home Application Builder SQL Workshop Team Development Administration

Search Workspace

Help

Workspace

- Applications
 - Database Applications
 - Worksheet Applications
- Create
- Import
- Export
- Repository
- Migrate

Application Builder SQL Workshop Team Development Administration

Learn more ...

About

Application Express is a rapid Web application development tool that lets you share data and create applications. Using only a Web browser and limited programming experience, you can develop and deploy applications that are fast and secure.

Available Updates

Language

- English
- Português (Brasil)
- 中文 (简体)
- 日本語

News

Top Applications

Application	Count
YUVI 01	3

Page events: 1 hours

Top Users

User	Count
yuv	71

Page events: 1 hours

Team Development

Show: All
Release: All Releases

Category	Count
Features	0
Todo's	0
Milestones	0
Bugs	0
Feedback	0

Step 4: Created Database application.

ORACLE Application Express

Welcome YUVI (Logout)

Home Application Builder SQL Workshop Team Development Administration Search Application

Home > Application Builder

All Applications Database Applications Worksheet Applications

Reset Import Export Create >

Go Actions

153. Sample Application

1 - 1

About

Application developers use wizards to declaratively assemble applications organized by page. Session state is transparently managed. Click the Create button to create an application.

[Learn more...](#)

Tasks

- Application Builder Defaults
- Application Groups
- Workspace Themes
- Cross Application Reports
- APEX Views
- Demonstration Applications

Recent

- Sample Application - 153

Migrations

- Migrations

ORACLE Application Express

Welcome YUVI (Logout)

Home Application Builder SQL Workshop Team Development Administration Search Application

Home > Application Builder > Create Application

Method

Define Application

Confirm

Create Application Cancel Next >

Application Type:

- ☒ Database
- ☐ Worksheet
- ☐ Sample Applications

Database Applications

Database applications enable developers to have full control over all aspects of development process and final application functionality. With database applications, developers can directly leverage their SQL and PL/SQL programming skills. Database applications use declarative control over flow control and support full user interface controls through the use of templates and themes.

Worksheet Applications

Worksheet applications enable users to build data centric applications without any SQL programming knowledge. Worksheet applications are simplified and support pages, data grids, and reports. These applications are easy to build and support community contributions.

Step 5: Create application from scratch.

ORACLE Application Express

Welcome YUVI (Logout)

Home Application Builder SQL Workshop Team Development Administration Search Application

Home > Application Builder > Create Application Help

Method

Define Application

Confirm

Create Application Cancel < Previous Next >

An application is a collection of pages linked together using tabs, buttons, or hypertext links. The pages in an application share a common session state definition and authentication method.

☒ From Scratch ☐ From Spreadsheet

Create Application

From Scratch:

Create an application by defining pages, selecting an authentication scheme, and specifying a user interface. Pages may be based on tables, queries, or drill-down queries.

From a Spreadsheet:

Create an application based on spreadsheet data. Upload or paste spreadsheet data to create a table. The application will feature query, insert, update, and analysis capabilities on the newly created table.

ORACLE Application Express

Welcome YUVI (Logout)

Home Application Builder SQL Workshop Team Development Administration Search Application

Home > Application Builder > Create Application Help

Method

Name

Pages

Shared Components

Attributes

User Interface

Confirm

Create Application Cancel < Previous Next >

Enter an application name and a unique application ID. Then, select an application creation method and a schema.

Name YUVI 01

Application 154

Create Application: ☒ From scratch ☐ Based on existing application design model

Schema YUVI

Step 6: Select blank application and enter page name and add page.

ORACLE Application Express

Welcome YUVI (Logout)

Home Application Builder SQL Workshop Team Development Administration Search Application

Home > Application Builder > Create Application Help

Method

Name

Pages

Shared Components

Attributes

User Interface

Confirm

Create Application Cancel < Previous

Add pages to your application by selecting a page type and clicking Add Page.

Add Page Add Page

Select Page Type:

☒ Blank ☐ Report ☐ Form ☐ Report and Form

☐ Tabular Form ☐ Master Detail ☐ Chart

Action: Add blank page to application

Page Name: Page 1

Add Page

Select the type of page you wish to create:

- Blank** creates a page with no built-in functionality.
- Report** creates a page that contains the formatted result of a SQL query. You can choose to build a report based on a table you select, or based on a custom SQL SELECT statement or a PL/SQL function returning a SQL SELECT statement that you provide.
- Form** creates a form to update a single row in a database table.
- Report and Form** builds a two page report and form combination. On the first page, users select a row to update. On the second page, users can update the selected table or view.
- Tabular Form** creates a form to perform update, insert, and delete operations on multiple rows in a database table.
- Master Detail** builds a two page report and form combination. On the first page

Step 7: Then select report and form and enter table name from list of values and add pages.

ORACLE Application Express

Welcome YUVI (Logout)

Home Application Builder SQL Workshop Team Development Administration Search Application

Home > Application Builder > Create Application

Method

Name

Pages

Tabs

Shared Components

Attributes

User Interface

Confirm

Create Application

Cancel < Previous Next > Create

Page	Page Name	Page Type	Source Type	Source	Delete
1	Page 1	Blank	-	-	X

Add Page

Select Page Type:

☐ Blank ☐ Report ☐ Form ☒ Report and Form

☐ Tabular Form ☐ Master Detail ☐ Chart

Action: Add a report with an edit form on a second page

Subordinate to Page: Top Level Page

Table Name: DEPT

Implementation: Interactive

Add Page

Select the type of page you wish to create:

- Blank creates a page with no built-in functionality.
- Report creates a page that contains the formatted result of a SQL query. You can choose to build a report based on a table you select, or based on a custom SQL SELECT statement that you provide.
- Form creates a form to update a single row in a database table.
- Report and Form builds a two page report and form combination. On the first page, users select a row to update. On the second page, users can update the selected table or view.
- Tabular Form creates a form to perform update, insert, and delete operations on multiple rows in a database table.
- Master Detail builds a two page report and form combination. On the first page,

ORACLE Application Express

Welcome YUVI (Logout)

Home Application Builder SQL Workshop Team Development Administration Search Application

Home > Application Builder > Create Application

Method

Name

Pages

Tabs

Shared Components

Attributes

User Interface

Confirm

Create Application

Cancel < Previous Next > Create

Page	Page Name	Page Type	Source Type	Source	Delete
1	Page 1	Blank	-	-	X
2	Dept	Report	Table	DEPT	X
3	Dept	Form	Table	DEPT	X

Add Page

Select Page Type:

☐ Blank ☐ Report ☐ Form ☒ Report and Form

☐ Tabular Form ☐ Master Detail ☐ Chart

Action: Add a report with an edit form on a second page

Subordinate to Page: Top Level Page

Table Name:

Implementation: Interactive

Add Page

Select the type of page you wish to create:

- Blank creates a page with no built-in functionality.
- Report creates a page that contains the formatted result of a SQL query. You can choose to build a report based on a table you select, or based on a custom SQL SELECT statement that you provide.
- Form creates a form to update a single row in a database table.
- Report and Form builds a two page report and form combination. On the first page, users select a row to update. On the second page, users can update the selected table or view.
- Tabular Form creates a form to perform update, insert, and delete operations on multiple rows in a database table.
- Master Detail builds a two page report and form combination. On the first page,

Step 8: Create application from one level of tabs.

ORACLE Application Express

Welcome YUVI (Logout)

Home Application Builder SQL Workshop Team Development Administration Search Application


Home > Application Builder > Create Application Help

Method
Name
Pages
Tabs
Shared Components
Attributes
User Interface
Confirm

Create Application Cancel < Previous Next >

Application: 154
Name: YUVI 01

Tabs:
☐ No Tabs ☒ One Level of Tabs ☐ Two Levels of Tabs



Application Express 4.0.2.00.09

ORACLE Application Express

Welcome YUVI (Logout)

Home Application Builder SQL Workshop Team Development Administration Search Application

Home > Application Builder > Create Application Help

Method
Name
Pages
Tabs
Shared Components
Attributes
User Interface
Confirm

Create Application Cancel < Previous Next >

Shared components are common application elements that can be displayed or applied across multiple pages in an application. To save time or maintain consistency between applications, it is possible to copy the shared components from an existing application.

Copy Shared Components from Another Application:
☐ Yes
☒ No

Application Express 4.0.2.00.09

Step 9: Select application express and change date format.

ORACLE Application Express

Welcome YUVI (Logout)

Home Application Builder SQL Workshop Team Development Administration Search Application

Home > Application Builder > Create Application Help

Method
Name
Pages
Tabs
Shared Components
Attributes
User Interface
Confirm

Create Application Cancel < Previous Next >

Authentication Scheme:
☒ Application Express ☐ No Authentication ☐ Database Account



Language:
English (en)

User Language Preference Derived From:
Application Primary Language

Date Format:

Application Express 4.0.2.00.09

Step 10:Select theme1 and click next.

ORACLE® Application Express

Welcome YUVI (Logout)

Home Application Builder SQL Workshop Team Development Administration Search Application

Home > Application Builder > Create Application Help

Method
Name
Pages
Tabs
Shared Components
Attributes
User Interface
Confirm

Create Application Cancel < Previous Next >

Show All Themes

Select a theme:

☒ Theme 1

Theme 1 - Red

Welcome ADMIN (Logout) Feedback

Home Customers Products Orders Charts Admin Theme Testing Application RDS

Home > Products

Products

Go

Actions

Stock ID	Product	Description	Availability	Category	Price
1	3.2 GHz Desktop PC	All the options, this machine is loaded!	Y	Computer	1200
2	MP3 Player	Store up to 1000 songs and take them with you	Y	Audio	199
3	Bluetooth Headset	Hands-free without the wires!	Y	Phones	40
4	PDA-Cel Phone	Combine your cell phone and PDA into one device	Y	Phones	299
5	Portable DVD Player	Small enough to take anywhere!	Y	Video	500

Comments

This page shows various display controls used for this theme.

Date

Comments

Reset Apply

☐ Theme 2

Theme 2 - Builder Blue

Welcome ADMIN (Logout) Feedback

Home Customers Products Orders Charts Admin Theme Testing Application RDS

Home > Products

Products

Go

Actions

Stock ID	Product	Description	Availability	Category	Price
----------	---------	-------------	--------------	----------	-------

Comments

This page shows various display controls used for this theme.

Date

Comments

Reset Apply

Themes

A theme is a named collection of templates that defines the application user interface.

Each theme contains templates for every type of application component and page control, including individual pages, regions, reports, lists, labels, breadcrumbs, buttons, and list of values. Templates contain HTML and variables that the Application Express engine substitutes with dynamic values at runtime.

Compatibility

* Indicates theme is IE 6 compatible

ORACLE® Application Express

Welcome YUVI (Logout)

Home Application Builder SQL Workshop Team Development Administration Search Application

Home > Application Builder > Create Application Help

Method
Name
Pages
Tabs
Shared Components
Attributes
User Interface
Confirm

Create Application Cancel < Previous Create

 You have requested to create an application with the following attributes. Please confirm your selections.

Application	154
Name	YUVI 01
Parsing Schema	YUVI
Default Language	en
Tabs	One Level of Tabs
Default Authentication Scheme	Application Express Authentication
Theme Type	Standard
Theme	21


UI Theme



☐ Save this definition as a design model for reuse

Application Express 4.0.2.00.09

Step 11:Create and run application.



Step 12: Login with username and password.

Login

Username yuvi

Password ••••• Login

Step 13: Report is generated.

Page 1

Dept

Welcome: YUVI

Logout

Dept

Q-

Go

Actions

Create

Deptno	Dname	Loc
 10	ACCOUNTING	NEW YORK
 20	RESEARCH	DALLAS
 30	SALES	CHICAGO
 40	OPERATIONS	BOSTON

1 - 4

RESULT:

Thus the report using oracle 11G is executed successfully.

AIM:

To create a web sheet application using oracle 11 G.

INTRODUCTION TO ORACLE APPLICATION EXPRESS:

Oracle Application express (abbreviated APEX, previously named Oracle HTML DB) is a well-based software development environment that runs on a Oracle database. It is fully supported and comes standard (at no additional cost) with all Oracle Database editions and, starting with Oracle 11g, is installed by default as part of the core database install.

CREATION OF WEBSHEET APPLICATION:

STEPS:

Step1: visit <http://127.0.1:8080/apex/f?p=4950> and create workspace.

ORACLE Oracle Database XE 11.2 Welcome: SYSTEM Logout

Home Storage Sessions Parameters **Application Express**

Home > Oracle Application Express

2 errors have occurred

- Workspace name already exists
- Database user already exists.

Create Application Express Workspace Cancel Create Workspace

Database User ☒ Create New ☐ Use Existing

* Database Username Database user already exists. reservation

* Application Express Username reservation

* Password *****

* Confirm Password *****

Getting Started Already have an account? Login Here

To get started with Oracle Application Express, create a workspace. You will need to specify:

- Database Username - Name of the database user to be created
- Application Express Username - Your login name for the Application Express Workspace
- Password - Password of both your database user and Application Express user

Once created, you will be able to [login to your Application Express workspace](#) using these credentials

Oracle

Step2: Enter application express and credentials.

The screenshot shows the Oracle Application Express login interface. At the top, it says "ORACLE Application Express". Below this, there's a graphic of a database cylinder and a pencil. To the right, there's a form with the following fields: "Workspace" (containing "RESERVATION"), "Username" (containing "RESERVATION"), and "Password" (containing "****"). A "Login" button is below the password field. A link "Click here to learn how to get started" is also present. Below the login form, there's a paragraph of text: "Oracle Application Express is a rapid Web application development tool that lets you share data and create custom applications. Using only a Web browser and limited programming experience, you can develop and deploy powerful applications that are both fast and secure." At the bottom, there's a language selection bar with options: "Language: English, Português (Brasil), 中文 (简体), 日本語". Below this, there are three main sections: "Workspace" (with links: Reset Password, Find My Workspace, Administration), "Getting Started" (with links: Learn..., Oracle Technology Network, apex.oracle.com, Oracle by Example's), and "Community" (with links: Discussion Forum, Packaged Applications, Partners, BLOGs).

ORACLE Application Express

Enter Application Express workspace and credentials.

Workspace:

Username:

Password:

[Click here to learn how to get started](#)

Oracle Application Express is a rapid Web application development tool that lets you share data and create custom applications. Using only a Web browser and limited programming experience, you can develop and deploy powerful applications that are both fast and secure.

Language: English, Português (Brasil), 中文 (简体), 日本語

Workspace

- Reset Password
- Find My Workspace
- Administration

Getting Started

- Learn ...
- Oracle Technology Network
- apex.oracle.com
- Oracle by Example's

Community


- Discussion Forum
- Packaged Applications
- Partners
- BLOGs

Step3: under application builder and select websheet application.


The screenshot shows the Oracle Application Express workspace after login. The top navigation bar includes "Home", "Application Builder", "SQL Workshop", "Team Development", and "Administration". The "Application Builder" menu is open, showing options: "Applications", "Database Applications", "Worksheet Applications", "Create", "Import", "Export", "Repository", and "Migrate". The main workspace area has a "Workspace" section with a "Learn more ..." link. Below this, there are four icons: "Application Builder", "SQL Workshop", "Team Development", and "Administration". The "Team Development" icon is highlighted. On the right, there's an "About" section with text: "Application Express is a rapid Web application development tool that lets you share data and create applications. Using only a Web browser and limited programming experience, you can develop and deploy applications that are fast and secure." Below this, there's an "Available Updates" section. At the bottom, there's a "Language" section with options: "English", "Português (Brasil)", "中文 (简体)", and "日本語". The "News" section is also visible, with "Top Applications", "Top Users", and "Team Development" subsections. The "Team Development" subsection shows a table with the following data:

Team Development	
Show: All	
Release: All Releases	
Features	0
Todo's	0
Milestones	0
Bugs	0
Feedback	0

Set Screen Reader Mode On



Step4:Select websheet application.



ORACLE Application Express

Welcome RESERVATION (Logout)

Home Application Builder SQL Workshop Team Development Administration Search Application

Home > Application Builder > Create Application Help

Method

Define Application

Confirm

Create Application

Cancel < Previous Next >

Name RESERVATION 01

Application 148

Description

Home Page Section

Title Welcome

Content

Step5:Confirm your application.

ORACLE Application Express

Welcome RESERVATION (Logout)

Home Application Builder SQL Workshop Team Development Administration Search Application

Home > Application Builder > Create Application Help

Method

Define Application

Confirm

Confirm

Cancel < Previous Create

✓ You have requested to create a Worksheet with the following attributes. Please confirm your selections.

Application 148

Name RESERVATION 01

Description

Page Name Sample home page will be created.

Section Title Welcome

Workspace: RESERVATION User: RESERVATION

Application Express 4.0.2.00.09

Language: en | Copyright © 1999, 2010, Oracle. All rights reserved.

Step6:Enter the name and click next.

ORACLE® Application Express

Welcome RESERVATION (Logout)

Home Application Builder SQL Workshop Team Development Administration Search Application

Home > Application Builder > Create Application Help

Method

Define Application

Confirm

Create Application Cancel < Previous Next >

Name HUMAN RESOURCE MANAGMENT\$


Application 128

Description


Home Page Section

Title Welcome

Content



Step7:Run the application.



Step 8:Enter with username and password.


The screenshot shows the Oracle Application Express login interface. At the top, there is a browser window titled 'Login'. The main content area has a header 'ORACLE® Application Express'. Below the header, on the left, is a graphic of a database cylinder with a hand cursor pointing at it. To the right of the graphic, the text 'Enter Websheets credentials.' is displayed. Below this text are two input fields: 'Username' with the value 'RESERVATION' and 'Password' with masked characters '*****'. A yellow 'Login' button is positioned to the right of the password field. Below the input fields are two links: 'Reset Password' and 'Oracle Application Express Development'. At the bottom of the page, a language selection bar shows 'Language: English, Português (Brasil), 中文 (简体), 日本語'.

ADDING A TEXT SECTION TO A PAGE:


Step 9:under page option select new section.

The screenshot displays the Oracle Application Express page editor. The top navigation bar includes 'Home', 'Page', 'Data', and 'Administration'. The 'Page' dropdown menu is open, showing options: 'Home Page', 'Page Directory', 'Edit Page', 'History', 'New Page', and 'New Section' (which is highlighted). The main content area is titled 'HUMAN RESOURCE MANagements' and shows a page titled 'RESERVATION' with a timestamp 'ago by RESERVATION View history'. On the right side, there is a 'Page' panel with a search bar and a list of actions: 'New Section', 'Edit Sections', 'New Page', 'Copy Page', 'Edit Page', 'Page Directory', and 'New Data Grid'. Below this panel, there are sections for 'Peer Pages' (showing 'No peer pages exist') and 'Annotations' (with three 'Add View' buttons). The bottom status bar indicates 'User: RESERVATION' and 'Language: en'. The footer of the page shows 'Application Express 4.0.2.00.09'.

Step 10:Select text option.



Step 11:Enter the content and create.



Step 12: New section created.

HUMAN RESOURCE MANAGERMENTS Welcome RESERVATION Language (Logout)

Page ▾ Data ▾ Administration ▾

Home   Help

New section created. 

Welcome 

Overview 
The application enables you to view the details of all employee across all departments. You can edit to add or delete information and also create additional pages and page section

- Page created 11 minutes ago by RESERVATION
- Content last updated 1 seconds ago by RESERVATION [View history](#)

[Set Screen Reader Mode On](#)

Page

-  New Section
-  Edit Sections
-  New Page
-  Copy Page
-  Edit Page
-  Page Directory
-  New Data Grid

Peer Pages

No peer pages exist

Annotations

-  Add View
-  Add View
-  Add View

Application Express 4.0.2.00.09

ADDING A FILE TO A PAGE:

Step 13: Browse the file.

HUMAN RESOURCE MANAGERMENTS Welcome RESERVATION Language (Logout)

Page ▾ Data ▾ Administration ▾

Add File  Help

Upload File



View Page

Add File   

File 

Alias

Description

About

Associated a file with the current page. You can reference this file in any page using the image or file syntax (see Help > Markup Syntax).

Application Express 4.0.2.00.09

STEP 14:File will added to a page.

HUMAN RESOURCE MANagements Welcome RESERVATION Language (Logout)

Page ▾ Data ▾ Administration ▾

Home ✉ Help

New section created. ✕

Welcome Edit

Overview Edit

The application enables you to view the details of all employee across all departments. You can edit to add or delete information and also create additional pages and page section

- Page created 11 minutes ago by RESERVATION
- Content last updated 1 seconds ago by RESERVATION [View history](#)

[Set Screen Reader Mode On](#)

Page

- New Section
- Edit Sections
- New Page
- Copy Page
- Edit Page
- Page Directory
- New Data Grid

Peer Pages

No peer pages exist

Annotations

- Add View
- Add View
- Add Tag

ADDING A TAG TO A PAGE:

Step 15:Enter sample in the tag filed and add tag.

HUMAN RESOURCE MANagements Welcome RESERVATION Language (Logout)

Page ▾ Data ▾ Administration ▾

Add Tag Help

Add Tag Cancel Apply

Tags


Enter a comma separated list of tags for this page.

Application Express 4.0.2.00.09

Step 16:Tag is added to a page.



Step 17:Enter the note in the filed and add a note.




Step 18:New resource file will be added.



DISPLAYING AN IMAGE:

Step 19:Browse the image file.



Step 20:File will be added.

HUMAN RESOURCE MANAGERMENTS

Welcome RESERVATION

Language (Logout)

Page ▾

Data ▾

Annotations ▾

Administration ▾

Search

Q

Home

File added.

X

Welcome

Edit

Overview

Edit

The application enables you to view the details of all employee across all departments.You can edit to add or delete information and also create additional pages and page section

- Page created 25 minutes ago by RESERVATION
- Content last updated 14 minutes ago by RESERVATION [View history](#)
- Most recent file is Koala.jpg uploaded by RESERVATION 31 seconds ago

[Set Screen Reader Mode On](#)

Page

New Section

Edit Sections

New Page

Copy Page

Edit Page

Page Directory

New Data Grid

Peer Pages

No peer pages exist

Annotations


Add View

Add View

Add View


Files

Jellyfish.jpg X




CREATING A DATA GRID:

Step 21: Create data grid from scratch.



Step 22:Enter the table name to create data grid.



Step 23:Add rows to the table.

HUMAN RESOURCE MANagements

Welcome RESERVATION Language (Logout)

Page▼Data▼Annotations▼Administration▼

Search

Home > Data > RESERVATION 01 > Add/Edit Row

CancelSaveSave and Add Another

Data

Eventupdate payroll

Date30-Aug-01

Application Express 4.0.2.00.09

Step 24:Data will be added to the grid.

HUMAN RESOURCE MANagements

Welcome RESERVATION Language (Logout)

Page▼Data▼Annotations▼Administration▼

Search

Home > Data > RESERVATION 01

Action Processed.

GoActions▼Manage▼Add Row >

Event	Date
update payroll	30-AUG-01
update payroll	30-AUG-01

1 - 2 of 2

Application Express 4.0.2.00.09

RESULT:

Thus the web sheet application using oracle 11 G is implemented successfully.


AIM:

To create PL/SQL programs using oracle 11G.


CREATING A PROCEDURE:

Step 1: Log in to Database Home Page

Step 2: On the home page, click the sql icon to display the sql page.




Step 3: Click the SQL Commands icon to display the SQL Command page.




Step 4: On the SQL commands page enter the PL/SQL code for the PL/SQL procedure or function.

Step 5: Select (highlight) the code for creating the procedure or function ,then click the Run button create the procedure or function.



Step 6: Select (highlight) the code for calling the procedure or function, then click the Run button to call the procedure or function.



Step 7: If you want to save the PL/SQL code for future use, click the save button.


Step 8: In the Name field, enter a name for the saved PL/SQL code. You can also enter an optional description. Click the Save button to save the code.

Step 9: To access saved PL/SQL code, click the Saved SQL tab and select the name of the saved PL/SQL code that you want to access.


SEQUENCE:

Creating a Sequence:


Step 1: On the Workspace home page, click SQL Workshop and then Object Browser. Object Browser appears.



Step 2: Click the Create icon.



Step 3: From the list of object types, select Sequence.



Step 4: For Define:

1. **Sequence Name** – Enter the name of the sequence.
2. **Preserve Case** – To have the final sequence name match the case entered in the Sequence Name field, click Preserve Case.
3. **Start With** – Enter the number of the first sequence, The first reference to sequence_name.nextval returns this number.
4. **Minimum value** – Enter the minimum value this sequence can return.
5. **Maximum Value** – Enter the maximum value this sequence can return.
6. **Increment By** – Each call to sequence_name.nextval returns a value greater than the last, until the maximum value is reached. Enter the value used to increment to the next sequence number.
7. **Cycle** – Select this option to restart the sequence number to the minimum value when the maximum value is reached. Note that this is not recommended if using the sequence for primary key creation.
8. **Number to Cache** – For faster access, specify how many sequence values are stored in memory.
9. **Order** – Specify ORDER to guarantee that sequence numbers are generated in order of request. This option is necessary if using Real Application Clusters (Oracle RAC).

ORACLE® Application Express

Welcome DATA (Logout)

Home Application Builder SQL Workshop Team Development Administration

Home > SQL Workshop > Create Sequence Help

Select Object Type

Define

Confirm

Create Sequence

Cancel < Previous Next >

Schema DATA

Sequence Name TRAIN

☒ Preserve Case

Start With 20

Minimum Value 20

Maximum Value 40

Increment By 1

☒ Cycle

Number to Cache 4

☒ Order

Database sequences are database objects used to generate integer values according to rules defined when the sequence is created. Database sequences are generally used to populate table primary keys.

Workspace: DATA User: DATA

Application Express 4.0.2.00.09

Language: en | Copyright © 1999, 2010, Oracle. All rights reserved.

Step 5: Click Next.

ORACLE® Application Express

Welcome DATA (Logout)

Home Application Builder SQL Workshop Team Development Administration

Home > SQL Workshop > Create Sequence Help

Select Object Type

Define

Confirm

Create Sequence

Cancel < Previous Next >

Schema DATA

Sequence Name TRAIN

☒ Preserve Case

Start With 20

Minimum Value 20

Maximum Value 40

Increment By 1

☒ Cycle

Number to Cache 4

☒ Order

Database sequences are database objects used to generate integer values according to rules defined when the sequence is created. Database sequences are generally used to populate table primary keys.

Workspace: DATA User: DATA

Application Express 4.0.2.00.09

Language: en | Copyright © 1999, 2010, Oracle. All rights reserved.

Step 6: Click create sequence.

The screenshot shows the Oracle Application Express interface. The top navigation bar includes 'Home', 'Application Builder', 'SQL Workshop', 'Team Development', and 'Administration'. The breadcrumb trail is 'Home > SQL Workshop > Object Browser'. The 'Sequences' pane on the left lists several sequences, with 'TRAIN 01' selected. The main pane displays the 'Object Details' for 'TRAIN 01', showing the following properties:

Property	Value
Min Value	20
Max Value	40
Increment By	1
Cycle Flag	Y
Order Flag	Y
Cache Size	4
Last Number	20

The 'Create' button is visible in the top right corner of the main pane.

The screenshot shows the Oracle Application Express interface. The top navigation bar is the same as the previous screenshot. The breadcrumb trail is 'Home > SQL Workshop > Object Browser'. The 'Sequences' pane on the left lists several sequences, with 'TRAIN 02' selected. The main pane displays the 'SQL' tab for 'TRAIN 02', showing the following SQL script:


```
CREATE SEQUENCE "TRAIN 02" MINVALUE 20 MAXVALUE 40 INCREMENT BY 1 START WITH 20 CACHE 4 ORDER CYCLE ;
```

The 'Create' button is visible in the top right corner of the main pane.


Altering a Sequence:



Step 7: From the Object Selection pane, select a sequence. The Object Details view appears.

Step 8: Click Alter.



Step 9: Click finish button.





Grant:

Step 10: Grant, privilege and grant options. We can perform Grant and Revoke in this view.

Home
Application Builder
SQL Workshop
Team Development
Administration

Home > SQL Workshop > Object Browser
Schema | PLSQL
Help

Sequences
DEMO_CUST_SEQ
DEMO_ORDER_ITEMS_SEQ
DEMO_ORD_SEQ
DEMO_PROD_SEQ
DEMO_USERS_SEQ
TRAINS

TRAINS

Grant

Grantee | hr
Grant | ALL
With Grant Option | ☒ Yes

Cancel
Next >

Create

Application Express 4.0.2.00.09

Object Browser
127.0.0.1:8080/apex/f?p=4500:1001:3692463827200550::OB_CURRENT_TYPE,OB_OBJECT_ID,SEQUENCE,22998
Gmail YouTube Maps

ORACLE Application Express
Welcome PLSQL (Logout)

Home
Application Builder
SQL Workshop
Team Development
Administration

Home > SQL Workshop > Object Browser
Schema | PLSQL
Help

Sequences
DEMO_CUST_SEQ
DEMO_ORDER_ITEMS_SEQ
DEMO_ORD_SEQ
DEMO_PROD_SEQ
DEMO_USERS_SEQ
TRAINS

TRAINS

Please confirm your request.

Schema: PLSQL
Object: TRAINS
Action: add grant

Cancel
< Previous
Finish

SQL

Create

Application Express 4.0.2.00.09

Object Browser

127.0.0.1:8080/apex/f?p=4500:1001:3692463827200550::OB_CURRENT_TYPE,OB_OBJECT_ID:SEQUENCE,22998

Gmail YouTube Maps

ORACLE Application Express

Welcome PLSQL (Logout)

Home Application Builder SQL Workshop Team Development Administration

Home > SQL Workshop > Object Browser

Schema | PLSQL

Sequences

DEMO_CUST_SEQ
DEMO_ORDER_ITEMS_SEQ
DEMO_ORD_SEQ
DEMO_PROD_SEQ
DEMO_USERS_SEQ
TRAINS

TRAINS Create

Object Details Grants Dependencies SQL

Grant Revoke

Privilege	Grantee	Grantable	Grantor	Object Name
ALTER	HR	YES	PLSQL	TRAINS
SELECT	HR	YES	PLSQL	TRAINS

1 - 2

Application Express 4.0.2.00.09

Revoke grant:

ORACLE Application Express

Welcome PLSQL (Logout)

Home Application Builder SQL Workshop Team Development Administration

Home > SQL Workshop > Object Browser

Schema | PLSQL

Sequences

DEMO_CUST_SEQ
DEMO_ORDER_ITEMS_SEQ
DEMO_ORD_SEQ
DEMO_PROD_SEQ
DEMO_USERS_SEQ
TRAINS

TRAINS Create


Revoke Grant Cancel Next >

Revoke From | HR


Revoke | All

javascript:popupFieldHelp('10844109748431834','3692463827200550','Close')

Application Express 4.0.2.00.09




Drop sequence:




TRIGGER:

Step 1: Go to Database homepage. Under SQL workshop click object browser.



Step 2: Click create and select trigger.



Step 3: Create trigger and enter the trigger body.

Create Trigger

127.0.0.1:8080/apex/f?p=4500:84:3692463827200550::NO::

Gmail YouTube Maps

ORACLE Application Express Welcome PLSQL (Logout)

Home Application Builder SQL Workshop Team Development Administration

Home > SQL Workshop > Create Trigger Help

Select Object Type

Name

Define

Confirm

Create Trigger Cancel < Previous Next >

Schema: PLSQL
Table: DEPT

Trigger Name: DEPT_T1 ☐ Preserve Case

Firing Point: BEFORE

Options: insert, update, delete

on: DEPT

☒ For Each Row

When:

Trigger Body:

```
:new.DEPTNO:=DEPT_SEQ.nextval;
```

Existing Columns

Column	Type	Length	Precision	Scale	Nulls
1 DEPTNO	NUMBER	22	2	0	N

Step 4: Click finish button.

Confirm Alter Table

127.0.0.1:8080/apex/f?p=4500:9:3692463827200550::NO::

Gmail YouTube Maps

ORACLE Application Express Welcome PLSQL (Logout)

Home Application Builder SQL Workshop Team Development Administration

Home > SQL Workshop > Create Trigger Help

Select Object Type

Name

Define

Confirm

Please confirm your request. Cancel < Previous Finish

Schema: PLSQL
Object: DEPT
Action: Create trigger DEPT_T1


SQL

```
create or replace trigger "DEPT_T1"
before
insert or update or delete on "DEPT"
for each row
begin
:new.DEPTNO:=DEPT_SEQ.nextval;
end;
/
```


Workspace: PLSQL User: PLSQL

Application Express 4.0.2.00.09
Language: en | Copyright © 1999, 2010, Oracle. All rights reserved.


Step 5: Trigger is created.



Step 6: Go to Database application.




Step 7: Create Database application.



Step 8: Select from scratch and click next.

Step 9: Enter an application name.



Oracle Application Express

Welcome PLSQL (Logout)

Home Application Builder SQL Workshop Team Development Administration

Home > Application Builder > Create Application

Method

Name

Pages

Shared Components

Attributes

User Interface

Confirm

Create Application

Cancel < Previous Next >

Enter an application name and a unique application ID. Then, select an application creation method and a schema.

Name: DEPT

Application: 149

Create Application:

☒ From scratch

☐ Based on existing application design model

Schema: PLSQL

Workspace: PLSQL User: PLSQL

Application Express 4.0.2.00.09

Language: en | Copyright © 1999, 2010, Oracle. All rights reserved.

Step 10: Create a tabular form.

Step 11: Create application and run application.

Oracle Application Express

Welcome PLSQL (Logout)

Home Application Builder SQL Workshop Team Development Administration

Home > Application Builder > Create Application

Method

Name

Pages

Shared Components

Attributes

User Interface

Confirm

Create Application

Cancel < Previous

Add Page

Add Page

Select the type of page you wish to create:

- Blank creates a page with no built-in functionality.
- Report creates a page that contains the formatted result of a SQL query. You can choose to build a report based on a table you select, or based on a custom SQL SELECT statement or a PLSQL function returning a SQL SELECT statement that you provide.
- Form creates a form to update a single row in a database table.
- Report and Form builds a two page report and form combination. On the first page, users select a row to update. On the second page, users can update the selected table or view.
- Tabular Form creates a form to perform update, insert, and delete operations on multiple rows in a database table.
- Master Detail builds a two page report and form combination. On the first page, users select a row to update. On the second page, users can update the selected table or view and its associated detail. The associated detail table or view must have a foreign key relationship to the selected master table or view.
- Chart creates a page with a flash chart to represent the

Select Page Type:

☐ Blank ☐ Report ☐ Form ☐ Report and Form

☒ Tabular Form ☐ Master Detail ☐ Chart

Action: Add a tabular form

Table Name: DEPT

Create Application

127.0.0.1:8080/apex/f?p=4000:3005:3692463827200550::NO::

ORACLE Application Express

Welcome PLSQL (Logout)

Home Application Builder SQL Workshop Team Development Administration

Home > Application Builder > Create Application

Method
Name
Pages
Tabs
Shared Components
Attributes
User Interface
Confirm

Create Application

Cancel < Previous Create

You have requested to create an application with the following attributes. Please confirm your selections.

Application	149
Name	DEPT
Parsing Schema	PLSQL
Default Language	en
Tabs	One Level of Tabs
Default Authentication Scheme	Application Express Authentication
Theme Type	Standard

21

UI Theme

☐ Save this definition as a design model for reuse

Application Express 4.0.2.00.09

Workspace: PLSQL User: PLSQL

Language: en | Copyright © 1999, 2010, Oracle. All rights reserved.

Application Builder

127.0.0.1:8080/apex/f?p=4000:1:3692463827200550::NO::RP-F4000_P1_PAGE:&success_msg=Application%20created%20successfully.%2FE1326FBD08390D1EF634474F9...

ORACLE Application Express

Welcome PLSQL (Logout)

Home Application Builder SQL Workshop Team Development Administration

Home > Application Builder > Application 149

Page 1

Application created successfully.

Application: 149 - DEPT

Edit Application Properties Create Page >

Run Application Supporting Objects Shared Components Utilities Export / Import

1 - Dept 101 - Login


1 - 2

Application Express 4.0.2.00.09


Workspace: PLSQL User: PLSQL

Language: en | Copyright © 1999, 2010, Oracle. All rights reserved.

Step 12: Login with username and password.



Step 13: Table will displayed.



RESULT:

Thus the PL/SQL program using oracle 11G is implemented successfully.

AIM:


To create a survey using odoo.

INTRODUCTION TO ODOO:


- Odoo is all-in-one management software that offers a range of business application that form a complete suite of enterprise management application targeting companies of all sizes.
- Odoo keeps on modifying due to its licence free features and thus latest source code is available whenever required.

STEPS IN SUREY MANAGEMENT:


Step1: Visit localhost: 8069 in your web browser, then enter username (admin) and password (admin).





Step2: Click survey option and then click design survey. And give title of the survey.






Step3: Give page title.




Step 4: Enter your questions and its types.













Step5: Review your questionnaires and its types.





Step 6: Start survey.





RESULT:

Thus the report using ODOO is created and verified successfully.

AIM:


To create a leave management using ODOO.

INTRODUCTION TO ODOO:

- Odoo is all-in-one management software that offers a range of business application that form a complete suite of enterprise management application targeting companies of all sizes.
- Odoo keeps on modifying due to its licence free features and thus latest source code is available whenever required.

STEPS IN LEAVE MANAGEMENT:

Step 1: Select leaves in the menu bar.



Step2: Give description and select leave type and fill all the requirements.

The screenshot shows the Odoo HR Leaves form. The 'Create: All Leaves' dialog box is open, displaying the following fields:



- Description:** A text input field.
- Leave Type:** A dropdown menu.
- Duration:** Two date-time pickers for start and end times, and a numeric input for the number of days.
- Mode:** A dropdown menu.
- Employee:** A dropdown menu with 'Pieter Parker' selected.
- Department:** A dropdown menu with 'Management' selected.
- Reported in last payslips:** A radio button.
- Comment by Manager:** A text area with a placeholder 'e.g. Report to the next month...'. Below it are 'Save' and 'Discard' buttons.


The background shows the Odoo interface with a sidebar menu and a calendar view for January 2017.

The screenshot shows the Odoo HR Leaves form. The 'Create: All Leaves' dialog box is open, and the 'Leave Type' dropdown menu is expanded, showing the following options:


- Legal Leaves 2017 (20/20)
- Compensatory Days (4/7)
- Unpaid
- Sick Leaves
- Create and Edit...

The other fields in the form are the same as in the previous screenshot.







Step3: click reported in last pay slips.



Step4: click save.



Step5: After clicking save button then your leave list is displayed.



RESULT:

Thus the leave management using ODOO is created and verified successfully.

AIM:

To create sales component using Hubspot.

INTRODUCTION OF HUBSPOT:

- Hubspot is an inbound marketing and sales platform that helps companies attract visitors and visitors, convert leads and close customers.
- Its products and services aim to provide tools for social media marketing, content management, web analytics and search engine optimization.

STEPS IN HUBSPOT:

Step 1: Start with the link of www.hubspot.com. Understand sales process and lead ownership. Sign in with your email account then create a new contact.

Get started with HubSpot x +

app.hubspot.com/signup-hubspot/crm?hubs_signup-url=www.hubspot.com%2Fproducts%2Fget-started

HubSpot

Create your free account

 Sign up with Google

Or

vasugi aroud

19td0381@rgcet.edu.in

Next >

We're committed to your privacy. HubSpot uses the information you provide to us to contact you about our relevant content, products, and services. You may unsubscribe from these communications at any time. For more information, check out our [Privacy Policy](#)

Step 2: Move data Sale and tell us little about yourself.

Get started with HubSpot

app.hubspot.com/signup-hubspot/crm?hubs_signup-url=www.hubspot.com%2Fproducts%2Fget-started&hubs_signup-cta=getstarted-growth&uuid=5f76c3ad-0...

HubSpot

[Back](#)

Nice to meet you vasugi!

What industry are you in?

Business Supplies and Equipment [×](#)

Next >

classpass SOUNDCLLOUD

G2 Trello

vmware SurveyMonkey

135,000 customers in over 120 countries are growing with HubSpot.

Get started with HubSpot

app.hubspot.com/signup-hubspot/crm?hubs_signup-url=www.hubspot.com%2Fproducts%2Fget-started&hubs_signup-cta=getstarted-growth&uuid=5f76c3ad-0...


HubSpot

[Back](#)

What is your job role?

Project Management Director [×](#)

Next >



Grow traffic. Convert leads.

All the tools you need to attract, generate, and nurture prospective customers and leads.

Get started with HubSpot

app.hubspot.com/signup-hubspot/crm?hubs_signup-url=www.hubspot.com%2Fproducts%2Fget-started&hubs_signup-cta=getstarted-growth&uuid=5f76c3ad-0...

HubSpot

[Back](#)

How many people work at your company?

1	2 to 5	6 to 10
11 to 25	26 to 50	51 to 200
201 to 1,000	1,001 to 10,000	10,001 or more

Step3: Create contact with following details.

Contacts

app.hubspot.com/contacts/22344924/objects/0-1/views/all/list

Create contact

Email
xyz1232gmail.com
This is not a valid email address.

First name
abcd

Last name
xyz

Contact owner
vasugi arool

Job title
marketing

Create contact Create and add another Cancel

Contacts

app.hubspot.com/contacts/22344924/objects/0-1/views/all/list

Contacts ▾ Conversations ▾ Marketing ▾ Sales ▾ Service ▾ Automation ▾ Reports ▾

Contacts ▾ 3 records

Actions ▾ Import Create contact

All contacts X My contacts Unassigned contacts + Add view (3/5) All views

Contact owner ▾ Create date ▾ Last activity date ▾ Lead status ▾ All filters (0) Save view

Search name, phone, e

	NAME	EMAIL	PHONE NUMBER	CONTACT OWNER	PRIMARY COMPANY
☐	xyz abc	ababcd@gmail.com	--	vasugi aroul (19td038...	--
☐	Brian Halligan (Sample...)	bh@hubspot.com	--	Unassigned	Hubspot, Inc.
☐	Maria Johnson (Sampl...	emailmaria@hubspot.com	--	Unassigned	Hubspot, Inc.

< Prev 1 Next > 25 per page

Chat Help

Step4:Create Company.

Companies

app.hubspot.com/contacts/22344924/objects/0-2/views/all/list

Contacts ▾ Conversations ▾ Marketing ▾ Sales ▾ Service ▾ Automation ▾ Reports ▾

Companies ▾ 1 record

All companies X My companies

Company owner ▾ Create date ▾ Last activity date ▾ Lead status ▾ All filters (0)

Search name, phone, o

	COMPANY NAME	COMPANY OWNER	CREATE DATE (GMT+5:30)
☐	Hubspot, Inc.	Unassigned	Today at 12:17 PM

< Prev 1 Next > 25 per page

Create company

Edit this form

Company domain name
jess.in

Company name
Jess

Company owner
vasugi aroul

Industry
Accounting

Type
Reseller

Create Create and add another Cancel

Companies

app.hubspot.com/contacts/22344924/objects/0-2/views/my/list

Contacts Conversations Marketing Sales Service Automation Reports

Companies 1 record

Actions Import Create company

All companies My companies + Add view (2/5) All views

(1) Company o... Create date Last activity date Lead status All filters (1) Clear All Save view

Search name, phone, o Actions

	COMPANY NAME	CREATE DATE (GMT+5:30)	PHONE NUMBER	LAST ACTIVITY DATE (GMT+5:30)	CITY
☐	Jess	Today at 12:31 PM	--	--	--

Prev 1 Next 25 per page

Chat Help

Step 5: Create deal.

Deals

app.hubspot.com/contacts/22344924/objects/0-3/views/all/list

Contacts Conversations Marketing Sales Service Automation Reports

Deals 0 records All pipelines

All deals My deals

Deal owner Create date Last activity date Close date All filters (0)

Search name or descrip

Build a winning sales process.

Deals are the best way to keep track of how you are turning prospects into customers and how much money you are making over time.

Read: [How to design your sales process in HubSpot](#)

Prev Next 25 per page

Create deal

Edit this form

Deal name * jess.in

Pipeline * Sales Pipeline

Deal stage * Appointment scheduled

Amount \$10,000.00

Close date 07/31/2022

Deal owner

Create Create and add another Cancel

Deals 1 record

All deals My deals + Add view (2/5) All views

Deal owner Create date Last activity date Close date All filters (0) Save view

Search name or description

DEAL NAME	DEAL STAGE	CLOSE DATE (GMT+5:30)	DEAL OWNER	AMOUNT
jess.in	Appointment Scheduled (Sal...	Jul 31, 2022	vasugi aroul (19td038...	\$10,00

Prev 1 Next 25 per page

Chat Help

Deals Actions

jess.in

Amount: \$10,000

Close Date: 07/31/2022

Stage: Appointment scheduled

Deal owner: vasugi aroul

Last contacted: --

Deal type: --

Priority: --

View all properties View property history

Search activities

Activity Notes Emails Calls Tasks Meetings

Filter by: Filter activity (10/13) All users

July 2022

Deal activity

Jul 16, 2022 at 12:34 PM GMT+5:30

vasugi aroul moved deal to Appointment scheduled. View details

This deal was created by vasugi aroul

Jul 16, 2022 at 12:34 PM GMT+5:30

Contacts (0) + Add

See the people associated with this record.

Companies (0) + Add

See the businesses or organizations associated with this record.

Tickets (0) + Add

Track the customer requests associated with this record.

Attachments + Add

See the files attached to your activities or uploaded to this record.

Deal create attribution

Attribute deal creation to marketing

Chat Help

RESULT:

Thus the sales component using hubspot is created and verified successfully.