

REG NO: 22TD0058 NAME: NASRIN J YEAR/SEM/SEC: Y3/S6/B

STUDY OF SQL COMMANDS

DDL COMMANDS

CREATE

SQL> create table database(S_no number(4), s_name varchar2(10), s_dob date, total number(8,2));

Table created.

SQL> desc database

Name	Null?	Type
S_NO		NUMBER(4)
S_NAME		VARCHAR2(10)
S_DOB		DATE
TOTAL		NUMBER(8,2)

SQL> create table db1 as select * from database;

Table created.

SQL> desc db1

Name	Null?	Type
S_NO		NUMBER(4)

S_NAME	VARCHAR2(10)
S_DOB	DATE
TOTAL	NUMBER(8,2)

SQL> create table db2 as select s_name,s_dob from database;
Table created.

SQL> desc db2

Name	Null?	Type

S_NAME		VARCHAR2(10)
S_DOB		DATE

ALTER

SQL> alter table database modify S_no number(6);
Table altered.

SQL> desc database

Name	Null?	Type

S_NO		NUMBER(6)
S_NAME		VARCHAR2(10)
S_DOB		DATE
TOTAL		NUMBER(8,2)

SQL> alter table database modify (S_no number(8),s_name varchar2(12));
Table altered.

SQL> desc database

Name	Null?	Type

S_NO		NUMBER(8)
S_NAME		VARCHAR2(12)
S_DOB		DATE
TOTAL		NUMBER(8,2)

SQL> alter table database add rank number(2);

Table altered.

SQL> desc database

Name	Null?	Type

S_NO		NUMBER(8)
S_NAME		VARCHAR2(12)
S_DOB		DATE
TOTAL		NUMBER(8,2)
RANK		NUMBER(2)

SQL> alter table database add(age number(2), grade char(1));

Table altered.

SQL> DESC DATABASE

Name	Null?	Type

S_NO		NUMBER(8)
S_NAME		VARCHAR2(12)
S_DOB		DATE
TOTAL		NUMBER(8,2)
RANK		NUMBER(2)
AGE		NUMBER(2)
GRADE		CHAR(1)

DROP

SQL> alter table database drop column age;

Table altered.

SQL> DESC DATABASE

Name	Null?	Type

S_NO	NUMBER(8)
S_NAME	VARCHAR2(12)
S_DOB	DATE
TOTAL	NUMBER(8,2)
RANK	NUMBER(2)
GRADE	CHAR(1)

SQL> alter table database drop(grade,rank);
Table altered.

SQL> DESC DATABASE

Name	Null?	Type

S_NO		NUMBER(8)
S_NAME		VARCHAR2(12)
S_DOB		DATE
TOTAL		NUMBER(8,2)

RENAME

SQL> alter table database rename column s_name to sname;
Table altered.

SQL> alter table database rename column s_no to sno;
Table altered.

SQL> DESC DATABASE

Name	Null?	Type

SNO		NUMBER(8)
SNAME		VARCHAR2(12)
S_DOB		DATE
TOTAL		NUMBER(8,2)

SQL> RENAME DATABASE TO RECORD;
Table renamed.

SQL> DESC RECORD

Name	Null?	Type

SNO		NUMBER(8)
SNAME		VARCHAR2(12)
S_DOB		DATE
TOTAL		NUMBER(8,2)

NOT NULL

SQL> alter table record modify sno not null;
Table altered.

SQL> DESC RECORD

Name	Null?	Type

SNO	NOT NULL	NUMBER(8)
SNAME		VARCHAR2(12)
S_DOB		DATE
TOTAL		NUMBER(8,2)

NULL

SQL> alter table record modify sno null;
Table altered.

SQL> DESC RECORD

Name	Null?	Type

SNO		NUMBER(8)
SNAME		VARCHAR2(12)
S_DOB		DATE
TOTAL		NUMBER(8,2)

PRIMARY KEY

SQL> create table data (d_no number(3)primary key,d_name char(12),mark number(4));
Table created.

SQL> desc data

Name	Null?	Type
D_NO	NOT NULL	NUMBER(3)
D_NAME		CHAR(12)
MARK		NUMBER(4)

SQL> insert into data

values(1,'abi',500); 1 row created.

SQL> insert into data

values(2,'dhivya',501); 1 row created.

SQL> select * from data;

D_NO	D_NAME	MARK
1	abi	500
2	dhivya	501

DQL COMMAND

SELECT

SQL>select mark from data where d_no=1

MARK

500

USING ALTER COMMAND

SQL> alter table dbs add primary key(dbsno);

Table altered.

SQL> DESC DBS

Name	Null?	Type
DBSNO	NOT NULL	NUMBER(3)
DBSNAME		CHAR(8)
MARK		NUMBER(3)

FOREIGN KEY

SQL> create table dept(dno number(3) primary key,
2 dname varchar2(20),
3 location
varchar2(15)); Table
created.

SQL> create table emp(eno number(3),dno number(3) references
dept(dno), 2 design varchar2(20)); Table created.

SQL> desc emp

Name	Null?	Type
ENO		NUMBER(3)
DNO		NUMBER(3)
DESIGN		VARCHAR2(20)

SQL> desc dept

Name	Null?	Type
DNO	NOT NULL	NUMBER(3)
DNAME		VARCHAR2(20)
LOCATION		VARCHAR2(15)

CHECK CONSTRAINTS

COLUMN LEVEL

SQL> create table database(dbno number(3),dbname char(8),mark
number(3)constrai t database_mark_ck check(mark>50 and mark<100)); Table
created.

SQL> desc database;

Name	Null?	Type
DBNO		NUMBER(3)
DBNAME		CHAR(8)

MARK NUMBER(3)

```
SQL> insert into database
values(1,'dhivya',88); 1 row created.
```

TABLE LEVEL

```
SQL> create table dbs(dbsno number(3),dbsname char(8),mark number(3));
Table created.
```

```
SQL> alter table dbs add constraints dbs_mark_ck check(mark>50 and mark<100);
Table altered.
```

```
SQL> desc dbs
```

Name	Null?	Type
DBSNO		NUMBER(3)
DBSNAME		CHAR(8)
MARK		NUMBER(3)

```
SQL> insert into dbs
values(1,'dhana',88); 1 row created.
```

UNIQUE CONSTRAINTS

```
SQL> create table dbs1(dbno number(3),dbname char(8),mark
number(3)constraint dbs1 mark uk unique); Table created.
```

```
SQL> desc dbs1
```

Name	Null?	Type
DBNO		NUMBER(3)
DBNAME		CHAR(8)
MARK		NUMBER(3)

```
SQL> select * from dbs1;
```

DBNO	DBNAME	MARK
-	1	ABI
		456

```
SQL> insert into dbs1 values(1,'dhivya',456);
```

```

insert into dbs1
values(1,'dhivya',456) *
ERROR at line 1:
ORA-00001: unique constraint (A212411104011.DBS1_MARK_UK) violated

```

CONSTRAINT ENABLE/DISABLE

```

SQL> alter table dbs disable constraint dbs_mark_ck;
Table altered.

```

```

SQL> insert into dbs
values(1,'dhivya',48); 1 row created.

```

DML COMMANDS

INSERT

```

SQL> insert into record
values(001,'Abi','23nov93',999); 1 row created.

```

```

SQL> insert into record
values(002,'Arthi','29jan93',999); 1 row created.

```

```

SQL> insert into record
values(003,'Dhivya','24aug93',998); 1 row created.

```

```

SQL> select * from record;

```

SNO	SNAME	S_DOB	TOTAL
1	Abi	23-NOV-93	999
2	Arthi	29-JAN-94	999
3	Dhivya	24-AUG-93	998

```

SQL> insert into record values(&sno,&sname','&s_dob',&total);
Enter value for sno: 002
Enter value for sname: Arthi
Enter value for s_dob: 29jan94 Enter value for total: 997 old
1: insert into record values(&sno,&sname','&s_dob',&total)

```

new 1: insert into record values(002,'Arthi','29jan94',997) 1 row created.

SQL> /

Enter value for sno: 003

Enter value for sname: Dhivya

Enter value for s_dob: 24aug93 Enter value for total: 998 old

1: insert into record values(&sno,&sname','&s_dob',&total)

new 1: insert into record values(003,'Dhivya','24aug93',998)

1 row created.

SQL> /

Enter value for sno: 004

Enter value for sname: saranya

Enter value for s_dob: 24nov1993 Enter value for total: 998

old 1: insert into record

values(&sno,&sname','&s_dob',&total) new 1: insert into

record values(004,'saranya','24nov1993',998) 1 row created.

SQL> select * from record;

	SNO	SNAME	S_DOB	TOTAL
-	1	Abhi	23-NOV-93	999
2	Arthi	29-JAN-94	997	
3	Dhivya	24-AUG-94	998	
4	saranya	24-NOV-93	998	

SAVEPOINT AND ROLLBACK

SQL> select * from record;

	SNO	SNAME	S_DOB	TOTAL
2	Arthi	29-JAN-94	997	
3	Dhivya	24-AUG-93	1000	
	1	Abhi	23-NOV-93	999
	4	saranya	24-NOV-93	998

SQL> savepoint r1;

Savepoint created.

SQL> update record set total=1000 where
sno=4; 1 row updated.

SQL> select * from record;

	SNO	SNAME	S_DOB	TOTAL
2	Arthi		29-JAN-94	997
3	Dhivya		24-AUG-93	1000
1	Abhi		23-NOV-93	999
4	saranya		24-NOV-93	1000

SQL> roll back r1;
Rollback complete.

SQL> select * from record;

	SNO	SNAME	S_DOB	TOTAL
2	Arthi		29-JAN-94	997
3	Dhivya		24-AUG-93	1000
1	Abhi		23-NOV-93	999
4	saranya		24-NOV-93	998

DCL COMMANDS

Oracle provides extensive feature in order to safeguard information stored in its tables from unauthorised viewing and damage. The rights that allow the user of some or all oracle resources on the server are called privileges.

a) Grant privileges using the GRANT statement

The grant statement provides various types of access to database objects such as tables, views and sequences and so on.

Syntax:

```
GRANT <object privileges>  
ON <objectname>  
TO <username>  
[WITH GRANT OPTION];
```

b) Revoke permissions using the REVOKE statement:

The REVOKE statement is used to deny the Grant given on an object.

Syntax:

REVOKE<object privilege>

ON

FROM<user name>;

REG NO: 22TD0058 NAME: NASRIN J YEAR/SEM/SEC: Y3/S6/B


CREATION OF DATABASE APPLICATION USING ORACLE

INTRODUCTION TO ORACLE APPLICATION EXPRESS:

Oracle Application Express(abbreviated APEX, previously named Oracle HTML DB) Is a web based software development environment that runs on an Oracle database. It is fully supported and comes standard (at no additional cost) with all Oracle Database edition and starting, with Oracle 11g, is installed by default as part of the core database install.

CREATION OF DATABASE APPLICATION:

Step 1:visit <http://127.0.0.1:8080/apex/f?p=4950> and create workspace.



Application Express

127.0.0.1:8080/apex/f?p=4950:7:1507600335866598::NO

Oracle Database XE 11.2

Welcome: SYSTEM Logout

Home Storage Sessions Parameters Application Express

Home > Oracle Application Express

Create Application Express Workspace

Cancel Create Workspace

Database User ☒ Create New ☐ Use Existing

* Database Username dataapp

* Application Express Username dataapp

* Password ****

* Confirm Password ****

Getting Started


Already have an account? Login Here

To get started with Oracle Application Express, create a workspace. You will need to specify:


- Database Username - Name of the database user to be created
- Application Express Username - Your login name for the Application Express Workspace
- Password - Password of both your database user and Application Express user

Once created, you will be able to [login to your Application Express workspace](#) using these credentials


Oracle




Step 3: Go to SQL Workshop. And click DATA Workshop



Step 4: Select Text Data.



Step 5: Load Data from existing data.




Step 6: Load TableName as DEPT.


The screenshot shows the Oracle Application Express interface. The breadcrumb trail is: Home > SQL Workshop > Utilities > Data Workshop > Load Data. The left sidebar contains buttons for Schema, Table Name (highlighted), File Details, and Column Mapping. The main content area has a 'Load Data' header with 'Cancel', '< Previous', and 'Next >' buttons. Below this is a 'Table Name' dropdown menu with 'DEPT' selected. A right-hand panel titled 'Load Data' contains the instruction: 'Select the database table you would like load data into.' The footer shows 'Workspace: DATAAPP User: DATAAPP' and 'Application Express 4.0.2.00.09'.

Step 7: Choose file from downloads and load it.


The screenshot shows the Oracle Application Express interface at the 'Load Data' step. The breadcrumb trail is: Home > SQL Workshop > Utilities > Data Workshop > Load Data. The left sidebar contains buttons for Schema, Table Name, File Details (highlighted), and Column Mapping. The main content area has a 'Load Data' header with 'Cancel', '< Previous', and 'Next >' buttons. Below this is a 'File' section with a 'Choose File' button and '1.txt' displayed. There is a 'Separator' dropdown menu, an 'Optionally Enclosed By' dropdown menu, a checked checkbox for 'First row contains column names.', and a 'File Character Set' dropdown menu set to 'Unicode UTF-8'. A right-hand panel titled 'Load Data' contains instructions: 'Use this page to locate the file to be uploaded.' and 'If the first row contains columns names, select First row contains column names.' The footer shows 'Workspace: DATAAPP User: DATAAPP' and 'Application Express 4.0.2.00.09'.



Step 8: File will be added.




Step 9: Go to Database application and create database.



This screenshot shows the Oracle Application Express interface for the Text Data Load Repository. The top navigation bar includes links for Home, Application Builder, SQL Workshop, Team Development, and Administration. The main content area displays a table with columns for Name, Type, Schema, Table, Bytes, Succeeded, and Failed. A dropdown menu is open under the 'Applications' link, showing options like 'Database Applications', 'Worksheet Applications', 'Create', 'Import', 'Export', 'Repository', and 'Migrate'. The 'Repository' section on the right provides instructions on how to access and delete loaded text data.

Name	Type	Schema	Table	Bytes	Succeeded	Failed
DATAAPP	Text Import	DATAAPP	DEPT	5	0	0



This screenshot shows the Oracle Application Express interface for the Application Builder. The top navigation bar includes links for Home, Application Builder, SQL Workshop, Team Development, and Administration. The main content area displays a search bar and a list of applications. The 'Database Applications' tab is selected, showing a list of applications. The 'About' section on the right provides information about the Application Builder and its capabilities.

Workspace: DATAAPP User: DATAAPP

Application Express 4.0.2.00.09

Language: en | Copyright © 1999, 2010, Oracle. All rights reserved.

Home > Application Builder

All Applications Database Applications Worksheet Applications


Reset Import Export Create >

150. Sample Application


1 - 1

Application Express 4.0.2.00.09


Language: en | Copyright © 1999, 2010, Oracle. All rights reserved.




Step 10: Select from scratch and click next.




Step 11: Create Application and create next.




Step 12: Click report and Form.





Step 13: Click Master detail.



Step 14: Create Application with one level of tabs.

The screenshot shows the Oracle Application Express 'Create Application' wizard. The browser address bar displays '127.0.0.1:8080/apex/?p=4000:437:177311542807054:NO::'. The wizard is at the 'Tabs' step, with 'Application: 156' and 'Name: APPDATA 03'. The 'One Level of Tabs' option is selected, accompanied by a visual diagram of a single tab. The left sidebar contains buttons for Method, Name, Pages, Tabs (highlighted), Shared Components, Attributes, User Interface, and Confirm. The bottom status bar indicates 'Workspace: APPDATA User: APPDATA' and 'Application Express 4.0.2.00.09'.

The screenshot shows the next step in the Oracle Application Express 'Create Application' wizard. The browser address bar displays '127.0.0.1:8080/apex/www_flow.accept'. The wizard is at the 'Shared Components' step. A text box explains that shared components are common application elements that can be displayed or applied across multiple pages. Below this, the option 'Copy Shared Components from Another Application:' is shown with 'No' selected. The left sidebar highlights the 'Shared Components' button. The bottom status bar indicates 'Workspace: APPDATA User: APPDATA' and 'Application Express 4.0.2.00.09'.

Step 15: Change the data format.

The screenshot shows the 'Create Application' wizard in Oracle Application Express. The 'Attributes' tab is selected on the left sidebar. The main panel displays the 'Create Application' dialog with the following settings:

- Authentication Scheme: ☒ Application Express, ☐ No Authentication, ☐ Database Account
- Language: English (en)
- User Language Preference Derived From: Application Primary Language
- Date Format: (empty field)

Navigation buttons at the top right include 'Cancel', '< Previous', and 'Next >'. The bottom status bar shows 'Workspace: APPDATA User: APPDATA' and 'Application Express 4.0.2.00.09'.

Step 16: Select theme12 and click next.


The screenshot shows the 'Create Application' wizard in Oracle Application Express, now at the 'Select a theme' step. The 'User Interface' tab is selected on the left sidebar. The main panel displays the 'Select a theme' dialog with the following settings:

- Show: All Themes
- Select a theme: ☒ Theme 1, ☐ Theme 2


The 'Theme 1 - Red' preview is shown, displaying a table of products. The 'Compatibility' section on the right indicates that Theme 1 is IE 6 compatible.

Product ID	Product Name	Description	Category	Price
1	12 oz. Soft Drink	At the bottom, this machine is loaded	Computer	100
2	MP3 Player	Store up to 1000 songs and take them with you	Audio	150
3	Bluetooth Headset	Hands-free without the wires	Phones	40
4	PDA with Phone	Combine your cell phone and PDA into one device	Phones	250
5	Portable DVD Player	Small enough to take anywhere	Video	300

Step 17: Application successfully created.



Step 18: Run application.



Login

Username

Password

Step 19: Table will be displayed.

Dept

Q:

Deptno	Dname	Loc
10	ACCOUNTING	NEW YORK
20	RESEARCH	DALLAS
30	SALES	CHICAGO
40	OPERATIONS	BOSTON

1 - 4

Emp

Q:

Empno	Ename	Job	Mgr	Hiredate	Sal	Comm	Deptno
7839	KING	PRESIDENT	-	17-NOV-81	5000	-	10
7698	BLAKE	MANAGER	7839	01-MAY-81	2850	-	30
7782	CLARK	MANAGER	7839	09-JUN-81	2450	-	10
7566	JONES	MANAGER	7839	02-APR-81	2975	-	20
7788	SCOTT	ANALYST	7566	09-DEC-82	3000	-	20
7902	FORD	ANALYST	7566	03-DEC-81	3000	-	20
7369	SMITH	CLERK	7902	17-DEC-80	800	-	20
7499	ALLEN	SALESMAN	7698	20-FEB-81	1600	300	30
7521	WARD	SALESMAN	7698	22-FEB-81	1250	500	30
7654	MARTIN	SALESMAN	7698	28-SEP-81	1250	1400	30
7844	TURNER	SALESMAN	7698	08-SEP-81	1500	0	30
7876	ADAMS	CLERK	7788	12-JAN-83	1100	-	20
7900	JAMES	CLERK	7698	03-DEC-81	950	-	30
7934	MILLER	CLERK	7782	23-JAN-82	1300	-	10

1 - 14

REG NO: 22TD0058 NAME: NASRIN J YEAR/SEM/SEC: Y3/S6/B

IMPLEMENTATION OF REPORT


INTRODUCTION TO ORACLE APPLICATION EXPRESS:

Oracle Application Express (abbreviated APEX, previously named Oracle HTML DB) is a web based software environment that runs on an Oracle database. It is fully supported and comes standard¹ (at no additional cost) with all Oracle Database editions and starting with Oracle 11g, is installed by default as part of the core database install.


CREATION OF INTERACTIVE REPORT:

STEPS:


Step 1: Visit <http://127.0.0.1:8080/apex/f?p=4950> and create workspace.



Step 2: Enter Application express workspace and credentials.




Step 3: Under Application builder click database application.





Step 4: Created Database application.





Step 5: Create application from scratch.



Step 6: Select blank application and enter page name and add page.

The screenshot shows the 'Create Application' wizard in Oracle Application Express. The 'Pages' tab is selected in the left-hand navigation pane. The main area is titled 'Add Page' and contains the following elements:

- Select Page Type:** Radio buttons for Blank, Report, Form, Report and Form, Tabular Form, Master Detail, and Chart. The 'Blank' option is selected.
- Action:** A dropdown menu showing 'Add blank page to application'.
- Page Name:** A text field containing 'Page 1'.
- Add Page Button:** A yellow button labeled 'Add Page'.
- Right-hand pane:** A section titled 'Add Page' with a list of page types and their descriptions: Blank, Report, Form, Report and Form, Tabular Form, and Master Detail.

Step 7: Then select report and form and enter table name from list of values and add pages.

The screenshot shows the 'Create Application' wizard in Oracle Application Express. The 'Pages' tab is selected in the left-hand navigation pane. The main area is titled 'Add Page' and contains the following elements:

- Select Page Type:** Radio buttons for Blank, Report, Form, Report and Form, Tabular Form, Master Detail, and Chart. The 'Report and Form' option is selected.
- Action:** A dropdown menu showing 'Add a report with an edit form on a second page'.
- Subordinate to Page:** A dropdown menu showing 'Top Level Page'.
- Table Name:** A text field containing 'DEPT'.
- Implementation:** A dropdown menu showing 'Interactive'.
- Add Page Button:** A yellow button labeled 'Add Page'.
- Right-hand pane:** A section titled 'Add Page' with a list of page types and their descriptions: Blank, Report, Form, Report and Form, Tabular Form, and Master Detail.

Step 8: Create application from one level of tabs.

The screenshot shows the 'Create Application' wizard in Oracle Application Express. The 'Pages' tab is selected in the left-hand navigation pane. The main area is titled 'Add Page' and contains the following elements:

- Select Page Type:** Radio buttons for Blank, Report, Form, Report and Form, Tabular Form, Master Detail, and Chart. The 'Report and Form' option is selected.
- Action:** A dropdown menu showing 'Add a report with an edit form on a second page'.
- Subordinate to Page:** A dropdown menu showing 'Top Level Page'.
- Table Name:** A text field containing 'DEPT'.
- Implementation:** A dropdown menu showing 'Interactive'.
- Add Page Button:** A yellow button labeled 'Add Page'.
- Right-hand pane:** A section titled 'Add Page' with a list of page types and their descriptions: Blank, Report, Form, Report and Form, Tabular Form, and Master Detail.

ORACLE Application Express

Welcome YUVI (Logout)

Home Application Builder SQL Workshop Team Development Administration Search Application

Home > Application Builder > Create Application Help

Method

Name

Pages

Tabs

Shared Components

Attributes

User Interface

Confirm

Create Application Cancel < Previous Next >

Application: 154
Name: YUVI 01

Tab:

☐ No Tabs ☒ One Level of Tabs ☐ Two Levels of Tabs



ORACLE Application Express

Application Express 4.0.2.00.09

Welcome YUVI (Logout)

Home Application Builder SQL Workshop Team Development Administration Search Application

Home > Application Builder > Create Application Help

Method

Name

Pages

Tab:

Shared Components

Attributes

User Interface

Confirm

Create Application Cancel < Previous Next >

Shared components are common application elements that can be displayed or applied across multiple pages in an application. To save time or maintain consistency between applications, it is possible to copy the shared components from an existing application.

Copy Shared Components from Another Application:

☐ Yes ☒ No

Step 9: Select application express and change date format.

ORACLE Application Express

Welcome YUVI (Logout)

Home Application Builder SQL Workshop Team Development Administration Search Application

Home > Application Builder > Create Application Help

Method

Name

Pages

Tab:

Shared Components

Attributes

User Interface

Confirm

Create Application Cancel < Previous Next >

Authentication Scheme:

☒ Application Express ☐ No Authentication ☐ Database Account



Language: English (en)

User Language Preference Derived From: Application Primary Language

Date Format:

Step 10: Select theme1 and click next.

ORACLE® Application Express

Welcome YUVI (Logout)

Home Application Builder SQL Workshop Team Development Administration Search Application

Home > Application Builder > Create Application Help

Method
Name
Pages
Tabs
Shared Components
Attributes
User Interface
Confirm

Create Application Cancel < Previous Next >

Show All Themes

Select a theme:

Theme 1

Theme 1 - Red

Home Customers Products Orders Charts Admin Theme Testing Application RDS

Home > Products

Products

Stack ID	Product	Description	Availability	Category	Price
1	3.2 GHz Desktop PC	All the options. This machine is loaded!	Y	Computer	1200
2	MP3 Player	Store up to 1000 songs and take them with you	Y	Audio	199
3	Bluetooth headset	Hands-free without the wires!	Y	Phones	49
4	PDA Cell Phone	Combine your cell phone and PDA into one device	Y	Phones	299
5	Portable DVD Player	Small enough to take anywhere!	Y	Video	500

Comments

This page shows various display controls used for this theme.

Date Comments

Export Apply

Theme 2

Theme 2 - Builder Blue

Home Customers Products Orders Charts Admin Theme Testing Application RDS

Home > Products

Products

Stack ID Product Description Availability Category Price

Comments

This page shows various display controls used for this theme.

Date

Comments

Export Apply

Compatibility

* Indicates theme is IE 6 compatible

ORACLE® Application Express

Welcome YUVI (Logout)

Home Application Builder SQL Workshop Team Development Administration Search Application

Home > Application Builder > Create Application Help

Method
Name
Pages
Tabs
Shared Components
Attributes
User Interface
Confirm

Create Application Cancel < Previous Create

You have requested to create an application with the following attributes. Please confirm your selections.

Application 154

Name YUVI 01

Parsing Schema YUVI

Default Language en

Tabs One Level of Tabs

Default Authentication Scheme Application Express Authentication

Theme Type Standard

21

UI Theme

Save this definition as a design model for reuse

Step 11: Create and run application.

Application Express 4.0.2.00.09

ORACLE® Application Express

Welcome YUVI (Logout)

Home Application Builder SQL Workshop Team Development Administration Search Application

Home > Application Builder > Application 154 Page 1 Help

Application created successfully.

Application: 154 - YUVI 01 Edit Application Properties Create Page >

Run Application Supporting Objects Shared Components Utilities Export / Import

1 - Page 1 2 - Dept 3 - Dept 101 - Login

1 - 4

About

Applications are made up of pages. For each page you can declaratively define how the page is rendered and processed. Controls that are not specific to a page are called shared components. Shared components include authentication, authorization, user interface templates, and tabs. Learn more...

Tasks

- Delete this Application
- Copy this Application
- Customize Display

Recently Edited Pages

- 3 - Dept
- 101 - Login

Step 12: Login with username and password.

Login

Username yuvi

Password *****

Login

Step 13: Report is generated.

Page 1 Dept

Welcome: YUVI Logout

Dept

Q-

Go

Actions

Create

Deptno	Dname	Loc
10	ACCOUNTING	NEW YORK
20	RESEARCH	DALLAS
30	SALES	CHICAGO
40	OPERATIONS	BOSTON

1 - 4

REG NO: 22TD0058 NAME: NASRIN J YEAR/SEM/SEC: Y3/S6/B

CREATION OF WEBSHEET APPLICATION

INTRODUCTION TO ORACLE APPLICATION EXPRESS:

Oracle Application express (abbreviated APEX, previously named Oracle HTML DB) is a well-based software development environment that runs on a Oracle database. It is fully supported and comes standard (at no additional cost) with all Oracle Database editions and, starting with Oracle 11g, is installed by default as part of the core database install.

CREATION OF WEBSHEET APPLICATION:

STEPS:

Step1: visit <http://127.0.1:8080/apex/f?p=4950> and create workspace.

ORACLE Oracle Database XE 11.2 Welcome: SYSTEM Logout

Home Storage Sessions Parameters **Application Express**

Home Oracle Application Express

2 errors have occurred

- Workspace name already exists
- Database user already exists

Create Application Express Workspace Cancel Create Workspace

Database User ☒ Create New ☐ Use Existing

* Database Username Database user already exists reservation

* Application Express Username reservation

* Password

* Confirm Password

Getting Started Already have an account? Login Here


To get started with Oracle Application Express, create a workspace. You will need to specify:

- Database Username - Name of the database user to be created
- Application Express Username - Your login name for the Application Express Workspace
- Password - Password of both your database user and Application Express user


Once created, you will be able to login to your Application Express workspace using these credentials

Oracle

Step2: Enter application express and credentials.



Step4: Select websheet application.



ORACLE[®] Application Express

Welcome RESERVATION (Logout)

Home Application Builder SQL Workshop Team Development Administration Search Application

Home > Application Builder > Create Application Help

Method

Define Application

Confirm

Create Application Cancel < Previous Next >

Name RESERVATION 01

Application 148

Description

Home Page Section

Title Welcome

Content

Step5: Confirm your application.

ORACLE[®] Application Express

Welcome RESERVATION (Logout)

Home Application Builder SQL Workshop Team Development Administration Search Application

Home > Application Builder > Create Application Help

Method

Define Application

Confirm

Confirm Cancel < Previous Create

 You have requested to create a Worksheet with the following attributes. Please confirm your selections.

Application	148
Name	RESERVATION 01
Description	
Page Name	Sample home page will be created.
Section Title	Welcome

Workspace: RESERVATION User: RESERVATION

Application Express 4.0.2.00.09

Language: en | Copyright © 1999, 2010, Oracle. All rights reserved.

Step 6:

The screenshot shows the 'Create Application' dialog in Oracle Application Express. The 'Name' field is set to 'HUMAN RESOURCE MANagements' and the 'Application' field is set to '128'. The 'Description' field is empty. Below the dialog, the 'Home Page Section' is visible with a 'Title' of 'Welcome' and an empty 'Content' field. The left sidebar contains buttons for 'Method', 'Define Application', and 'Confirm'. The top navigation bar includes 'Home', 'Application Builder', 'SQL Workshop', 'Team Development', and 'Administration'.

The screenshot shows the 'Confirm' dialog in Oracle Application Express. A green checkmark icon is displayed next to the text: 'You have requested to create a worksheet with the following attributes. Please confirm your selections.' The attributes listed are: Application: 128, Name: HUMAN RESOURCE MANagements, Description: (empty), Page Name: Sample home page will be created, and Section Title: Welcome. The left sidebar contains buttons for 'Method', 'Define Application', and 'Confirm'. The top navigation bar includes 'Home', 'Application Builder', 'SQL Workshop', 'Team Development', and 'Administration'.

Application Express 4.0.2.00.09

Step7: Run the application.

The screenshot shows the 'Success' dialog in Oracle Application Express. The text reads: 'The application has been created successfully. Application: 128 Name: HUMAN RESOURCE MANagements'. Below the text are two icons: a green play button labeled 'Run' and a globe with a lock icon labeled 'Edit Properties'. The left sidebar contains buttons for 'Method', 'Define Application', 'Confirm', and 'Success'. The top navigation bar includes 'Home', 'Application Builder', 'SQL Workshop', 'Team Development', and 'Administration'.

Application Express 4.0.2.00.09

Step 8: Enter with username and password.

ORACLE Application Express

Enter Websheets credentials.

Username

Password

[Reset Password](#) [Login](#)

[Oracle Application Express Development](#)

Language: English, Português (Brasil), 中文 (简体), 日本語

ADDING A TEXT SECTION TO A PAGE:

Step 9: under page option select new section.

Home

HUMAN RESOURCE MANagements

Welcome RESERVATION Language (Logout)

Page Data Administration

Home Page
Page Directory
Edit Page
History
New Page
New Section

RESERVATION
ago by RESERVATION [View history](#)

Set Screen Reader Mode On

Page

New Section
Edit Sections
New Page
Copy Page
Edit Page
Page Directory
New Data Grid

Peer Pages

No peer pages exist

Annotations

Add View
Add View
Add View

Application Express 4.0.2.00.09

User: RESERVATION Language: en

Step 10: Select text option.

The screenshot shows the 'Create Section' dialog box in the 'HUMAN RESOURCE MANAGER' application. The dialog has a title bar with 'Cancel' and 'Next >' buttons. Inside, it asks 'What type of page section would you like to create?' with two radio buttons: 'Text' (selected) and 'Navigation'. Below the radio buttons are two icons representing document stacks. To the left of the dialog is a sidebar with buttons: 'Choose Section Type', 'Define Section', and 'View Page'. To the right is an 'About' panel with text explaining that a page section is a component of a page and that this dialog allows choosing the type of section to add. The application's top navigation bar includes 'Page', 'Data', and 'Administration' menus, a search bar, and a 'Help' button. The status bar at the bottom indicates 'Application Express 4.0.2.00.09'.

Step 11: Enter the content and create.


The screenshot shows the 'Text Worksheet Section' editor in the 'HUMAN RESOURCE MANAGER' application. The editor has a title bar with 'Cancel', '< Previous', and 'Create' buttons. It contains fields for 'Sequence' (20) and 'Title' (Overview). Below these is a large text area for 'Content' with the text: 'The application enables you to view the details of all employee across all departments. You can edit to add or delete information and also create additional pages and page section'. To the left is a sidebar with buttons: 'Choose Section Type', 'Define Section', and 'View Page'. To the right is an 'About' panel with text explaining that the user should identify the text content of the page section or upload content from a spreadsheet. Below the 'About' panel is a 'Help' panel with links to 'Markup Syntax', 'Pages', 'Sections', and 'Files and Images'. Below the 'Help' panel is a 'Tasks' panel with a link to 'Create from spreadsheet copy and paste'. The application's top navigation bar and status bar are the same as in the previous screenshot.

Step 12: New section created.


The screenshot shows the 'Overview' page in the 'HUMAN RESOURCE MANAGER' application. The page has a title bar with 'Edit' and 'Help' buttons. It contains a 'Welcome' section and an 'Overview' section. The 'Overview' section has the text: 'The application enables you to view the details of all employee across all departments. You can edit to add or delete information and also create additional pages and page section'. Below the 'Overview' section is a list of recent pages: 'Page created 11 minutes ago by RESERVATION' and 'Content last updated 1 seconds ago by RESERVATION View history'. To the right is a sidebar with buttons: 'New Section', 'Edit Sections', 'New Page', 'Copy Page', 'Edit Page', 'Page Directory', and 'New Data Grid'. Below the sidebar is a 'Peer Pages' section with the text 'No peer pages exist'. Below the 'Peer Pages' section is an 'Annotations' section with three 'Add View' buttons. The application's top navigation bar and status bar are the same as in the previous screenshots.

ADDING A FILE TO A PAGE:

Step 13: Browse the file.



STEP 14: File will added to a page.



ADDING A TAG TO A PAGE:

Step 15: Enter sample in the tag filed and add tag.

HUMAN RESOURCE MANAGERMENTS

Welcome RESERVATION Language (Logout)

Page Data Administration

Add Tag

Add Tag

Tags

Tags: sample

Cancel Apply

Tags

Enter a comma separated list of tags for this page.

Application Express 4.0.2.00.09

Step 16: Tag is added to a page.

HUMAN RESOURCE MANAGERMENTS

Welcome RESERVATION Language (Logout)

Page Data Annotations Administration

Home > Annotations

All Files Tags Tag Cloud Notes Links

Reset

Go Actions

sample

1 - 1

About

You can annotate pages and data in data grids with files, notes, and tags.

Files

Files and images can be attached to pages and data grid rows.

Tags

Tags can be added to pages and data grid rows.

Notes

Notes can be added to pages and data grid rows. Notes are viewable to all.

Links

Links can only be added to data grid rows.

Step 17: Enter the note in the filed and add a note.

HUMAN RESOURCE MANAGERMENTS

Welcome RESERVATION Language (Logout)

Page Data Annotations Administration

Add Note

Add Note

Note


Note: New resource has been added.

Cancel Apply

Notes


Add a note for this page. Notes will display on the right hand side of the page.

Step 18: New resource file will be added.



DISPLAYING AN IMAGE:

Step 19: Browse the image file.



Step 20: File will be added.

HUMAN RESOURCE MANAGERMENTS

Welcome RESERVATION
Language
(Logout)

Page
Data
Annotations
Administration

Search

Home
File added.

Welcome

Edit

Overview

Edit

The application enables you to view the details of all employee across all departments. You can edit to add or delete information and also create additional pages and page section

- Page created 25 minutes ago by RESERVATION
- Content last updated 14 minutes ago by RESERVATION [View history](#)
- Most recent file is Koala.jpg uploaded by RESERVATION 31 seconds ago

[Set Screen Reader Mode On](#)

Page

New Section
Edit Sections
New Page
Copy Page
Edit Page
Page Directory
New Data Grid

Peer Pages


No peer pages exist

Annotations

Add View
Add View
Add View


Files

Jellyfish.jpg




CREATING A DATA GRID:

Step 21: Create data grid from scratch.



Step 22: Enter the table name to create data grid.



Step 23: Add rows to the table.

HUMAN RESOURCE MANagements Welcome RESERVATION Language (Logout)

Page ▾ Data ▾ Annotations ▾ Administration ▾

Home > Data > RESERVATION 01 > Add/Edit Row

Data

Event	update payroll
Date	30-Aug-01 Calendar

Application Express 4.0.2.00.09

Step 24: Data will be added to the grid.

HUMAN RESOURCE MANagements Welcome RESERVATION Language (Logout)

Page ▾ Data ▾ Annotations ▾ Administration ▾

Home > Data > RESERVATION 01

Action Processed.

Event	Date
Edit update payroll	30-AUG-01
Edit update payroll	30-AUG-01

1 - 2 of 2

Application Express 4.0.2.00.09


REG NO: 22TD0058 NAME: NASRIN J YEAR/SEM/SEC: Y3/S6/B

PL/SQL PROGRAMS USING ORACLE


CREATING A PROCEDURE:

Step 1: Log in to Database Home Page

Step 2: On the home page, click the sql icon to display the sql page.




Step 3: Click the SQL Commands icon to display the SQL Command page.



Step 4: On the SQL commands page enter the PL/SQL code for the PL/SQL procedure or function.

Step 5: Select (highlight) the code for creating the procedure or function, then click the Run button create the procedure or function.



Step 6: Select (highlight) the code for calling the procedure or function, then click the Run button to call the procedure or function.



Step 7: If you want to save the PL/SQL code for future use, click the save button.


Step 8: In the Name field, enter a name for the saved PL/SQL code. You can also enter an optional description. Click the Save button to save the code.

Step 9: To access saved PL/SQL code, click the Saved SQL tab and select the name of the saved PL/SQL code that you want to access.


SEQUENCE:

Creating a Sequence:


Step 1: On the Workspace home page, click SQL Workshop and then Object Browser. Object Browser appears.



Step 2: Click the Create icon.



Step 3: From the list of object types, select Sequence.



Step 4: For Define:

1. **Sequence Name** – Enter the name of the sequence.
2. **Preserve Case** – To have the final sequence name match the case entered in the Sequence Name field, click Preserve Case.
3. **Start With** – Enter the number of the first sequence, The first reference to sequence_name.nextval returns this number.
4. **Minimum value** – Enter the minimum value this sequence can return.

5. **Maximum Value** – Enter the maximum value this sequence can return.
6. **Increment By** – Each call to sequence_name.nextval returns a value greater than the last, until the maximum value is reached. Enter the value used to increment to the next sequence number.
7. **Cycle** – Select this option to restart the sequence number to the minimum value when the maximum value is reached. Note that this is not recommended if using the sequence for primary key creation.
8. **Number to Cache** – For faster access, specify how many sequence values are stored in memory.
9. **Order** – Specify ORDER to guarantee that sequence numbers are generated in order of request. This option is necessary if using Real Application Clusters (Oracle RAC).

ORACLE Application Express Welcome DATA (Logout)

Home Application Builder SQL Workshop Team Development Administration

Home > SQL Workshop > Create Sequence Help

Select Object Type

Define

Confirm

Create Sequence Cancel < Previous Next >

Schema DATA

* Sequence Name TRAIN

☒ Preserve Case

Start With 20

Minimum Value 20

Maximum Value 40

Increment By 1

☒ Cycle

Number to Cache 4

☒ Order

Database sequences are database objects used to generate integer values according to rules defined when the sequence is created. Database sequences are generally used to populate table primary keys.

Workspace: DATA User: DATA Application Express 4.0.2.00.09
Language: en | Copyright © 1999, 2010, Oracle. All rights reserved.

Step 5: Click Next.

ORACLE Application Express Welcome DATA (Logout)

Home Application Builder SQL Workshop Team Development Administration

Home > SQL Workshop > Create Sequence Help

Select Object Type

Define

Confirm

Create Sequence Cancel < Previous Next >

Schema DATA

* Sequence Name TRAIN

☒ Preserve Case

Start With 20

Minimum Value 20

Maximum Value 40

Increment By 1

☒ Cycle

Number to Cache 4

☒ Order

Database sequences are database objects used to generate integer values according to rules defined when the sequence is created. Database sequences are generally used to populate table primary keys.

Workspace: DATA User: DATA Application Express 4.0.2.00.09
Language: en | Copyright © 1999, 2010, Oracle. All rights reserved.

Step 6: Click create sequence.

ORACLE Application Express Welcome DATA (Logout)

Home Application Builder SQL Workshop Team Development Administration

Home SQL Workshop Object Browser Schema DATA Help

Sequences

DEMO_CUST_SEQ
DEMO_ORDER_ITEMS_SEQ
DEMO_ORD_SEQ
DEMO_PROD_SEQ
DEMO_USERS_SEQ
TRAIN
TRAIN 01

TRAIN 01

Object Details Grants Dependencies SQL

Alter Drop

Min Value	20
Max Value	40
Increment By	1
Cycle Flag	Y
Order Flag	Y
Cache Size	4
Last Number	20

Application Express 4.0.2.00.09

ORACLE Application Express Welcome DATA (Logout)

Home Application Builder SQL Workshop Team Development Administration

Home SQL Workshop Object Browser Schema DATA Help

Sequences

DEMO_CUST_SEQ
DEMO_ORDER_ITEMS_SEQ
DEMO_ORD_SEQ
DEMO_PROD_SEQ
DEMO_USERS_SEQ
TRAIN
TRAIN 01
TRAIN 02

TRAIN 02

Object Details Grants Dependencies SQL


```
CREATE SEQUENCE "TRAIN 02" MINVALUE 20 MAXVALUE 40 INCREMENT BY 1 START WITH 20 CACHE 4 ORDER CYCLE ;
```

Application Express 4.0.2.00.09



Altering a Sequence:


Step 7: From the Object Selection pane, select a sequence. The Object Details view appears.

Step 8: Click Alter.




Step 9: Click finish button.





Grant:

Step 10: Grant, privilege and grant options. We can perform Grant and Revoke in this view.



Object Browser

127.0.0.1:8080/apex/f?p=4500:1001:3692463827200550::FOCUS::OB_CURRENT_TYPE,OB_OBJECT_ID:SEQUENCE.22998

Gmail YouTube Maps

ORACLE Application Express

Welcome PLSQL (Logout)

Home Application Builder SQL Workshop Team Development Administration

Home > SQL Workshop > Object Browser

Schema PLSQL

Sequences

DEMO_CUST_SEQ
DEMO_ORDER_ITEMS_SEQ
DEMO_ORD_SEQ
DEMO_PROD_SEQ
DEMO_USERS_SEQ
TRAINS

TRAINS

Create

Object Details Grants Dependencies SQL

Grant Revoke

Privilege	Grantee	Grantable	Grantor	Object Name
ALTER	HR	YES	PLSQL	TRAINS
SELECT	HR	YES	PLSQL	TRAINS

1 - 2

Application Express 4.0.2.00.09

Revoke grant:

ORACLE Application Express

Welcome PLSQL (Logout)

Home Application Builder SQL Workshop Team Development Administration

Home > SQL Workshop > Object Browser

Schema PLSQL

Sequences

DEMO_CUST_SEQ
DEMO_ORDER_ITEMS_SEQ
DEMO_ORD_SEQ
DEMO_PROD_SEQ
DEMO_USERS_SEQ
TRAINS

TRAINS

Create

Revoke Grant


Cancel Next >

Revoke From HR


Revoke All

Application Express 4.0.2.00.09

javascript:popupFieldHelp('10844109748431834','3692463827200550','Close')




Drop sequence:




TRIGGER:

Step 1: Go to Database homepage. Under SQL workshop click object browser.



Step 2: Click create and select trigger.



Step 3: Create trigger and enter the trigger body.

Oracle Application Express interface showing the 'Create Trigger' wizard. The wizard is at the 'Create Trigger' step. The schema is PLSQL and the table is DEPT. The trigger name is DEPT_T1. The firing point is BEFORE. The options are insert, update, delete. The trigger body is :new.DEPTNO:=DEPT_SEQ.nextval;.

Schema: PLSQL
Table: DEPT

* Trigger Name: DEPT_T1 ☐ Preserve Case

* Firing Point: BEFORE

* Options: insert, update, delete

on: DEPT

☒ For Each Row

When:

* Trigger Body:

```
:new.DEPTNO:=DEPT_SEQ.nextval;
```

Existing Columns

Column	Type	Length	Precision	Scale	Nulls
1 DEPTNO	NUMBER	22	2	0	N

Step 4: Click finish button.

Oracle Application Express interface showing the 'Confirm Alter Table' wizard. The wizard is at the 'Confirm Alter Table' step. The schema is PLSQL, the object is DEPT, and the action is Create trigger DEPT_T1. The SQL statement is: create or replace trigger 'DEPT_T1' BEFORE insert or update or delete on 'DEPT' for each row begin :new.DEPTNO:=DEPT_SEQ.nextval; end; /.

Please confirm your request.

Schema: PLSQL
Object: DEPT
Action: Create trigger DEPT_T1

SQL

```
create or replace trigger "DEPT_T1"  
BEFORE  
insert or update or delete on "DEPT"  
for each row  
begin  
:new.DEPTNO:=DEPT_SEQ.nextval;  
end;  
/
```

Workspace: PLSQL User: PLSQL

Application Express 4.0.2.00.09
Language: en | Copyright © 1999, 2010, Oracle. All rights reserved.

Step 5: Trigger is created.


The screenshot shows the Oracle Application Express interface. The left pane displays a list of objects, with **DEPT_T1** selected. The main pane shows the details for **DEPT_T1**. The trigger is currently **INVALID** and **ENABLED**. It is a **BEFORE EACH ROW** trigger that fires on **INSERT OR UPDATE OR DELETE** events on the **DEPT** table. The trigger is owned by **PLSQL** and its description is **"DEPT_T1" BEFORE insert or update or delete on "DEPT" for each row**. The columns table shows that the trigger applies to the **DEPTNO** column of the **DEPT** table.

Column	Table	Table Owner	Usage
DEPTNO	DEPT	PLSQL	-
			1 - 1

Step 6: Go to Database application.


The screenshot shows the Oracle Application Express interface with the **Applications** menu open. The **Database Applications** option is highlighted. The background shows the details for the **DEPT_T1** trigger, which is the same as in the previous screenshot.

Step 7: Create Database application.



Step 8: Select from scratch and click next.

Step 9: Enter an application name.



Oracle Application Express

Welcome PLSQL (Logout)

Home Application Builder SQL Workshop Team Development Administration

Home > Application Builder > Create Application

Method

Name

Pages

Tabs

Shared Components

Attributes

User Interface

Confirm

Create Application

Cancel < Previous Next >

Enter an application name and a unique application ID. Then, select an application creation method and a schema.

Name DEPT

Application 149

Create Application: ☒ From scratch ☐ Based on existing application design model

Schema PLSQL

Workspace: PLSQL User: PLSQL

Application Express 4.0.2.00.09

Language: en | Copyright © 1999, 2010, Oracle. All rights reserved.

Step 10: Create a tabular form.

Step 11: Create application and run application.

Oracle Application Express

Welcome PLSQL (Logout)

Home Application Builder SQL Workshop Team Development Administration

Home > Application Builder > Create Application

Method

Name

Pages

Tabs

Shared Components

Attributes

User Interface

Confirm

Create Application

Cancel < Previous Add Page

Add pages to your application by selecting a page type and clicking Add Page.

Add Page

Select Page Type:

☐ Blank ☐ Report ☐ Form ☐ Report and Form

☒ Tabular Form ☐ Master Detail ☐ Chart



Action: Add a tabular form

Table Name: DEPT


Add Page

Select the type of page you wish to create.

- Blank** creates a page with no built-in functionality.
- Report** creates a page that contains the formatted result of a SQL query. You can choose to build a report based on a table you select, or based on a custom SQL SELECT statement or a PL/SQL function returning a SQL SELECT statement that you provide.
- Form** creates a form to update a single row in a database table.
- Report and Form** builds a two page report and form combination. On the first page, users select a row to update. On the second page, users can update the selected table or view.
- Tabular Form** creates a form to perform update, insert, and delete operations on multiple rows in a database table.
- Master Detail** builds a two page report and form combination. On the first page, users select a row to update. On the second page, users can update the selected table or view and its associated detail. The associated detail table or view must have a foreign key relationship to the selected master table or view.
- Chart** creates a page with a flash chart to represent the



Step 12: Login with username and password.



Dept Login

127.0.0.1:8080/apex/f?p=4950:7:2266215393795614::NO::

Gmail YouTube Maps


Login

Username plsql

Password *****

Login

Step 13: Table will be displayed.



Dept

127.0.0.1:8080/apex/f?p=149:1:3692463827200550::

Gmail YouTube Maps

Welcome: PLSQL Logout

Dept

DEPT

Cancel Delete Submit

Loc	Dname	Deptno
BOSTON	OPERATIONS	40
CHICAGO	SALES	30
DALLAS	RESEARCH	20
NEW YORK	ACCOUNTING	10

1 - 4

Add Row

Home Application 149 Edit Page 1 Create Session Caching View Debug Debug Show Edit Links

REG NO: 22TD0058 NAME: NASRIN J YEAR/SEM/SEC: Y3/S6/B


SURVEY USING ODOO

INTRODUCTION TO ODOO:


- Odoo is all-in-one management software that offers a range of business application that form a complete suite of enterprise management application targeting companies of all sizes.
- Odoo keeps on modifying due to its licence free features and thus latest source code is available whenever required.

STEPS IN SUREY MANAGEMENT:


Step1: Visit localhost: 8069 in your web browser, then enter username (admin) and password (admin).





Step2: Click survey option and then click design survey. And give title of the survey.






Step3: Give page title.




Step 4: Enter your questions and its types.









Step5: Review your questionnaires and its types.






Step 6: Start survey.

The screenshot shows a web browser window with the URL `localhost:8069/survey/start/employee-details-2/phantom`. The page features the Odoo logo and navigation links: Home, Contact us, and Administrator. A 'Back to Survey' button is located in the top right corner. The main content area has a large heading 'employee details' and a prominent blue 'Start Survey' button. The footer contains three columns: 'Our products & Services' with a 'Home' link, 'Connect with us' with contact information (+1 555 123 8069, info@yourcompany.example.com) and social media icons (Facebook, Twitter, LinkedIn, Google+), and 'YourCompany - About us' with a description of the company's mission and a language selector (English, Add a language...). The Windows taskbar at the bottom shows various application icons and the system clock indicating 12:58 AM on 1/31/2017.

The screenshot displays the survey form titled 'employee' with the subtitle 'name of the employee'. The form includes several input fields: 'name of the employee' (containing 'pavithra'), 'employee id' (containing '14us3108'), 'date of birth' (containing '1999/11/20'), 'marital status' (with radio buttons for 'single' and 'married', where 'single' is selected), 'designation' (with radio buttons for 'developer field', 'network field', and 'quality field', where 'quality field' is selected), and 'salary' (containing '100000'). A blue 'Submit survey' button is positioned at the bottom right of the form. The footer is identical to the previous screenshot, showing the same navigation links, contact information, and company description. The Windows taskbar at the bottom shows the system clock indicating 1:29 AM on 1/31/2017.



REG NO: 22TD0058 NAME: NASRIN J YEAR/SEM/SEC: Y3/S6/B


LEAVE MANAGEMENT USING ODOO

INTRODUCTION TO ODOO:



- Odoo is all-in-one management software that offers a range of business application that form a complete suite of enterprise management application targeting companies of all sizes.
- Odoo keeps on modifying due to its licence free features and thus latest source code is available whenever required.



STEPS IN LEAVE MANAGEMENT:


Step 1: Select leaves in the menu bar.




Step2: Give description and select leave type and fill all the requirements.









Step3: click reported in last pay slips.



Step4: click save.



Step5: After clicking save button then your leave list is displayed.



REG NO: 22TD0058 NAME: NASRIN J YEAR/SEM/SEC: Y3/S6/B


HUBSPOT

INTRODUCTION OF HUBSPOT:

- Hubspot is an inbound marketing and sales platform that helps companies attract visitors and visitors, convert leads and close customers.
- Its products and services aim to provide tools for social media marketing, content management, web analytics and search engine optimization.

STEPS IN HUBSPOT:

Step 1: Start with the link of www.hubspot.com. Understand sales process and lead ownership. Sign in with your email account then create a new contact.



HubSpot

Create your free account

 Sign up with Google

Or

vasugi aroul

19td0381@rgcet.edu.in

Next >

Step 2: Move data Sale sand tell us little about yourself.

Get started with HubSpot

app.hubspot.com/signup-hubspot/crm?hubs_signup-url=www.hubspot.com%2Fproducts%2Fget-started&hubs_signup-cta=getstarted-growth&uuid=5f76c3ad-0...

HubSpot

< Back

Nice to meet you vasugi!

What industry are you in?

Business Supplies and Equipment

Next >

classpass

SOUNDCLOUD

Trello

vmware

SurveyMonkey

135,000 customers in over 120 countries are growing with HubSpot.

Get started with HubSpot

app.hubspot.com/signup-hubspot/crm?hubs_signup-url=www.hubspot.com%2Fproducts%2Fget-started&hubs_signup-cta=getstarted-growth&uuid=5f76c3ad-0...

HubSpot

< Back

What is your job role?

Project Management Director

Next >

Grow traffic. Convert leads.

All the tools you need to attract, generate, and nurture prospective customers and leads.

Get started with HubSpot

app.hubspot.com/signup-hubspot/crm?hubs_signup-url=www.hubspot.com%2Fproducts%2Fget-started&hubs_signup-cta=getstarted-growth&uuid=5f76c3ad-0...

HubSpot

[Back](#)

How many people work at your company?

1	2 to 5	6 to 10
11 to 25	26 to 50	51 to 200
201 to 1,000	1,001 to 10,000	10,001 or more

Step3: Create contact with following details.

Contacts

app.hubspot.com/contacts/22344924/objects/0-1/views/all/list

Create contact

Email
xyz1232gmail.com
This is not a valid email address.

First name
abcd

Last name
xyz

Contact owner
vasugi aroul

Job title
marketing

Create contact Create and add another Cancel

Contacts

app.hubspot.com/contacts/22344924/objects/0-1/views/all/list

Contacts Conversations Marketing Sales Service Automation Reports

Contacts 3 records

Actions Import Create contact

All contacts X My contacts Unassigned contacts + Add view (3/5) All views

Contact owner Create date Last activity date Lead status All filters (0) Save view

Search name, phone, e

	NAME	EMAIL	PHONE NUMBER	CONTACT OWNER	PRIMARY COMPANY
☐	xyz abc	ababcd@gmail.com	--	vasugi aroul (19td038...	--
☐	Brian Halligan (Sample...)	bh@hubspot.com	--	Unassigned	Hubspot, Inc.
☐	Maria Johnson (Sampl...	emailmaria@hubspot.com	--	Unassigned	Hubspot, Inc.

Prev 1 Next 25 per page

Chat Help

Step4: Create Company.

Companies

app.hubspot.com/contacts/22344924/objects/0-2/views/all/list

Contacts Conversations Marketing Sales Service Automation Reports

Companies 1 record

All companies X My companies

Company owner Create date Last activity date Lead status All filters (0)

Search name, phone, o

	COMPANY NAME	COMPANY OWNER	CREATE DATE (GMT+5:30)
☐	Hubspot, Inc.	Unassigned	Today at 12:17 PM

Prev 1 Next 25 per page

Create company

Edit this form

Company domain name
jess.in

Company name
Jess

Company owner
vasugi aroul

Industry
Accounting

Type
Reseller

Create Create and add another Cancel

Companies

app.hubspot.com/contacts/22344924/objects/0-2/views/my/list

Contacts Conversations Marketing Sales Service Automation Reports

Companies 1 record

Actions Import Create company

All companies My companies X + Add view (2/5) All views

(1) Company o... X Create date Last activity date Lead status All filters (1) Clear All Save view

Search name, phone, o

	COMPANY NAME	CREATE DATE (GMT+5:30)	PHONE NUMBER	LAST ACTIVITY DATE (GMT+5:30)	CITY
☐	Jess	Today at 12:31 PM	--	--	--

Prev 1 Next 25 per page

Chat Help

Step 5: Create deal.

Deals

app.hubspot.com/contacts/22344924/objects/0-3/views/all/list

Contacts Conversations Marketing Sales Service Automation Reports

Deals 0 records All pipelines

All deals My deals X

Deal owner Create date Last activity date Close date All filters (0)

Search name or descrip

Build a winning sales process.

Deals are the best way to keep track of how you are turning prospects into customers and how much money you are making over time.

Read: [How to design your sales process in HubSpot](#)

Prev Next 25 per page

Create deal

Edit this form

Deal name * jess.in

Pipeline * Sales Pipeline

Deal stage * Appointment scheduled

Amount \$10,000.00

Close date 07/31/2022

Deal owner

Create Create and add another Cancel

Deals

app.hubspot.com/contacts/22344924/objects/0-3/views/all/list

Contacts Conversations Marketing Sales Service Automation Reports

Deals

1 record

All pipelines

Actions Import Create deal

All deals My deals + Add view (2/5) All views

Deal owner Create date Last activity date Close date All filters (0) Save view

Search name or description

	DEAL NAME	DEAL STAGE	CLOSE DATE (GMT+5:30)	DEAL OWNER	AMOUNT
☐	jess.in	Appointment Scheduled (Sal...	Jul 31, 2022	vasugi aroul (19td038...	\$10,000

Prev 1 Next 25 per page

Chat Help

jess.in

app.hubspot.com/contacts/22344924/deal/9507242528

Contacts Conversations Marketing Sales Service Automation Reports

Deals

Actions

Search activities

Expand all Collapse all

Activity Notes Emails Calls Tasks Meetings

Filter by: Filter activity (10/13) All users

July 2022

Deal activity

vasugi aroul moved deal to Appointment scheduled. View details

This deal was created by vasugi aroul Jul 16, 2022 at 12:34 PM GMT+5:30

jess.in

Amount: \$10,000

Close Date: 07/31/2022

Stage: Appointment scheduled

About this deal

Deal owner: vasugi aroul

Last contacted: --

Deal type:

Priority:

View all properties View property history

Contacts (0) + Add

See the people associated with this record.

Companies (0) + Add

See the businesses or organizations associated with this record.

Tickets (0) + Add

Track the customer requests associated with this record.

Attachments + Add

See the files attached to your activities or uploaded to this record.

Deal create attribution

Attribute deal creation to marketing

Chat Help