

Cucumber Report

Sep 29, 2021 9:24:41 AM

Start : Sep 29, 9:24:12.206 AM

End : Sep 29, 9:24:40.804 AM

Duration : 28.598 s

Features

Scenarios

Steps

PASSED - 2

FAILED - 1

SKIPPED - 0

PASSED - 2



FAILED - 3


SKIPPED - 0

PASSED - 9


FAILED - 3

SKIPPED - 3







#	Feature Name	T	P	F	S	Duration
1	<u>Amazon search box</u>	3	0	3	0	23.329 s
2	<u>FFM-OCMF-CreateOrderEventTransformerComparator</u>	1	1	0	0	2.673 s
3	<u>FFM-OCMF-CreateOrderEventValidation</u>	1	1	0	0	2.584 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Amazon search box</u>	<u>: testing search box in amazon home page</u>	3	1	1	1	7.462 s
2	<u>Amazon search box</u>	<u>: testing search box in amazon home page</u>	3	1	1	1	6.684 s
3	<u>Amazon search box</u>	<u>: testing search box in amazon home page</u>	3	1	1	1	9.163 s
4	<u>FFM-OCMF-CreateOrderEventTransformerComp *</u>	<u>Create Order Event Transformer</u>	3	3	0	0	2.673 s
5	<u>FFM-OCMF-CreateOrderEventValidation</u>	<u>Create Order Event Validation</u>	3	3	0	0	2.584 s

* The feature name and/or scenario name has been cropped to fit in the available space.


(F)- Amazon search box

FAILED	DURATION - 23.329 s	Scenarios		Steps	
/ 9:24:12.206 AM // 9:24:35.535 AM /		Total - 3		Total - 9	
		Pass - 0		Pass - 3	
		Fail - 3		Fail - 3	
		Skip - 0		Skip - 3	



(S)- : testing search box in amazon home page

<div>FAILED</div> <div>DURATION - 7.462 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
/ 9:24:12.210 AM // 9:24:19.672 AM /				
Amazon search box				
@smoke @regression @Amazon @sanity				


#	Step / Hook Details	Status	Duration
1	Given the user lands to the Amazon home page	PASSED	0.079 s
2	When user enter "galaxy7" org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#twotabsearchtextbox1"} (Session info: chrome=94.0.4606.61) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'Karims-MBP.fios-router.home', ip: 'fe80:0:0:0:4ac:a98d:1643:9a05%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '1.8.0_251' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 94.0.4606.61, chrome: {chromedriverVersion: 94.0.4606.61 (418b78f5838ed..., userDataDir: /var/folders/jk/jdwgknx526g...}, goog:chromeOptions: {debuggerAddress: localhost:50051}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: MAC, platformName: MAC, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 32dce7febc0124acca8d9731d8b4f8bc *** Element info: {Using=id, value=twotabsearchtextbox1} at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)	FAILED	3.041 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementById(RemoteWebDriver.java:372) at org.openqa.selenium.By\$ById.findElement(By.java:188) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy20.sendKeys(Unknown Source) at stepDefinations.StepDf.user_enter(StepDf.java:36) at ?.user enter "galaxy7"(file:///Users/karimmekdoud/Desktop/CucumberJenkinsIntegration/src/test/resources/featureFiles/Amazon.feature:6) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
3	Then user should see a coresponding "galaxy7"	SKIPPED	0.001 s
	AFTER - generic.StarterClass.tearDown(io.cucumber.java.Scenario)	PASSED	0.908 s
	: testing search box in amazon home page 21-09-29 09-24-18		
			



(S)- : testing search box in amazon home page

FAILED	DURATION - 6.684 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 9:24:19.684 AM // 9:24:26.368 AM /				
Amazon search box				
@smoke @regression @Amazon @sanity				


#	Step / Hook Details	Status	Duration
1	Given the user lands to the Amazon home page	PASSED	0.043 s
2	When user enter "iphone 11"	FAILED	3.093 s
	<pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#twotabsearchtextbox1"} (Session info: chrome=94.0.4606.61) For documentation on this error, please visit: https://www. </pre>		

#	Step / Hook Details	Status	Duration
	<p>seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'Karims-MBP.fios-router.home', ip: 'fe80:0:0:0:4ac:a98d:1643:9a05%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '1.8.0_251' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 94.0.4606.61, chrome: {chromedriverVersion: 94.0.4606.61 (418b78f5838ed..., userDataDir: /var/folders/jk/jdwgknx526g...}, goog:chromeOptions: {debuggerAddress: localhost:50137}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: MAC, platformName: MAC, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 2e7693485dea27bef6448c668ce8915f *** Element info: {Using=id, value=twotabsearchtextbox1}</p> <p>at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementById(RemoteWebDriver.java:372) at org.openqa.selenium.By\$ById.findElement(By.java:188) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy20.sendKeys(Unknown Source) at stepDefinitions.StepDf.user_enter(StepDf.java:36) at ?.user enter "iphone 11"(file:///Users/karimmekdoud/Desktop/CucumberJenkinsIntegration/src/test/resources/featureFiles/Amazon.feature:6)</p> <p>* Not displayable characters are replaced by '?'. </p>		
3	Then user should see a corespending "galaxy7"	SKIPPED	0.000 s
	AFTER - generic.StarterClass.tearDown(io.cucumber.java.Scenario)	PASSED	0.889 s
	: testing search box in amazon home page 21-09-29 09-24-25		
			

(S)- : testing search box in amazon home page

<div>FAILED</div>	<div>DURATION - 9.163 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 9:24:26.372 AM // 9:24:35.535 AM /</div>				
<div>Amazon search box</div>				
<div>@smoke @regression @Amazon @sanity</div>				



#	Step / Hook Details	Status	Duration
1	Given the user lands to the Amazon home page	PASSED	0.103 s
2	When user enter "battery" <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#twotabsearchtextbox1"} (Session info: chrome=94.0.4606.61) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'Karims-MBP.fios-router.home', ip: 'fe80:0:0:0:4ac:a98d:1643:9a05%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '1.8.0_251' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 94.0.4606.61, chrome: {chromedriverVersion: 94.0.4606.61 (418b78f5838ed..., userDataDir: /var/folders/jk/jdwgknx526g...}, goog:chromeOptions: {debuggerAddress: localhost:50222}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: MAC, platformName: MAC, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 30f18b1cef344490729d5dc5b90e36c8 *** Element info: {Using=id, value=twotabsearchtextbox1} at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementById(RemoteWebDriver.java:372) at org.openqa.selenium.By\$ById.findElement(By.java:188) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy20.sendKeys(Unknown Source) </pre>	FAILED	3.057 s

#	Step / Hook Details	Status	Duration
	at stepDefinitions.StepDf.user_enter(StepDf.java:36) at ?.user enter "battery"(file:///Users/karimmekdoud/Desktop/CucumberJenkinsIntegration/src/test/resources/featureFiles/Amazon.feature:6) * Not displayable characters are replaced by '?'.		
3	Then user should see a coresponding "galaxy7"	SKIPPED	0.001 s
	AFTER - generic.StarterClass.tearDown(io.cucumber.java.Scenario)	PASSED	0.916 s
	: testing search box in amazon home page 21-09-29 09-24-34		
			

(F)- FFM-OCMF-CreateOrderEventTransformerComparator



PASSED	DURATION - 2.673 s	Scenarios		Steps	
/ 9:24:35.543 AM // 9:24:38.216 AM /		Total - 1		Total - 3	
		Pass - 1		Pass - 3	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Create Order Event Transformer



PASSED		DURATION - 2.673 s			Steps		
/ 9:24:35.543 AM // 9:24:38.216 AM /					Total - 3		
FFM-OCMF-CreateOrderEventTransformerComparator					Pass - 3		
@loadTesting @smoke @regression					Fail - 0		
					Skip - 0		

#	Step / Hook Details	Status	Duration
1	Given load the data with the data with "testdata"	PASSED	0.000 s
2	Given with data file prefixed with "testdata" and json file is "testdata"	PASSED	0.000 s
3	Then call apis and validate with all the data provided	PASSED	0.000 s

(F)- FFM-OCMF-CreateOrderEventValidation

PASSED	DURATION - 2.584 s	Scenarios		Steps	
/ 9:24:38.220 AM // 9:24:40.804 AM /		Total - 1		Total - 3	
		Pass - 1		Pass - 3	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Create Order Event Validation


<div>PASSED</div> <div>DURATION - 2.584 s</div>		Steps	
/ 9:24:38.220 AM // 9:24:40.804 AM /		Total - 3	
FFM-OCMF-CreateOrderEventValidation		Pass - 3	
@orderEvent @smoke @regression @amar @sanity		Fail - 0 Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given load the data with the data with "testdata"	PASSED	0.001 s
2	Given with data file prefixed with "testdata" and json file is "testdata"	PASSED	0.000 s
3	Then call apis and validate with all the data provided	PASSED	0.000 s

(Step) AFTER - generic.StarterClass.
tearDown(io.cucumber.java.Scenario)

(S) : testing search box in amazon home
page


(F) Amazon search box



(Step) AFTER - generic.StarterClass.
tearDown(io.cucumber.java.Scenario)

(S) : testing search box in amazon home
page

(F) Amazon search box



(Step) AFTER - generic.StarterClass.
tearDown(io.cucumber.java.Scenario)

(S) : testing search box in amazon home
page

(F) Amazon search box

