

Claude Sonnet 4 Outputs:

UC1: Customer Rates a Delivered Order

Preconditions:

- The customer is logged in.
- The customer has received a delivered order.
- The order status is marked as DELIVERED.
- At least 5 minutes have passed since delivery completion.

Main Flow:

- The System automatically prompts the customer to rate their order [Display Rating Prompt].
- Customer selects overall rating from 1-5 stars [Select Overall Rating].
- System displays detailed rating categories [Show Rating Categories].
- Customer provides ratings for each category [Rate Categories].
- Customer optionally adds written feedback [Add Comments].
- Customer submits the complete rating [Submit Rating].
- System processes and confirms the rating submission [Confirm Rating Submission].

Subflows:

- [Display Rating Prompt] System shows rating notification with order details and "Rate Your Order" option.
- [Select Overall Rating] Customer taps star rating (1-5 stars) for overall satisfaction.
- [Show Rating Categories] System displays specific rating categories: Food Quality, Delivery Speed, Order Accuracy, and Food Temperature.
- [Rate Categories] Customer rates each category individually using 1-5 star scale.
- [Add Comments] Customer enters optional text feedback in comment field.
- [Submit Rating] Customer taps "Submit Rating" to finalize their review.
- [Confirm Rating Submission] System saves rating data, updates restaurant metrics, and displays "Thank you for your feedback!" message.

Alternative Flows and Edge Cases:

- [AF1: Customer Dismisses Initial Prompt] At [Display Rating Prompt], if customer dismisses notification, System saves rating request and sends reminder after 2 hours.
- [AF2: Incomplete Rating Submission] At [Submit Rating], if overall rating is missing, show: "Please provide an overall star rating to continue" and return to [Select Overall Rating].
- [AF3: Network Error During Submission] At [Confirm Rating Submission], if network fails, System saves rating locally and displays: "Rating saved. Will sync when connection is restored."

- [AF4: Late Rating Attempt] If customer attempts to rate after 7 days from delivery, show: "Rating period has expired for this order" and return to order history.

UC2: Staff Edits an Existing Menu Item

Preconditions:

- The restaurant staff member is logged in to the restaurant portal.
- At least one menu item exists in the restaurant's menu.
- The staff member has appropriate permissions to modify menu items.

Main Flow:

- The Staff member opens the restaurant management portal.
- System displays the restaurant dashboard with menu management options.
- Staff member navigates to menu management section [Access Menu Management].
- System displays current menu items [Display Current Menu].
- Staff member selects an existing item to edit [Select Item to Edit].
- System displays the item's current details in an editable form [Load Item Details].
- Staff member modifies item information (name, description, price, availability, etc.) [Update Item Information].
- Staff member saves the changes [Save Changes].
- System validates and updates the item [Confirm Update].

Subflows:

- [Access Menu Management] System loads the menu management interface with options to view, add, edit, or remove items.
- [Display Current Menu] System retrieves and displays all current menu items with their status (available/unavailable).
- [Select Item to Edit] Staff member clicks on an item or selects "Edit" option for a specific menu item.
- [Load Item Details] System populates editable fields with current item information including name, description, price, ingredients, dietary restrictions, and availability status.
- [Update Item Information] Staff member modifies desired fields such as price adjustments, description updates, seasonal availability, or dietary information.
- [Save Changes] Staff member confirms modifications by clicking "Save" or "Update Item."
- [Confirm Update] System validates changes, updates the database, and displays success confirmation message.

Alternative Flows and Edge Cases:

- [AF1: No Menu Items Available] At [Display Current Menu], if no menu items exist, show: "No menu items found. Please add items to your menu first" and provide option to add new items.
- [AF2: Invalid Price Entry] At [Update Item Information], if staff enters invalid price format, show: "Please enter a valid price amount" and highlight the price field for correction.
- [AF3: Mandatory Field Empty] At [Save Changes], if required fields are empty, show: "Please fill in all required fields" and highlight missing information.
- [AF4: Item Currently in Active Orders] At [Confirm Update], if item has pending orders and staff tries to make it unavailable, show: "This item has active orders. Changes will apply to new orders only" and proceed with update.
- [AF5: Connection Error] At [Save Changes], if system cannot connect to database, show: "Unable to save changes. Please check connection and try again" and retain entered information.

UC3: Admin Views System Usage Reports

Preconditions:

- The admin is logged into the admin panel.
- The system has collected usage data from restaurants, customers, and drivers.
- At least one completed transaction exists in the system.

Main Flow:

- The Admin navigates to the Reports & Analytics section in the admin panel.
- System displays available report categories [Display Report Categories].
- Admin selects a specific report type (e.g., revenue, orders, user activity) [Select Report Type].
- Admin configures report parameters such as date range and filters [Configure Parameters].
- System generates and displays the requested usage report [Generate Report].
- Admin reviews the report data and analytics [Review Data].

Subflows:

- [Display Report Categories] System shows available report types: Order Analytics, Revenue Reports, User Activity, Restaurant Performance, Driver Metrics, and System Health.
- [Select Report Type] Admin clicks on desired report category from the available options.
- [Configure Parameters] Admin sets date range, location filters, restaurant categories, or other relevant parameters for the report.

- [Generate Report] System queries the database, processes the data, and renders charts, tables, and summary statistics.
- [Review Data] Admin examines metrics, trends, and key performance indicators displayed in the report.

Alternative Flows and Edge Cases:

- [AF1: No Data Available] At [Generate Report], if no data exists for the selected parameters, show: "No data available for the selected criteria. Please adjust your filters." and return to [Configure Parameters].
- [AF2: Report Generation Timeout] At [Generate Report], if the query takes too long, show: "Report generation is taking longer than expected. Please try again with a smaller date range." and return to [Configure Parameters].
- [AF3: Export Report] After [Review Data], Admin can select "Export" to download the report as PDF or CSV format for offline analysis or sharing with stakeholders.

UC4: Customer Reorders a Previous Meal

Preconditions:

- The customer is logged in.
- The customer has at least one previous completed order in their order history.
- The restaurant from the previous order is currently available and accepting orders.

Main Flow:

- The Customer opens the WolfCafe app or website.
- Customer navigates to "Order History" or "Reorder" section [Access Order History].
- System displays the customer's previous orders [Display Order History].
- Customer selects a previous order to reorder [Select Previous Order].
- System displays the selected order details and checks item availability [Validate Order Items].
- Customer confirms the reorder [Confirm Reorder].
- System processes the reorder and creates a new order [Process Reorder].

Subflows:

- [Access Order History] Customer taps on "Reorder" button or navigates to order history section.
- [Display Order History] System retrieves and displays customer's past orders with order date, restaurant name, items, and total cost.
- [Select Previous Order] Customer chooses an order from their history list and taps "Reorder" or "Order Again".
- [Validate Order Items] System checks if all items from the previous order are still available and at current prices.

- [Confirm Reorder] Customer reviews the order details and confirms by tapping "Place Reorder".
- [Process Reorder] System creates a new order with updated pricing, assigns order number, sets status to ORDERED, and shows confirmation.

Alternative Flows and Edge Cases:

- [AF1: No Order History] At [Display Order History], if customer has no previous orders, show: "You haven't placed any orders yet. Browse our menu to get started!" and redirect to main menu.
- [AF2: Restaurant Unavailable] At [Validate Order Items], if the restaurant is closed or no longer available, show: "This restaurant is currently unavailable. Please try again later or choose a different restaurant."
- [AF3: Some Items Unavailable] At [Validate Order Items], if some items are no longer available, show: "Some items from your previous order are unavailable: [list items]. Would you like to proceed with available items only?" with options to "Continue" or "Cancel".
- [AF4: Price Changes] At [Validate Order Items], if item prices have changed significantly, show: "Prices have been updated since your last order. New total: \$X.XX" and require customer confirmation before proceeding.
- [AF5: Delivery Area Changed] At [Validate Order Items], if the restaurant no longer delivers to customer's saved address, show: "This restaurant no longer delivers to your area. Please update your delivery address or choose a different restaurant."

UC5: Delivery Driver Accepts a New Delivery Assignment

Preconditions:

- The delivery driver is logged into the driver app.
- The driver's status is set to "Available" or "Online".
- At least one delivery order is pending assignment in the system.

Main Flow:

- The System identifies available drivers based on location and capacity [Find Available Drivers].
- System sends delivery assignment notification to the driver [Send Assignment Notification].
- Driver reviews the delivery details and payment information [Review Assignment Details].
- Driver accepts the delivery assignment [Accept Assignment].
- System updates the driver's status and assigns the order [Confirm Assignment].
- Driver receives pickup and delivery instructions [Receive Instructions].

Subflows:

- [Find Available Drivers] System uses GPS location and algorithm to identify optimal drivers within delivery radius who can handle additional orders.
- [Send Assignment Notification] System pushes notification with order summary, pickup location, delivery address, estimated earnings, and time limit for response.
- [Review Assignment Details] Driver views restaurant location, customer address, order value, delivery fee, estimated time, and special instructions.
- [Accept Assignment] Driver taps "Accept" within the time limit (typically 30-60 seconds).
- [Confirm Assignment] System updates driver status to "Assigned", removes order from assignment pool, and notifies restaurant and customer.
- [Receive Instructions] System provides GPS navigation to restaurant, customer contact details, and any special delivery instructions.

Alternative Flows and Edge Cases:

- [AF1: Driver Declines Assignment] At [Accept Assignment], if driver taps "Decline", system logs the refusal and reassigns order to next available driver.
- [AF2: Assignment Times Out] At [Review Assignment Details], if driver doesn't respond within time limit, system automatically reassigns order and may temporarily lower driver's priority score.
- [AF3: Multiple Delivery Management] At [Accept Assignment], if driver already has active deliveries, system verifies route optimization and delivery capacity before confirming assignment.
- [AF4: Driver Goes Offline] At [Send Assignment Notification], if driver's status changes to offline or unavailable, system immediately reassigns to next available driver.

UC6: Restaurant Staff Marks Item as Out of Stock**Preconditions:**

- Restaurant staff member is logged into the restaurant management portal.
- The restaurant has active menu items listed on the platform.
- At least one menu item is currently available and marked as "in stock."

Main Flow:

- Restaurant staff opens the restaurant management interface.
- System displays current menu with item availability status [Display Menu Management].
- Staff member identifies an item that needs to be marked as out of stock [Identify Item].
- Staff member selects the item and changes status to "out of stock" [Update Item Status].

- System confirms the status change and updates item availability [Confirm Status Update].
- System notifies customers and delivery platform of the item's unavailability [Update Customer View].

Subflows:

- [Display Menu Management] System shows all menu items with current availability status (in stock/out of stock) and inventory levels.
- [Identify Item] Staff member locates the specific menu item that is no longer available due to ingredient shortage, kitchen capacity, or other operational constraints.
- [Update Item Status] Staff member clicks on item status toggle or selects "Mark as Out of Stock" option and optionally adds reason for unavailability.
- [Confirm Status Update] System updates database, timestamps the change, and displays confirmation message to staff member.
- [Update Customer View] System immediately removes item from customer-facing menus or marks it as unavailable with appropriate messaging.

Alternative Flows and Edge Cases:

- [AF1: Item Already Out of Stock] At [Update Item Status], if the item is already marked as out of stock, system shows: "This item is already marked as unavailable" and returns to [Display Menu Management].
- [AF2: Active Orders Contain Item] At [Confirm Status Update], if there are pending orders containing this item, system prompts: "Warning: 3 active orders contain this item. Mark as unavailable for new orders only?" with options to proceed or cancel.
- [AF3: System Connection Error] At [Update Customer View], if the system cannot update the customer-facing platform, show: "Status updated locally but customer view sync failed. Retrying..." and attempt automatic retry.
- [AF4: Bulk Status Update] At [Update Item Status], staff member can select multiple items to mark as out of stock simultaneously during kitchen closure or supply shortage situations.

UC7: Admin Manages User Accounts and Permissions

Preconditions:

- The admin is logged into the admin panel.
- At least one user account exists in the system.
- Admin has appropriate permissions to manage user accounts.

Main Flow:

- The Admin accesses the user management section from the admin dashboard.
- System displays the user account management interface [Display User Dashboard].

- Admin selects a user account to manage [Select User Account].
- Admin reviews user details and current permissions [Review User Information].
- Admin modifies user permissions or account status [Update User Settings].
- System validates and applies the changes [Apply Changes].
- System displays confirmation of successful updates [Confirm Updates].

Subflows:

- [Display User Dashboard] System retrieves and displays all user accounts (customers, restaurant owners, delivery drivers) with their current status, registration date, and permission levels.
- [Select User Account] Admin clicks on a specific user from the list to view detailed information.
- [Review User Information] System shows user profile details, order history, payment status, account status (active/suspended), and current permission settings.
- [Update User Settings] Admin modifies account permissions, changes account status (activate/suspend/deactivate), updates user role, or adjusts access levels to specific features.
- [Apply Changes] System validates the permission changes, updates the database, and logs the administrative action.
- [Confirm Updates] System displays success message with details of changes made and sends notification to affected user if applicable.

Alternative Flows and Edge Cases:

- [AF1: User Account Not Found] At [Select User Account], if the user account no longer exists, show: "User account not found or has been deleted" and return to [Display User Dashboard].
- [AF2: Insufficient Admin Permissions] At [Update User Settings], if the admin lacks permission to make certain changes, show: "You do not have sufficient privileges to perform this action" and highlight available actions only.
- [AF3: User Has Active Orders] At [Update User Settings], if attempting to suspend/deactivate a user with active orders, show: "Cannot modify account status while user has pending orders" and provide option to view active orders first.
- [AF4: System Validation Error] At [Apply Changes], if changes conflict with system rules (e.g., removing all admin privileges), show: "Invalid permission configuration detected" and revert to previous settings.

UC8: Customer Sends Feedback to Restaurant

Preconditions:

- The customer is logged in to the system.
- The customer has completed at least one order from the restaurant.

- The order status is marked as DELIVERED or COMPLETED.

Main Flow:

- The Customer navigates to their order history in the WolfCafe app or website.
- System displays the list of completed orders [Display Order History].
- Customer selects a specific completed order [Select Order].
- System displays order details with feedback option [Show Feedback Option].
- Customer chooses to provide feedback [Initiate Feedback].
- System presents feedback form with rating and comment fields [Display Feedback Form].
- Customer submits rating and written feedback [Submit Feedback].
- System processes and confirms feedback submission [Confirm Feedback Submission].

Subflows:

- [Display Order History] System retrieves and shows all customer's completed orders with restaurant names and dates.
- [Select Order] Customer taps on a specific order to view details.
- [Show Feedback Option] System displays order summary with "Leave Feedback" or "Rate & Review" button.
- [Initiate Feedback] Customer selects the feedback option to begin the review process.
- [Display Feedback Form] System shows rating scale (1-5 stars), text field for comments, and optional categories (food quality, delivery time, packaging).
- [Submit Feedback] Customer completes the form and taps "Submit Review" button.
- [Confirm Feedback Submission] System saves feedback, links it to restaurant profile, displays "Thank you for your feedback!" message, and returns to order history.

Alternative Flows and Edge Cases:

- [AF1: Feedback Already Submitted] At [Show Feedback Option], if feedback already exists for this order, display "Edit Your Review" option instead of "Leave Feedback" and allow customer to modify existing feedback.
- [AF2: Network Connection Error] At [Submit Feedback], if submission fails due to connectivity issues, show "Unable to submit feedback. Please try again later." and save draft locally for later submission.
- [AF3: Inappropriate Content Detected] At [Confirm Feedback Submission], if system detects potentially inappropriate language, show "Please review your feedback for inappropriate content" and return to [Display Feedback Form] with content flagged for revision.

- [AF4: Rating Without Comment] At [Submit Feedback], if customer provides only a star rating without written feedback, allow submission but prompt "Would you like to add a comment to help the restaurant improve?"

UC9: Staff Adds Limited-Time Promotional Items to Menu

Preconditions:

- Staff member is logged into the restaurant portal.
- Restaurant has an active account with available menu management permissions.
- At least one regular menu item exists in the system.

Main Flow:

- Staff member navigates to the menu management section of the restaurant portal.
- System displays current menu items [Display Current Menu].
- Staff member selects "Add Promotional Item" option [Initiate Promo Creation].
- Staff member enters promotional item details [Enter Promo Details].
- Staff member sets promotional period and availability [Set Promo Schedule].
- Staff member confirms and publishes the promotional item [Publish Promo Item].
- System updates the menu and notifies relevant stakeholders [Update Menu Display].

Subflows:

- [Display Current Menu] System retrieves and shows all current menu items with their status and availability.
- [Initiate Promo Creation] Staff selects promotional item creation option from menu management interface.
- [Enter Promo Details] Staff inputs item name, description, price, ingredients, promotional discount/offer type (e.g., "buy one get one free", combo deals, seasonal specials), and appealing description text.
- [Set Promo Schedule] Staff defines start date, end date, daily availability hours, quantity limits, and applicable days of the week for the promotion.
- [Publish Promo Item] Staff reviews all details and confirms publication of the promotional item.
- [Update Menu Display] System adds promotional item to customer-facing menu with special promotional badges/highlighting and updates item availability across all platforms.

Alternative Flows and Edge Cases:

- [AF1: Duplicate Promotional Item] At [Enter Promo Details], if an identical promotional item already exists, system displays: "A similar promotional item is already active. Please modify details or manage existing promotion." and returns to [Enter Promo Details].

- [AF2: Invalid Promotional Period] At [Set Promo Schedule], if end date is before start date or dates are in the past, system shows: "Please enter a valid promotional period with future dates." and returns to [Set Promo Schedule].
- [AF3: Inventory Conflict] At [Publish Promo Item], if promotional item ingredients conflict with existing inventory limitations, system displays: "Insufficient ingredients available for this promotional period. Please adjust quantities or schedule." and returns to [Set Promo Schedule].
- [AF4: Exceeds Promotional Limit] At [Publish Promo Item], if restaurant already has maximum allowed active promotions, system shows: "Maximum promotional items limit reached. Please deactivate an existing promotion first." and returns to [Display Current Menu].

UC10: Customer Tracks Real-Time Order Delivery

Preconditions:

- The customer has an active order with status "PREPARING" or "OUT FOR DELIVERY"
- The customer is logged into the WolfCafe app or website
- GPS tracking is enabled for the delivery driver
- The delivery driver has started the delivery route

Main Flow:

- The Customer opens the WolfCafe app and navigates to "My Orders" section
- System displays current active orders [Display Active Orders]
- Customer selects the order they want to track [Select Order to Track]
- System displays real-time tracking interface with map and delivery status [Show Tracking Interface]
- Customer monitors delivery progress with live updates [Monitor Delivery Progress]
- System provides estimated delivery time and delivery notifications [Update Delivery Status]

Subflows:

- [Display Active Orders] System retrieves and shows all orders with status "PREPARING", "OUT FOR DELIVERY", or "ARRIVING SOON"
- [Select Order to Track] Customer taps on specific order to view detailed tracking information
- [Show Tracking Interface] System displays map with driver location, delivery route, customer address, and current order status
- [Monitor Delivery Progress] System automatically updates driver location every 30 seconds and shows real-time progress along delivery route

- [Update Delivery Status] System calculates and displays updated ETA based on current traffic conditions and driver location, sends push notifications for status changes

Alternative Flows and Edge Cases:

- [AF1: GPS Signal Lost] At [Monitor Delivery Progress], if driver's GPS signal is unavailable, show: "Tracking temporarily unavailable. Last known location: [timestamp]" and continue showing last known position
- [AF2: Driver Running Late] At [Update Delivery Status], if delivery exceeds estimated time by 15+ minutes, show: "Your order is running a bit late due to [reason]. New estimated arrival: [time]" and offer option to contact driver
- [AF3: Order Status Changed to Delivered] At [Monitor Delivery Progress], when driver marks order as delivered, display: "Your order has been delivered! Enjoy your meal!" and redirect to order completion screen with option to rate the delivery

UC11: Admin Exports Financial and Sales Reports

Preconditions:

- The admin is logged in with appropriate permissions.
- The system contains order and financial data for the requested time period.
- At least one completed transaction exists in the system.

Main Flow:

- The Admin navigates to the reports section of the admin dashboard.
- System displays available report types and date range options [Display Report Options].
- Admin selects report type (financial summary, sales analytics, or tax reporting) and specifies date range [Select Report Parameters].
- Admin chooses export format (CSV, PDF, or Excel) [Choose Export Format].
- System generates and processes the requested report [Generate Report].
- System provides download link or sends report via email [Deliver Report].

Subflows:

- [Display Report Options] System shows available report categories: financial summaries, sales analytics, tax reports, and vendor payouts with date range selectors.
- [Select Report Parameters] Admin specifies report type, start date, end date, and optional filters (restaurant, payment method, order status).
- [Choose Export Format] Admin selects from available formats: CSV for data analysis, PDF for presentation, or Excel for advanced manipulation.
- [Generate Report] System queries database, calculates totals, applies formatting, and creates file in requested format.

- [Deliver Report] System either provides immediate download link or emails report to admin's registered email address.

Alternative Flows and Edge Cases:

- [AF1: No Data Available] At [Generate Report], if no data exists for the selected period, show: "No transactions found for the specified date range. Please adjust your criteria." and return to [Select Report Parameters].
- [AF2: Report Generation Timeout] At [Generate Report], if processing takes longer than 60 seconds, show: "Report is being prepared and will be emailed when ready." and continue processing in background.
- [AF3: Invalid Date Range] At [Select Report Parameters], if end date is before start date or range exceeds 12 months, show: "Please select a valid date range (maximum 12 months)." and return to parameter selection.
- [AF4: Insufficient Permissions] At [Display Report Options], if admin lacks financial reporting permissions, show: "Access denied. Contact system administrator for reporting permissions." and redirect to main dashboard.

UC12: Staff Updates Estimated Prep Time for Orders

Preconditions:

- The restaurant staff member is logged into the system.
- At least one active order exists with status "CONFIRMED" or "IN PREPARATION".
- The staff member has permission to modify order timing information.

Main Flow:

- Restaurant staff opens the order management interface.
- System displays current active orders with their estimated preparation times [Display Active Orders].
- Staff selects an order requiring time adjustment [Select Order].
- Staff updates the estimated preparation time [Update Prep Time].
- System validates and saves the new timing information [Save Updated Time].
- System notifies relevant parties of the timing change [Send Notifications].

Subflows:

- [Display Active Orders] System retrieves and shows all orders with status "CONFIRMED" or "IN PREPARATION", displaying current estimated prep times and actual elapsed time.
- [Select Order] Staff clicks on a specific order from the active orders list.
- [Update Prep Time] Staff enters new estimated minutes remaining or selects from preset time options (e.g., +10 min, +20 min, -5 min).

- [Save Updated Time] System validates the new time is reasonable (between 1-180 minutes), updates the order record, and recalculates estimated ready time.
- [Send Notifications] System automatically notifies the assigned courier of timing changes and sends push notification to customer if delay exceeds 15 minutes.

Alternative Flows and Edge Cases:

- [AF1: Invalid Time Entry] At [Update Prep Time], if staff enters an unrealistic time (>180 minutes or <1 minute), show: "Please enter a valid preparation time between 1-180 minutes" and return to time entry.
- [AF2: Order Status Changed] At [Save Updated Time], if order status changed to "READY" or "CANCELLED" by another staff member, show: "Order status has changed. Time update not applicable" and return to [Display Active Orders].
- [AF3: System Communication Failure] At [Send Notifications], if notification delivery fails, log the error but continue with the process, showing: "Time updated successfully. Note: Some notifications may be delayed."
- [AF4: Multiple Staff Conflict] At [Update Prep Time], if another staff member is simultaneously updating the same order, show: "This order is being modified by another team member. Please try again" and refresh the order details.

UC13: Customer Edits Order Before Final Submission

Preconditions:

- The customer is logged in.
- The customer has selected at least one item and added it to cart.
- The order has not yet been submitted to the restaurant.

Main Flow:

- The Customer navigates to their cart or order summary page.
- System displays current order details [Display Order Summary].
- Customer selects the option to edit their order [Initiate Edit Mode].
- Customer modifies order items [Modify Order Items].
- Customer confirms the updated order [Confirm Changes].
- System updates the order total and displays confirmation [Update Order Summary].

Subflows:

- [Display Order Summary] System shows all selected items, quantities, special instructions, and current total price.
- [Initiate Edit Mode] Customer taps "Edit Order" or similar control to enter modification mode.
- [Modify Order Items] Customer can add items, remove items, change quantities, or update special instructions.

- [Confirm Changes] Customer reviews modifications and taps "Update Order" to apply changes.
- [Update Order Summary] System recalculates pricing, updates item availability, and displays the revised order.

Alternative Flows and Edge Cases:

- [AF1: Item No Longer Available] At [Update Order Summary], if a previously selected item is now unavailable, show: "One or more items in your order are no longer available" and allow customer to remove or substitute items.
- [AF2: Minimum Order Not Met] At [Confirm Changes], if modifications result in order total below restaurant minimum, show: "Order total must meet minimum requirement of \$X" and prevent confirmation until threshold is met.
- [AF3: Restaurant Closed During Edit] At [Modify Order Items], if restaurant becomes unavailable, show: "This restaurant is currently closed. Your cart will be saved for later" and return customer to restaurant selection.

UC14: Admin Broadcasts Announcement to All Users

Preconditions:

- The admin is logged into the admin panel.
- At least one registered user exists in the system.
- The notification system is operational.

Main Flow:

- The Admin accesses the campaign management section of the admin panel.
- System displays the broadcast announcement interface [Display Broadcast Interface].
- Admin creates announcement content and selects target audience [Create Announcement].
- Admin reviews and schedules the broadcast [Schedule Broadcast].
- System validates the announcement and sends notifications to all targeted users [Send Broadcast].
- System confirms successful delivery and provides broadcast analytics [Confirm Delivery].

Subflows:

- [Display Broadcast Interface] System shows announcement creation form with options for message content, media attachments, user targeting, and delivery scheduling.
- [Create Announcement] Admin enters announcement title, message body, selects notification type (push notification, email, in-app), and chooses target audience (all users, customers only, restaurants only, drivers only, or custom segments).

- [Schedule Broadcast] Admin selects immediate delivery or schedules for a specific date/time, reviews message preview, and confirms broadcast settings.
- [Send Broadcast] System queues the announcement, sends notifications through selected channels, and tracks delivery status in real-time.
- [Confirm Delivery] System displays delivery confirmation with statistics including total recipients, successful deliveries, and failed attempts.

Alternative Flows and Edge Cases:

- [AF1: No Active Users] At [Send Broadcast], if no users match the target criteria, show: "No active users found for the selected audience. Please adjust your targeting criteria." and return to [Create Announcement].
- [AF2: System Overload] At [Send Broadcast], if the notification system is overloaded, show: "System is currently busy. Your announcement has been queued and will be sent shortly." and provide estimated delivery time.
- [AF3: Invalid Content] At [Schedule Broadcast], if the announcement contains inappropriate content or exceeds character limits, show: "Please review your announcement content. Ensure it meets guidelines and character limits." and return to [Create Announcement].

UC15: Restaurant Sets Business Hours and Availability

Preconditions:

- The restaurant owner/manager is logged in to the restaurant portal.
- The restaurant account is active and verified in the system.

Main Flow:

- The restaurant owner opens the restaurant management portal.
- System displays the current business settings dashboard [Display Current Settings].
- Restaurant owner selects "Business Hours & Availability" option [Access Hours Management].
- System shows current operating hours and availability status [Show Current Hours].
- Restaurant owner modifies business hours for each day of the week [Set Operating Hours].
- Restaurant owner sets availability status (Open/Closed/Temporarily Unavailable) [Update Availability Status].
- System validates the entered hours and settings [Validate Settings].
- Restaurant owner confirms the changes [Confirm Changes].
- System saves the new business hours and updates customer-facing availability [Save and Update].

Subflows:

- [Display Current Settings] System retrieves and shows the restaurant's current operational settings including hours, status, and recent changes.
- [Access Hours Management] Restaurant owner navigates to the hours management interface.
- [Show Current Hours] System displays current hours for each day, special holiday hours, and current availability status.
- [Set Operating Hours] Restaurant owner sets opening and closing times for each day, with options for different weekend hours and special schedules.
- [Update Availability Status] Restaurant owner toggles between available statuses and can set temporary closure with estimated reopening time.
- [Validate Settings] System checks for logical consistency (opening time before closing time, realistic operating hours).
- [Confirm Changes] Restaurant owner reviews all changes before finalizing.
- [Save and Update] System saves changes, notifies delivery system, and updates customer app displays immediately.

Alternative Flows and Edge Cases:

- [AF1: Invalid Time Range] At [Validate Settings], if closing time is before opening time, show: "Closing time must be after opening time" and return to [Set Operating Hours].
- [AF2: Overlapping Break Hours] At [Validate Settings], if break periods overlap with operating hours incorrectly, show: "Break hours conflict with operating hours" and allow correction.
- [AF3: Peak Hours Warning] At [Set Operating Hours], if restaurant tries to close during typical peak hours (lunch/dinner), show warning: "This may affect your order volume during peak times. Continue?" with option to proceed or modify.
- [AF4: Emergency Closure] At any point, if restaurant owner selects "Close Immediately", system prompts for reason and estimated reopening time, then immediately updates customer visibility and notifies customers with pending orders.
- [AF5: Holiday Hours] At [Set Operating Hours], restaurant owner can set special hours for holidays which override regular weekly schedule, with automatic return to normal hours after the specified date.

OpenAI ChatGPT-4o Outputs:

UC16: New Customer Creates Account

- **Preconditions:**
 - User has installed the application on their device.
 - User has a stable internet connection.
 - User has not previously created an account on the application.
- **Main Flow:**
 1. Open the application on the device.
 2. Tap on the “Sign Up” or “Create Account” button on the home screen.
 3. Enter a valid email address, and create a password following specified criteria.
 4. Input personal details such as name and phone number.
 5. Agree to the application’s terms and conditions and privacy policy.
 6. Submit the registration form to create the account.
 7. Receive an email verification link at the provided email address.
 8. Open the verification email and click on the link to verify the account.
 9. Upon successful verification, log into the application using the registered credentials.
- **Subflows:**
 - **Step 3:** If user opts to sign up using social media or third-party services:
 1. Tap on the relevant social media icon.
 2. Grant necessary permissions to share data between the social media account and the food delivery app.
 3. Return to the application, which confirms account creation using the social media credentials.
- **Alternative Flows:**
 - **[AF3]:** If the user enters an invalid email format, the application prompts the user to re-enter a valid email address.
 - **[AF6]:** If any required field is left blank, the application displays an error message highlighting the missing information.
 - **[AF7]:** If the verification email is not received, the user can request a new verification link through the application’s support or account recovery option.

UC17: Customer Places Order

- **Preconditions:**
 - The customer has successfully logged into the application.
 - The customer has set up a valid payment method within the application.

- The application displays a list of participating restaurants or food providers with their menus.
- **Main Flow:**
 1. Display the list of available restaurants or food providers to the customer.
 2. Allow the customer to select a restaurant or food provider from the list.
 3. Present the selected restaurant's menu to the customer.
 4. Enable the customer to select one or more items from the menu.
 5. Provide an option for the customer to review their selections in a cart view.
 6. Prompt the customer to enter or verify the delivery address.
 7. Present the total amount including any taxes and delivery fees.
 8. Offer the customer to confirm their order and choose the payment option.
 9. Process the payment using the chosen method.
 10. Display an order confirmation with the estimated delivery time to the customer.
- **Subflows:**
 - **Step 1:** Provide filters such as cuisine type, delivery time, and customer ratings.
 - **Step 4:** Allow customization options for selected items (e.g., ingredients, size options).
- **Alternative Flows:**
 - **[AF3]** If the selected restaurant is unavailable (e.g., closed), return to Step 1 with a notification to the customer.
 - **[AF9]** If the payment fails, prompt the customer to retry or select a different payment method, returning to Step 8.
 - **[AF10]** If the customer wishes to modify the order post confirmation but before preparation, enable an option to contact customer support for modifications.

UC18: Customer Pays via 3rd-Party Service

- **Preconditions:**
 - User is registered and logged into the application
 - User has selected items from the food menu and added them to the cart.
 - System has established a connection with the 3rd-party payment service.
- **Main Flow:**
 1. Display the list of available payment options to the user.
 2. Prompt the user to select a 3rd-party payment service from the list.
 3. Redirect the user to the selected 3rd-party payment service's platform.
 4. Process the payment on the 3rd-party platform, where the user authorizes the transaction.
 5. Receive transaction confirmation from the 3rd-party service.

6. Update the order status to “Paid” and notify the user of successful payment.
 7. Complete the checkout process by initiating order preparation and delivery.
- **Subflows:**
 - **Step 3:** 3rd-Party Platform Interaction
 1. Authenticate the user on the 3rd-party platform, if required.
 2. Display payment details and prompt user for confirmation.
 - **Alternative Flows:**
 - **[AF4]** Payment Authorization Failure:
 1. If the payment fails on the 3rd-party platform, notify the user of the failure.
 2. Return the user to the payment options screen to select a different payment method or retry.
 - **[AF5]** Confirmation Failure:
 1. If the app does not receive transaction confirmation from the 3rd-party, notify the user of the status.
 2. Suggest the user to contact customer support or retry the payment process.

UC19: Admin Processes Customer Support Request

- **Preconditions:**
 - The customer has successfully submitted a support request through the food delivery application.
 - The support request has been logged in the admin support system.
 - An admin is logged into the support management interface.
- **Main Flow:**
 1. Verify the details of the customer’s support request in the system.
 2. Review the order history associated with the support request for background information.
 3. Categorize the request by determining if it is related to delivery, payment, or other issues.
 4. Assign the request to the appropriate customer support specialist team based on the category.
 5. Notify the customer of the support request acknowledgment and the expected response time.
 6. Monitor the status of the support request for timely resolution.
- **Subflows:**
 - **Step 3**
 1. If related to Delivery

- Contact the delivery team for order status clarification.
 - Review GPS tracking data to verify delivery whereabouts.
- 2. If the request is related to payment:
 - Verify the payment transaction history associated with the order.
 - Check with the finance department for any payment discrepancies.
- **Alternative Flows:**
 - **[AF1]** If the system cannot find the support request initially:
 1. Perform an advanced search based on the customer's order ID or email address.
 2. If still not found, escalate to technical support for system verification.
 - **[AF5]** If there is a delay in assigning the request to a support specialist due to high volume:
 1. Send automatic notification to the customer explaining the delay and provide an updated expected response time.

UC20: New Restaurant Registers Account

- **Preconditions:**
 - The food delivery application is live and operational.
 - The new restaurant has internet connectivity.
 - The restaurant owner has a device capable of accessing the food delivery application (e.g., smartphone or computer).
- **Main Flow:**
 1. Initiate the account registration process by selecting "Register" on the food delivery app's homepage.
 2. Input basic restaurant details such as the restaurant name, address, and contact information in the provided form fields.
 3. Upload necessary documentation proving the legitimacy and compliance of the restaurant (e.g., health certificates).
 4. Create a user account by providing an email and setting a secure password.
 5. Review the entered information and submit the registration form.
 6. Receive a confirmation message indicating the successful submission of the registration request.
 7. Await approval email from the food delivery app administrators, indicating successful account activation.
- **Subflows:**
 - **Step 2 Detailed Input Process**

1. Enter the restaurant's opening hours and delivery preferences.
 2. Provide a brief description of the restaurant's cuisine and potential highlights.
 3. Optional: Select available promotions or marketing plans from the food delivery service's options.
- **Alternative Flows:**
 - **[AF3] Document Upload Error:**
 1. If the document upload fails, an error message is displayed.
 2. User is prompted to verify the document format and size and try uploading again.
 - **[AF5] Submission Error:**
 1. If the user submits an incomplete form, an error message details the missing information.
 2. User must correct and complete all required fields before re-submitting.

UC21: Delivery Driver Registers Account

- **Preconditions:**
 - The Food Delivery application is installed on the driver's mobile device.
 - The driver has a stable internet connection.
 - The driver possesses necessary documentation for account registration (e.g., driver's license, vehicle registration).
- **Main Flow:**
 1. Launch the Food Delivery application on the mobile device.
 2. Tap on the "Register" button on the application's home screen.
 3. Enter personal information including name, email address, phone number, and create a password.
 4. Upload mandatory documents such as driver's license and vehicle registration.
 5. Submit the information for verification by tapping the "Submit" button.
 6. Receive a confirmation message that the registration request is under review.
 7. Once verified, the driver receives a notification confirming account activation.
 8. Log in to the application using the registered email and password.
- **Subflows:**
 - **Step 3:** If the email address already exists, prompt user to log in or use password recovery.
- **Alternative Flows:**

- **[AF4]:** If documents upload fails, display an error message with retry option and contact support link.
- **[AF7]:** If verification fails, send a notification detailing reasons for rejection and provide steps for re-submission.

UC22: Customer Cancels Order

- **Preconditions:**

- Customer must have an active internet connection.
- Customer must have a registered account and be logged into the food delivery application.
- An order must be placed and be in a cancellable status (i.e., the food must not yet be out for delivery).

- **Main Flow:**

1. Display the user's active orders on the dashboard.
2. Prompt the user to select the order they wish to cancel.
3. Present the order details, including the cancel option.
4. User selects the cancel order function.
5. Confirm the cancellation action with a pop-up dialog requesting confirmation.
6. Execute the cancellation upon user confirmation.
7. Display a cancellation confirmation message to the user.

- **Subflows:**

- **Step 3: View Order Details:**
 1. User taps on an order to view more details such as delivery time, restaurant name, and items ordered.
 2. Return control to the main flow for the cancellation process.

- **Alternative Flows:**

- **[AF5] User Cancels Confirmation Dialog:**
 1. If the user declines or closes the confirmation dialog, terminate the cancellation process.
 2. Redirect the user back to the order details page.
- **[AF6a] Order Not Cancellable:**
 1. If the system determines the order is too late to cancel (status is not in a cancellable state), display a message indicating the order cannot be canceled.
 2. Redirect the user back to the list of active orders.
- **[AF6b] Error During Cancellation:**
 1. If there is a failure at the backend to process the cancellation, display an error message to the user.
 2. Offer the user the option to retry or contact support.

UC23: Customer Modifies User Profile

- **Preconditions:**

- The user is registered in the food delivery application.
- The user is logged into their account on the food delivery application.
- The application interface is accessible and functional.

- **Main Flow:**

1. Display the user profile screen when the user selects the “Profile” option from the main menu.
2. Allow the user to edit profile information like name, contact information, and address by selecting the “Edit” button.
3. Provide input fields for each selectable item, pre-filled with the existing data.
4. Allow the user to modify the data in the input fields.
5. Require the user to confirm changes by pressing the “Save” button.
6. Validate the modified data to ensure it meets format and completeness requirements.
7. Update the user’s profile with the validated data and confirm the changes with a notification.

- **Alternative Flows:**

- **[AF5]:** If the user cancels the modification process before finalizing:
 1. Discard any changes made to the profile.
 2. Return to the user profile screen without saving changes.
- **[AF6]:** If validation fails for any modified data:
 1. Highlight the erroneous fields and display an error message.
 2. Prompt the user to correct the errors, and prevent submission without correction.
- **[AF7]:** If network connectivity is lost when saving changes:
 1. Inform the user of the loss of connectivity with an error message.
 2. Offer the option to retry saving when connectivity is restored.

UC24: User Resets Login Password

- **Preconditions:**

- The user has a registered account with the Food Delivery application.
- The user has access to their email associated with the account.
- The user is unable to log in due to a forgotten password.

- **Main Flow:**

1. User selects the “Forgot Password?” link on the login screen.
2. System prompts the user to enter their registered email address.
3. User inputs their email and selects “Submit.”

4. System verifies the email address and sends a password reset link to it.
 5. User opens the password reset email and clicks on the provided link.
 6. System directs the user to a secure password reset page.
 7. User enters a new password, confirms it, and selects “Reset Password.”
 8. System updates the user’s password and displays a success message.
- **Alternative Flows:**
 - **[AF4]:** If the system does not recognize the email address, it displays an error message and prompts the user to re-enter the correct email.
 - **[AF5]:** If the user does not receive the email, the System provides an option to resend the verification email.
 - **[AF7]:** If the new password does not meet the security criteria, the System prompts the user to re-enter the password following the correct criteria (e.g., minimum length, special characters).

UC25: Admin Reviews Delivery Driver Performance

- **Preconditions:**
 - Admin has access to the Food Delivery Application’s admin panel.
 - Delivery driver data, including performance metrics, are available within the system.
 - Admin is authenticated and authorized to review driver performance.
- **Main Flow:**
 1. Log into the admin panel using authorized credentials.
 2. Navigate to the “Driver Performance” section from the dashboard.
 3. Select the specific delivery driver whose performance needs to be reviewed.
 4. View the performance metrics, including delivery times, customer ratings, and number of deliveries.
 5. Analyze the data provided to assess the driver’s performance quality.
 6. Record observations and any decisions regarding driver performance, if necessary.
 7. Log out of the admin panel.
- **Alternative Flows:**
 - **[AF1]:** Login Failure
 1. If the admin enters incorrect credentials, display an error message and prompt for re-entry.
 2. Allow up to three attempts before locking the account temporarily for security purposes.
 - **[AF3]:** Data Unavailable:
 1. If driver data is not available, display an error message indicating data retrieval issues.

- 2. Provide options to retry loading data or contact technical support.
- **[AF5]:** If metrics are unclear or seem erroneous, provide an option to consult the support team for clarification.

UC26: User Reports Application Issue

- **Preconditions:**
 - User must have an active account in the food delivery application.
 - The application must be installed and logged in on the user's mobile device.
 - The user must experience an issue that disrupts the intended use of the application.
- **Main Flow:**
 1. User encounters an issue while using the food delivery application.
 2. User navigates to the app's support or help section.
 3. User selects the "Report an Issue" option.
 4. User describes the issue in detail using the provided form.
 5. User submits the issue report via the app.
 6. System sends a confirmation to the user that the report has been received.
 7. Support team reviews the submitted issue.
 8. Support team responds to the user with a resolution or further inquiries.
- **Alternative Flows:**
 - **[AF4]** If the user provides insufficient information, the system prompts the user to provide additional details before proceeding to step 5.
 - **[AF5]** If network connectivity is lost, the system saves the report locally and attempts to resubmit when connectivity is restored.
 - **[AF8]** If the issue report is not clear, the support team may request more information from the user before proceeding with a resolution.

UC27: Delivery Driver Views Delivery History

- **Preconditions:**
 - The delivery driver must be logged into the food delivery application.
 - The delivery driver must have completed at least one past delivery.
 - The mobile application must be connected to the internet.
- **Main Flow:**
 1. Display a dashboard upon the driver's login, including a summary of recent deliveries.
 2. Prompt the driver to access the 'History' section from the main menu.
 3. Retrieve and display the list of previous deliveries, including date, time, location, and order details.

4. Allow the driver to select a specific delivery entry to view more detailed information, such as customer feedback or earned tips.
 5. Provide options to filter the history by date range, delivery status or earnings.
 6. Enable drivers to export the delivery history data as a CSV file for personal records.
- **Subflows:**
 - **Step 3:** If no deliveries are found in the history, display a message indicating “No delivery records available”.
 - **Alternative Flows:**
 - **[AF2]:** If the internet connection is lost while retrieving history:
 1. Notify the driver with a “Connection Lost” alert.
 2. Prompt the driver to retry accessing the ‘History’ section once the connection is restored.
 - **[AF4]:** If detailed information for a selected entry is unavailable:
 1. Display an error message stating “Detailed information currently unavailable”.
 2. Allow the driver to return to the main delivery history list.

UC28: Delivery Driver Exports Financial Statements

- **Preconditions:**
 - The delivery driver is logged into the food delivery application.
 - The delivery driver’s account has completed orders with associated financial data.
 - The feature for exporting financial statements is available in the driver section of the application.
- **Main Flow:**
 1. Navigate to the “Driver Dashboard” screen after logging in.
 2. Select the “Financial Statements” option from the dashboard menu.
 3. Choose the desired time period for the financial statement (e.g., past week, month, or custom dates).
 4. Tap the “Export” button to initiate the export process.
 5. Select the preferred format for the exported document (e.g., PDF, Excel).
 6. Confirm the export action to start generating the statement.
 7. Receive a notification once the financial statement is successfully exported and available for download.
- **Alternative Flows:**
 - **[AF3]** If the driver selects a custom date range that is invalid (e.g., start date is after the end date):
 1. Display an error message indicating the invalid date range.

2. Prompt the driver to re-select a valid date range.
- **[AF5]** If the driver does not have a suitable application to open the selected format:
 1. Display an alert suggesting alternative formats.
 2. Allow the driver to select a different format before confirming the export.

UC29: Customer Links Social Media Account for Login

- **Preconditions:**
 - User has a registered social media account.
 - User has the Food Delivery application installed on their device.
- **Main Flow:**
 1. Open the Food Delivery application on your device.
 2. Navigate to the login screen of the application.
 3. Select the option to log in using a social media account.
 4. Choose the desired social media platform from the list provided.
 5. Authorize the Food Delivery application to access the user's social media account credentials.
 6. Complete the login process and gain access to the Food Delivery application using the linked social media account.
- **Subflows:**
 - **Step 5:** If the user is already logged into their social media account on the device, automatically forward them to the authorization step
- **Alternative Flows:**
 - **[AF4]:** If the user does not have the social media app installed on their device, prompt them to install the app or opt for a different login method
 - **[AF5a]:** If the user does not authorize the Food Delivery application, display a cancellation message and provide an option to return to the login screen
 - **[AF5b]:** If the social media account linking fails due to connectivity issues, show an error message and suggest trying again later

UC30: Restaurant Submits Complaint on Delivery Driver

- **Preconditions:**
 - The restaurant is registered on the food delivery platform.
 - The delivery driver is associated with the platform.
 - The delivery in question has been completed.
 - The restaurant access to the complaint submission feature on the platform.
- **Main Flow:**

1. Restaurant logs into the food delivery application.
2. Restaurant navigates to the “Order History” section.
3. Restaurant selects the specific order related to the complaint.
4. Restaurant clicks on the “Submit Complaint” button.
5. System displays a form for complaint submission.
6. Restaurant fills out details of the complaint, including any necessary driver, order details, or specific incident observations.
7. Restaurant submits the complaint form.
8. System confirms receipt of the complaint and notifies the appropriate internal team for review.

- **Subflows:**

- **Step 6:** If the restaurant wants to attach images or further documentation:
 1. Restaurant clicks on the “Attach Files” option.
 2. System prompts the restaurant to upload files from device storage.
 3. Restaurant selects and uploads the desired files.
 4. System confirms the successful upload of files.

- **Alternative Flows:**

- **[AF5] Unable to Access Complaint Form:**
 1. If the system fails to load the complaint form, the system displays an error message.
 2. Restaurant retries accessing the form by refreshing the page or contacts customer support for assistance.
- **[AF7] Submission Error:**
 1. If there's an error during the submission of the complaint, an error message is displayed.
 2. Restaurant checks the form for errors or missing information and attempts to submit again.
- **[AF8]:** If the system fails to send a confirmation notification, it logs the issue and re-attempts to send it at a later time.