



Holy Angel University
Angeles City



Name: Angeles Jaz Kiervy D,
Section: CS - 302

Date: September 20, 2026
Course: Computer Science

Final Project Design System (Revised)

A. The palette, as a ColorScheme



Role	Hex	Used for
primary	#FFD1DC	Primary buttons, active navigation item, progress highlights
onPrimary	#4A3F45	Text and icons on primary
secondary	#8FA7B3	Secondary buttons, AI accents, progress indicators

surface	#FFFFFF	Lesson cards, AI chat bubbles, content containers
onSurface	#2C2C2C	Headings and body text
error	#E5484D	validation, destructive actions

Why a full role table instead of ColorScheme.fromSeed?

Kaishi uses a deliberately selected pastel color palette to create its own visual identity. Using explicit ColorScheme roles allows the same colors to be reused consistently across buttons, navigation, lesson content, progress indicators, and the AI Assistant instead of allowing each widget to choose its own color.

Light mode

Kaishi will use a light interface because the app is designed primarily as a reading and learning application. The light background and white content surfaces make lesson explanations, Japanese characters, vocabulary, and AI responses easier to read.

B. The type scale, as a TextTheme

Your style	Flutter slot	Size	Weight	Used for
Heading	headlineSmall	22sp	Bold	Screen titles (Home, Lessons)
Subheading	titleMedium	16sp	Semi-Bold	Lesson titles, section headings
Body	bodyMedium	14sp	Regular	Lesson explanations, AI responses, vocabulary
Label	labelMedium	13sp	Medium	Buttons, navigation labels, tabs
Caption	labelSmall	12sp	Regular	Progress text, helper text, vocabulary labels

Font family

Roboto, the default Material 3 font, will be used throughout the application. Typography will be accessed through the Flutter `TextTheme` rather than creating individual hardcoded `TextStyle` values inside widgets

.

C. Spacing, as Constants



Spacing Type	Value
Base unit	8px
Screen edge padding	24px
Gap between list items	8px
Gap between sections	16px

class AppSpacing {

```

static const double xs = 4;
static const double sm = 8;
static const double md = 16;
static const double lg = 24;
}


```

Used as padding:

These constants will be used instead of repeatedly entering spacing values directly inside widgets.


D. Components, as Files

1. Primary Button



Component	File	Constructor parameters	Appears on
PrimaryButton	lib/widgets/primary_button.dart	{ required String label, VoidCallback? onPressed } }	Home Screen

2. ProgressCard




Component	File	Constructor parameters	Appears on
ProgressCard	lib/widgets/progress_card.dart	{ required double progressValue, required String lessonTitle }	Home Screen

3. LessonTab




Component	File	Constructor parameters	Appears on
LessonTab	lib/widgets/lesson_tab.dart	{ required String label, required bool selected, required VoidCallback onTap }	Lessons Screen

4. ResultCard




Component	File	Constructor parameters	Appears on
LessonCard	lib/widgets/lesson_card.dart	{ required String lessonTitle, required String description, required List vocabulary, required List examples }	Lessons Screen

5. ListItemCard




Component	File	Constructor parameters	Appears on
VocabularyCard	lib/widgets/vocabulary_card.dart	{ required String word, required String pronunciation, required String meaning }	Lessons Screen

6. AIChatbubble



Component	File	Constructor	Appears on
AIChatBubble	lib/widgets/ai_chat_bubble.dart	{ required String message, required String sender	AI Assistant Screen

7. ChatInput



Component	File	Constructor parameters	Appears on
ChatInput	lib/widgets/chat_input.dart	{ required String hintText, required VoidCallback onSend }	AI Assistant Screen

8. BottomNavigationBar



Component	File	Constructor	Appears on
BottomNavigationBar	lib/widgets/bottom_navigation_bar.dart	{ required int activeTab, required ValueChanged<int> onTap }	All Screens

E. What changed, and why?

Element	Prelim Said	Now Says	Why It Changed
Palette	Pastel color tokens were defined individually	Same palette, now organized into explicit Material 3 ColorScheme roles	The revision makes the existing colors easier to reuse consistently throughout the Flutter application instead of assigning colors directly to individual widgets
Type scale	5 typography sizes were defined as individual tokens	Same 5 sizes, now mapped to Flutter TextTheme slots	Using TextTheme makes the typography easier to maintain and allows the same text styles to be reused across the three screens.
Components	Reusable components were listed with their level, props, and screen usage	Same Kaishi components, now defined with real file paths and constructor parameters	The revision makes the components more implementation-ready and follows the reusable-widget approach practiced in Module 5.
Color & Contrast	Color roles and WCAG contrast checks were defined	Color roles remain explicit, with onPrimary, onSurface, and error added as Material 3 roles	The revision makes foreground/background relationships clearer and gives important UI states such as errors their own design token.