

LAKESIDE PHYSIOTHERAPY & SPORTS REHAB

412 Harbourfront Ave, Suite 3 | (416) 555-0192 | care@lakesidephysio.ca

HOME EXERCISE PRESCRIPTION

Patient: Sam Carter DOB: 1991-04-12 MRN: 0048213

Therapist: Dr. A. Mensah, PT, DPT Date: 2026-05-29

Diagnosis: Subacromial impingement, right shoulder - rotator cuff and deltoid strengthening with scapular control.

PRESCRIBED EXERCISE

Exercise: Standing lateral arm raise (shoulder abduction).

Goal: Raise both arms out to the sides up to shoulder height (approximately 90 degrees of shoulder abduction). Do not lift above shoulder level.

Starting position: Face the camera, stand tall with your whole upper body in frame, arms relaxed down at your sides.

Dosage:

- 3 sets of 12 repetitions, once daily.
- Light load or bodyweight only; keep the movement slow and controlled.
- Tempo: about 2 seconds up, a brief pause at the top, 2 seconds down.
- Rest 45-60 seconds between sets.

PROGRESSION AND PRECAUTIONS

- Keep your shoulders relaxed and down; do not shrug or hike the shoulder.
- Lead with the elbow, raise smoothly - no swinging or momentum.
- Stay within a pain-free range; stop if you feel sharp or pinching pain.
- Progress to a light dumbbell only once 12 reps are easy and pain-free.

Signed: A. Mensah, PT, DPT Review in 2 weeks.