

WEB VAPT EVIDENCE FILE DOCUMENTATION

05-nmap-full-port-scan-output.png

Field	Details
Project	Enterprise Security Assessment Lab
Module	Sub-Project 1 - Web Application VAPT
Evidence Row	05 - Nmap scanning
Evidence File	05-nmap-full-port-scan-output.png
Result Type	Service discovery
Prepared For	GitHub portfolio documentation

Document Purpose

This PDF documents one specific evidence file from the Web VAPT evidence table. It embeds the actual screenshot, explains what the screenshot proves, maps it to the methodology, and records professional interpretation, risk, remediation, and redaction guidance for GitHub publication.

1. Embedded Evidence Screenshot




Figure 1 - Actual screenshot evidence: 05-nmap-full-port-scan-output.png

What this screenshot proves

The screenshot shows Nmap identifying exposed HTTP services on localhost, including ports used for DVWA and related lab services.

2. Evidence Context

Area	Value
Testing Phase	Active Reconnaissance - Port and Service Discovery
Tool / Component	Nmap
Objective	Identify exposed ports and services on the local vulnerable target.
Result Type	Service discovery

3. Command / Workflow Used

```
nmap -p 80,8080,9090 localhost -oN nmap_quick.txt
nmap -sV -p 80,8080,9090 localhost -oN nmap_version.txt
nmap -sV --version-light -p 80,8080,9090 localhost -oN nmap_fast_version.txt
```

The commands or workflow above represent the evidence-producing action. Placeholders such as , , or should be used in public documentation instead of live secrets or private infrastructure details.

4. Professional Interpretation

The screenshot shows Nmap identifying exposed HTTP services on localhost, including ports used for DVWA and related lab services.

This evidence should be treated as a supporting artifact, not as a standalone finding by itself. In a professional report, the screenshot supports a specific testing phase, validates an observation, and strengthens reproducibility when paired with methodology and remediation guidance.

5. Security Risk / Why It Matters

Open services define the web attack surface. In production, unexpected exposed ports may reveal management interfaces or vulnerable services.

For this portfolio project, the risk is described in a real-world context while clearly noting that the target was an authorized DVWA/local lab environment. This avoids exaggerating lab results as production impact.

6. Recommended Remediation / Defensive Control

Close unnecessary ports, restrict administrative services, implement firewalls, and perform regular asset discovery.

7. GitHub Redaction Requirements

Internal IP ranges, private hostnames, scan timestamps if needed, and non-scope service names.

Before pushing to GitHub, confirm that screenshots do not expose cookies, session IDs, credentials, hashes, cracked passwords, private IPs, internal file paths, or any secret values. If the screenshot already contains sensitive information, blur or crop it before upload.

8. GitHub README Link Snippet

```
[Open Evidence PDF](./reports/evidence-file-documentation-with-screenshots/05_05-nmap-
full-port-scan-output_evidence_documentation.pdf)
```

Legal and Ethical Note

This evidence documents authorized testing against an intentionally vulnerable local lab target. The techniques described must not be used against public or third-party systems without explicit permission.