

WEB VAPT EVIDENCE FILE DOCUMENTATION

07-john-md5-hashes-cracked.png

Field	Details
Project	Enterprise Security Assessment Lab
Module	Sub-Project 1 - Web Application VAPT
Evidence Row	09 - John cracking
Evidence File	07-john-md5-hashes-cracked.png
Result Type	Hash cracking evidence
Prepared For	GitHub portfolio documentation

Document Purpose

This PDF documents one specific evidence file from the Web VAPT evidence table. It embeds the actual screenshot, explains what the screenshot proves, maps it to the methodology, and records professional interpretation, risk, remediation, and redaction guidance for GitHub publication.

1. Embedded Evidence Screenshot




Figure 1 - Actual screenshot evidence: 07-john-md5-hashes-cracked.png

What this screenshot proves

The screenshot shows John the Ripper cracking multiple hashes in the controlled lab. Some values are already blurred, which is appropriate for GitHub.

2. Evidence Context

Area	Value
Testing Phase	Credential Risk Validation
Tool / Component	John the Ripper
Objective	Demonstrate how weak MD5-style hashes from the lab can be cracked using a common wordlist.
Result Type	Hash cracking evidence

3. Command / Workflow Used

```
john --format=raw-md5 --wordlist=/usr/share/wordlists/rockyou.txt hashes_clean.txt
john --show --format=raw-md5 hashes_clean.txt
```

The commands or workflow above represent the evidence-producing action. Placeholders such as , , or should be used in public documentation instead of live secrets or private infrastructure details.

4. Professional Interpretation

The screenshot shows John the Ripper cracking multiple hashes in the controlled lab. Some values are already blurred, which is appropriate for GitHub.

This evidence should be treated as a supporting artifact, not as a standalone finding by itself. In a professional report, the screenshot supports a specific testing phase, validates an observation, and strengthens reproducibility when paired with methodology and remediation guidance.

5. Security Risk / Why It Matters

If database hashes are exposed and weakly hashed, attackers can recover plaintext passwords and reuse them.

For this portfolio project, the risk is described in a real-world context while clearly noting that the target was an authorized DVWA/local lab environment. This avoids exaggerating lab results as production impact.

6. Recommended Remediation / Defensive Control

Use bcrypt, Argon2, or PBKDF2 with salts; enforce strong passwords; rotate exposed credentials.

7. GitHub Redaction Requirements

All hashes, cracked passwords, usernames, wordlist output, and local paths.

Before pushing to GitHub, confirm that screenshots do not expose cookies, session IDs, credentials, hashes, cracked passwords, private IPs, internal file paths, or any secret values. If the screenshot already contains sensitive information, blur or crop it before upload.

8. GitHub README Link Snippet

```
[Open Evidence PDF](./reports/evidence-file-documentation-with-screenshots/09_07-john-md5-hashes-cracked_evidence_documentation.pdf)
```

Legal and Ethical Note

This evidence documents authorized testing against an intentionally vulnerable local lab target. The techniques described must not be used against public or third-party systems without explicit permission.