

13 Department of Science and Technology
Food and Nutrition Research Institute (FNRI) - Service Laboratory

Address : FNRI Building, DOST Compound, Gen. Santos Ave.,
 Bicutan, Taguig, City

Telephone No. : (+632) 8837-8113 loc. 310, (+632) 8512-3077

Fax No. : none

E-mail : contact.sl.fnri@gmail.com

Contact Person : Rosemarie J. Dumag
 Quality Manager

Joan M. Castro
 Chemical Laboratory Technical Manager

Christine Eden T. Cortez
 Microbiological Laboratory Technical Manager

Field of Testing : Chemical Testing and
 Microbiological Testing

Chemical Testing

Products	Specific Test	Method Reference
I. Foods		
.01 Cereal and cereal products 1. Breakfast Cereals 2. Cereal/cereal grains 3. Cultured seeds and grains 4. Soya flours concentrates and isolates 5. Flour, corn meal, corn grits, semolina 6. Frozen entrees containing rice or corn flour 7. Soy protein 8. Tofu 9. Pasta products and noodles (e.g. rice paper, rice vermicelli, soybean pastas and noodles) 10. Starch	Moisture	Air and Vacuum Oven, Gravimetric, AOAC 21st Ed., 2019 ⁺
	Total Fat	Solvent Extraction (Soxhlet) with Acid Hydrolysis
	Protein	Automated Kjeldahl Method
	Ash	Gravimetric, AOAC 21st Ed., 2019 ⁺
	Total Carbohydrates	Computation, By Difference
	Energy	Computation, Atwater Factor
	Total Dietary Fiber	Modified AOAC 991.43 21 st Ed., 2019
	Calcium	Modified AOAC 985.35, 21 st Ed., 2019
	Iron	Modified AOAC 985.35, 21 st Ed., 2019
	Zinc	Modified AOAC 985.35, 21 st Ed., 2019

Products	Specific Test	Method Reference
	Potassium	Modified AOAC 999.10, 21st Ed., 2019
	Sodium	Modified AOAC 999.10, 21st Ed., 2019
	Vitamin A	Modified AOAC 974.29, 21st Ed., 2019
	Total Sugars (Fructose, Glucose, Sucrose, Maltose, Lactose)	In-house developed HPLC Method, CHE-AM-011
	Cholesterol	In-house developed, GC Method, CHE-AM-010
.02 Nuts and nut products 1. Peanut butter and other nut butters	Sodium	Modified AOAC 999.10, 21st Ed., 2019
	Cholesterol	In-house developed, GC Method, CHE-AM-010
.03 Dairy Products 1. All cheese made from pasteurized milk (cottage cheese, soft & semi-solid cheese) 2. Processed cheese spread 3. Ice cream and sherbet plain and flavoured 4. Ice cream with added ingredients 5. Flavored ice 6. Milk powders (whole, nonfat or filled milk, buttermilk, whey & whey protein concentrate) 7. Sweetened Condensed milk 8. Liquid Milk (evaporated or Ready To Drink) and Cream (Ultra Heat Temperature/sterilized) 9. Pasteurized milk 10. Pasteurized cream 11. Yogurt and other fermented milk	Moisture	Air and Vacuum Oven, Gravimetric, AOAC 21st Ed., 2019 ⁺
	Total Fat	Solvent Extraction (Soxhlet) with Acid Hydrolysis
	Protein	Automated Kjeldahl Method
	Ash	Gravimetric, AOAC 21st Ed., 2019 ⁺
	Total Carbohydrates	Computation, By Difference
	Energy	Computation, Atwater Factor
	Total Dietary Fiber	Modified AOAC 991.43 21 st Ed., 2019
	Calcium	Modified AOAC 985.35, 21 st Ed., 2019
	Iron	Modified AOAC 985.35, 21 st Ed., 2019
	Zinc	Modified AOAC 985.35, 21 st Ed., 2019
	Potassium	

Products	Specific Test	Method Reference
		Modified AOAC 999.10, 21st Ed., 2019
	Sodium	Modified AOAC 999.10, 21st Ed., 2019
	Saturated Fatty Acids	Modified AOAC 996.06 21st Ed., 2019 and WHO Global Protocol
	Trans fat	Modified AOAC 996.06 21st Ed., 2019 and WHO Global Protocol
	Vitamin A	Modified AOAC 974.29, 21st Ed., 2019
	Vitamin C	Modified AOAC 967.21 21st Ed., 2019, HPLC Modified AOAC 967.21 21st Ed., 2019, Titration
	Total Sugars (Fructose, Glucose, Sucrose, Maltose, Lactose)	In-house developed HPLC Method, CHE-AM-011
	Cholesterol	In-house developed, GC Method, CHE-AM-010
.04 Meat and Meat products 1. Dried animal products 2. Meat paste and pate' (heat treated) 3. Cold cuts, frozen and chilled hotdogs, corned beef, luncheon meat 4. Packaged cooked cured/salted meat (ham, bacon) 5. Fermented, comminuted meat, not cooked (dry and semi-dry fermented sausages) 6. Cooked poultry meat, frozen to be re-heated before eating (e.g. prepared frozen meals) 7. Cooked poultry meat, frozen , ready-to-eat (e.g. turkey rolls) 8. Cured/smoked poultry meat	Moisture	Air and Vacuum Oven, Gravimetric, AOAC 21st Ed., 2019 ⁺
	Total Fat	Solvent Extraction (Soxhlet) with Acid Hydrolysis
	Protein	Automated Kjeldahl Method
	Ash	Gravimetric, AOAC 21st Ed., 2019 ⁺
	Total Carbohydrates	Computation, By Difference
	Energy	Computation, Atwater Factor
	Total Dietary Fiber	Modified AOAC 991.43 21 st Ed., 2019
	Zinc	Modified AOAC 985.35, 21 st Ed., 2019

Products	Specific Test	Method Reference
9. Dehydrated poultry products 10. Fresh/frozen raw chicken (during processing) 11. Meat products in hermetically sealed containers	Potassium	Modified AOAC 999.10, 21st Ed., 2019
	Sodium	Modified AOAC 999.10, 21st Ed., 2019
	Trans fat	Modified AOAC 996.06 21st Ed., 2019 and WHO Global Protocol
	Vitamin A	Modified AOAC 974.29, 21st Ed., 2019
	Total Sugars (Fructose, Glucose, Sucrose, Maltose, Lactose)	In-house developed HPLC Method, CHE-AM-011
	Cholesterol	In-house developed, GC Method, CHE-AM-010
	Cadmium, Lead	Graphite Furnace - AAS, Modified AOAC 999.10, 21 st Ed., 2019
.05 Fish and fish products, including molluscs, crustaceans, and echinoderms 1. Fresh and frozen fish and cold-smoked 2. Pre-Cooked Breaded Fish 3. Frozen cooked crustaceans 4. Cooked, chilled & frozen crabmeat 5. Fish and shellfish products in hermitically sealed containers 6. Smoked, dried, fermented, and /or salted fish and fish products	Total Fat	Solvent Extraction (Soxhlet) with Acid Hydrolysis
	Protein	Automated Kjeldahl Method
	Ash	Gravimetric, AOAC 21st Ed., 2019 ⁺
	Total Carbohydrates	Computation, By Difference
	Energy	Computation, Atwater Factor
	Total Dietary Fiber	Modified AOAC 991.43 21 st Ed., 2019
	Calcium	Modified AOAC 985.35, 21 st Ed., 2019
	Iron	Modified AOAC 985.35, 21 st Ed., 2019
	Zinc	Modified AOAC 985.35, 21 st Ed., 2019
	Potassium	Modified AOAC 999.10, 21st Ed., 2019
	Sodium	Modified AOAC 999.10, 21st Ed., 2019
	Vitamin A	Modified AOAC 974.29, 21st Ed., 2019
	Cholesterol	In-house developed, GC Method, CHE-AM-010

Products	Specific Test	Method Reference
.06 Sugar and sugar products 1. Refined and raw sugars 2. Brown sugar 3. Sugar solutions and syrups 4. Other sugars and syrups (e.g. xylose, maple syrup, sugar toppings) 5. Honey 6. Table-top sweeteners, including those containing high-intensity sweeteners	Ash	Gravimetric, AOAC 21st Ed., 2019 ⁺
	Total Carbohydrates	Computation, By Difference
	Energy	Computation, Atwater Factor
	Vitamin C	Modified AOAC 967.21 21st Ed., 2019, HPLC Modified AOAC 967.21 21st Ed., 2019, Titration
	Total Sugars (Fructose, Glucose, Sucrose, Maltose, Lactose)	In-house developed HPLC Method, CHE-AM-011
	Total Sugar (as Invert Sugar)	Lane-Eynon Method
.07 Confectioneries 1. Cocoa powder 2. Chocolate products 3. Chocolate confectioneries (chocolate bars, blocks, bonbons) 4. Sugar confectioneries (hard and soft candies, toffees, caramel, fondants, creams, nougats and pastes)	Ash	Gravimetric, AOAC 21st Ed., 2019 ⁺
	Vitamin C	Modified AOAC 967.21 21st Ed., 2019, HPLC Modified AOAC 967.21 21st Ed., 2019, Titration
.08 Fruits, jams and other fruit products 1. Frozen fruits 2. Coconut (desiccated) 3. Sun dried fruit 4. Jams, jellies, marmalades 5. Fruit-based spreads 6. Candied fruit 7. Fruit preparations (pulp, purees, fruit toppings and coconut milk) 8. Fermented fruit products 9. Fruit fillings for pastries	Moisture	Air and Vacuum Oven, Gravimetric, AOAC 21st Ed., 2019 ⁺
	Total Carbohydrates	Computation, By Difference
	Energy	Computation, Atwater Factor
	Vitamin C	Modified AOAC 967.21 21st Ed., 2019, HPLC Modified AOAC 967.21 21st Ed., 2019, Titration
	Total Sugars (Fructose, Glucose, Sucrose, Maltose, Lactose)	In-house developed HPLC Method, CHE-AM-011

Products	Specific Test	Method Reference
.09 Vegetables and vegetable products 1. Frozen vegetables 2. Dried vegetables 3. Vegetables in vinegar, oil, brine, or soybean sauce 4. Canned or bottled (pasteurized) or retort pouch vegetables 5. Fermented vegetable 6. Cooked or fried vegetables	Total Carbohydrates	Computation, By Difference
	Energy	Computation, Atwater Factor
	Total Dietary Fiber	Modified AOAC 991.43 21 st Ed., 2019
	Calcium	Modified AOAC 985.35, 21 st Ed., 2019
	Zinc	Modified AOAC 985.35, 21 st Ed., 2019
	Potassium	Modified AOAC 999.10, 21 st Ed., 2019
	Sodium	Modified AOAC 999.10, 21 st Ed., 2019
	Vitamin C	Modified AOAC 967.21 21 st Ed., 2019, HPLC Modified AOAC 967.21 21 st Ed., 2019, Titration
	Beta-carotene	In-house developed HPLC Method, CHE-AM-012
.11 Soft drinks and cordial	Moisture	Air and Vacuum Oven, Gravimetric, AOAC 21 st Ed., 2019 ⁺
	Protein	Automated Kjeldahl Method
	Ash	Gravimetric, AOAC 21 st Ed., 2019 ⁺
	Total Fat	Solvent Extraction (Soxhlet) with Acid Hydrolysis
	Total Carbohydrates	Computation, By Difference
	Energy	Computation, Atwater Factor
	Total Dietary Fiber	Modified AOAC 991.43 21 st Ed., 2019
	Sodium	Modified AOAC 999.10 21 st Ed. 2019
	Iron, Calcium, Zinc	Modified AOAC 985.35 21 st Ed. 2019
	Vitamin A	Modified AOAC 974.29, 21 st Ed., 2019

Products	Specific Test	Method Reference
	Vitamin C	Modified AOAC 967.21 21st Ed., 2019, HPLC Modified AOAC 967.21 21st Ed., 2019, Titration
	Total Sugars (Fructose, Glucose, Sucrose, Maltose, Lactose)	In-house developed HPLC method, CHE-AM-011
.12 Fruit juices, drinks and concentrates 1. Fruit and vegetable juices 2. Fruit and vegetable nectars 3. Water-based flavoured drinks (Carbonated, Non-carbonated, Concentrates (liquid or solid)) 4. Coffee, coffee substitutes, tea, herbal infusions, and other hot cereal and grain beverages, excluding cocoa	Moisture	Air and Vacuum Oven, Gravimetric, AOAC 21st Ed., 2019 ⁺
	Protein	Automated Kjeldahl Method
	Ash	Gravimetric, AOAC 21st Ed., 2019 ⁺
	Total Fat	Solvent Extraction (Soxhlet) with Acid Hydrolysis
	Total Carbohydrates	Computation, By Difference
	Energy	Computation, Atwater Factor
	Total Dietary Fiber	Modified AOAC 991.43 21 st Ed., 2019
	Sodium	Modified AOAC 999.10 21st Ed. 2019
	Iron, Calcium, Zinc	Modified AOAC 985.35 21st Ed. 2019
	Vitamin A	Modified AOAC 974.29, 21st Ed., 2019
	Vitamin C	Modified AOAC 967.21 21st Ed., 2019, HPLC Modified AOAC 967.21 21st Ed., 2019, Titration

Products	Specific Test	Method Reference
	Total Sugars (Fructose, Glucose, Sucrose, Maltose, Lactose)	In-house developed HPLC method, CHE-AM-011
	Beta-carotene	In-house developed HPLC Method, CHE-AM-012
.13 Edible fats and oils 1. Butter (whipped, pasteurized) 2. Butter made from unpasteurized milk and milk products 3. Fats and oils essentially free from water (vegetable oils and fats, lard, tallow, fish oil, and other animal fats) 4. Fat spreads, dairy fat spreads and blended spreads	Trans fatty acid	Modified AOAC 996.06 21st Ed., 2019 and WHO Global Protocol
	Saturated Fatty Acids	Modified AOAC 996.06 21st Ed., 2019 and WHO Global Protocol
	Crude Fat	Solvent Extraction (Soxhlet)
.15 Eggs and eggs products 1. Egg products (liquid, frozen, dried) 2. Preserved eggs, including alkaline, salted, and canned eggs 3. Egg-based desserts (e.g. custard)	Sodium	Modified AOAC 999.10, 21st Ed., 2019
	Zinc	Modified AOAC 985.35, 21 st Ed., 2019
.16 Bakery Products 1. Frozen bakery products (ready to eat) with low-acid or high a_w fillings or toppings 2. Frozen bakery products (to be cooked) with low-acid or high a_w fillings or toppings (eg. meat pies, pizza) 3. Frozen and refrigerated doughs (Chemically leavened) 4. Frozen and refrigerated doughs 5. Baked goods 6. Coated or filled, dried shelf-stable biscuits	Moisture	Air and Vacuum Oven, Gravimetric, AOAC 21st Ed., 2019 ⁺
	Total Fat	Solvent Extraction (Soxhlet) with Acid Hydrolysis
	Protein	Automated Kjeldahl Method
	Ash	Gravimetric, AOAC 21st Ed., 2019 ⁺
	Total Carbohydrates	Computation, By Difference
	Energy	Computation, Atwater Factor
	Total Dietary Fiber	Modified AOAC 991.43 21 st Ed., 2019

Products	Specific Test	Method Reference
	Calcium	Modified AOAC 985.35, 21 st Ed., 2019
	Iron	Modified AOAC 985.35, 21 st Ed., 2019
	Zinc	Modified AOAC 985.35, 21 st Ed., 2019
	Potassium	Modified AOAC 999.10, 21 st Ed., 2019
	Sodium	Modified AOAC 999.10, 21 st Ed., 2019
	Vitamin A	Modified AOAC 974.29, 21 st Ed., 2019
	Saturated Fatty Acids	Modified AOAC 996.06 21 st Ed., 2019 and WHO Global Protocol
	Trans fat	Modified AOAC 996.06 21 st Ed., 2019 and WHO Global Protocol
	Cholesterol	In-house developed, GC Method, CHE-AM-010
	Beta-carotene	In-house developed HPLC Method, CHE-AM-012
	Iodine	Inverse Colorimetric Method (Continuous Flow Auto Analyzer)
.24 Sauce, spices and condiments 1. Dry mixes for soup and sauces 2. Yeast 3. Spices and herbs 4. Salad dressing (e.g. Mayonaise, Thousand island, Mustard) 5. Vinegars 6. Salt 7. Sauces and like products (e.g. fish sauce) 8. Soybean-based seasonings and condiments (e.g. soy sauce)	Total Carbohydrates	Computation, By Difference
	Energy	Computation, Atwater Factor
	Zinc	Modified AOAC 985.35, 21 st Ed., 2019
	Sodium	Modified AOAC 999.10, 21 st Ed., 2019
	Iodine	AOAC 925.56 (Modified) Iodometric Titration WYD Method
	Moisture	Moisture Analyzer

⁺AOAC methods depend on the sample matrices

Microbiological Testing

Product	Specific Test	Method Reference
I. Foods		
01.0 Milk and Dairy Products		
01.1 Milk Powders	<i>Salmonella</i> Detection	Conventional Method (FDA BAM-5)
		qPCR Method
01.2 Sweetened Condensed Milk/ Creamer	Aerobic Plate Count	Pour Plate Method (FDA BAM-3)
	Yeast and Molds Count	Spread Plate Method (FDA BAM-18)
		Dry Rehydratable Film Method (AOAC 997.02)
	Coliform Count	Pour Plate Method (FDA BAM-4)
01.4 Pasteurized milk	<i>Escherichia coli</i> Count	MPN Method (FDA BAM-4)
	Aerobic Plate Count	Pour Plate Method (FDA BAM-3)
	Coliform Count	Pour Plate Method (FDA BAM-4)
	<i>Escherichia coli</i> Count	MPN Method (FDA BAM-4)
	<i>Salmonella</i> Detection	Conventional Method (FDA BAM-5)
		qPCR Method
01.5 Pasteurized cream	<i>Listeria monocytogenes</i>	ISO 11290-1:2017
	Aerobic Plate Count	Pour Plate Method (FDA BAM-3)
	Coliform Count	Pour Plate Method (FDA BAM-4)
	<i>Escherichia coli</i> Count	MPN Method (FDA BAM-4)
	<i>Salmonella</i> Detection	Conventional Method (FDA BAM-5)
		qPCR Method

Product	Specific Test	Method Reference
	<i>Listeria monocytogenes</i>	ISO 11290-1:2017
01.6 Yogurt and other fermented milk	Coliform Count	Pour Plate Method (FDA BAM-4)
	<i>Escherichia coli</i> Count	MPN Method (FDA BAM-4)
	<i>Staphylococcus aureus</i> Count	Surface Plating Method (FDA BAM-12)
	<i>Salmonella</i> Detection	Conventional Method (FDA BAM-5) qPCR Method
	Lactic Acid Bacteria	ISO 15214:1998
01.8 Processed cheese spread	Aerobic Plate Count	Pour Plate Method (FDA BAM-3)
	Coliform Count	Pour Plate Method (FDA BAM-4)
	<i>Escherichia coli</i> Count	MPN Method (FDA BAM-4)
	<i>Staphylococcus aureus</i> Count	Surface Plating Method (FDA BAM-12)
01.9 Soft Cheese (from pasteurized milk)	<i>Salmonella</i> Detection	Conventional Method (FDA BAM-5) qPCR Method
	<i>Listeria monocytogenes</i>	ISO 11290-1:2017
	<i>Staphylococcus aureus</i> Count	Surface Plating Method (FDA BAM-12)
01.10 Hard and semi-hard cheese	<i>Salmonella</i> Detection	Conventional Method (FDA BAM-5) qPCR Method
	<i>Listeria monocytogenes</i>	ISO 11290-1:2017
	<i>Staphylococcus aureus</i> Count	Surface Plating Method (FDA BAM-12)
01.11 All raw milk cheese; raw milk unripened cheese with moisture > 50%, pH > 5.0	<i>Salmonella</i> Detection	Conventional Method (FDA BAM-5) qPCR Method
	<i>Listeria monocytogenes</i>	ISO 11290-1:2017

Product	Specific Test	Method Reference
	<i>Staphylococcus aureus</i> Count	Surface Plating Method (FDA BAM-12)
01.12 Cream cheese products	Aerobic Plate Count	Pour Plate Method (FDA BAM-3)
	Yeast and Molds Count	Spread Plate Method (FDA BAM-18) Dry Rehydratable Film Method (AOAC 997.02)
	Coliform Count	Pour Plate Method, MPN Method (FDA BAM-4)
	<i>Escherichia coli</i> Count	MPN Method (FDA BAM-4)
02.0 Fats and oils, and fat emulsions		
02.1 Butter (whipped, pasteurized)	Aerobic Plate Count	Pour Plate Method (FDA BAM-3)
	Yeast and Molds Count	Spread Plate Method (FDA BAM-18) Dry Rehydratable Film Method (AOAC 997.02)
	Coliform Count	Pour Plate Method (FDA BAM-4)
	<i>Staphylococcus aureus</i> Count	Surface Plating Method (FDA BAM-12)
02.2 Butter made from unpasteurized milk or unpasteurized milk products	Aerobic Plate Count	Pour Plate Method (FDA BAM-3)
	Coliform Count	Pour Plate Method (FDA BAM-4)
	<i>Escherichia coli</i> Count	MPN Method (FDA BAM-4)
	<i>Staphylococcus aureus</i> Count	Surface Plating Method (FDA BAM-12)
	<i>Salmonella</i> Detection	Conventional Method (FDA BAM-5)

Product	Specific Test	Method Reference
02.3 Margarine		qPCR Method
	<i>Listeria monocytogenes</i>	ISO 11290-1:2017
	Aerobic Plate Count	Pour Plate Method (FDA BAM-3)
	Yeast and Molds Count	Spread Plate Method (FDA BAM-18) Dry Rehydratable Film Method (AOAC 997.02)
	<i>Staphylococcus aureus</i> Count	Surface Plating Method (FDA BAM-12)
	<i>Salmonella</i> Detection	Conventional Method (FDA BAM-5) qPCR Method
02.4 Virgin Coconut Oil	<i>Listeria monocytogenes</i>	ISO 11290-1:2017
	Aerobic Plate Count	Pour Plate Method (FDA BAM-3)
	Yeast and Molds Count	Spread Plate Method (FDA BAM-18) Dry Rehydratable Film Method (AOAC 997.02)
	Coliform Count	Pour Plate Method, MPN Method (FDA BAM-4)
	<i>Escherichia coli</i> Count	MPN Method (FDA BAM-4)
	<i>Salmonella</i> Detection	Conventional Method (FDA BAM-5) qPCR Method
03.0 Edible ices, including sherbet and sorbet		
Conventional Method (FDA BAM-5)	Aerobic Plate Count	Pour Plate Method (FDA BAM-3)
	Coliform Count	Pour Plate Method (FDA BAM-4)
	<i>Escherichia coli</i> Count	MPN Method (FDA BAM-4)
	<i>Staphylococcus aureus</i> Count	Surface Plating Method (FDA BAM-12)
	<i>Salmonella</i> Detection	Conventional Method (FDA BAM-5)

Product	Specific Test	Method Reference
		qPCR Method
	<i>Listeria monocytogenes</i>	ISO 11290-1:2017
03.2 Ice cream with added ingredient (nuts, fruits, cocoa etc.)	Aerobic Plate Count	Pour Plate Method (FDA BAM-3)
	Coliform Count	Pour Plate Method (FDA BAM-4)
	<i>Escherichia coli</i> Count	MPN Method (FDA BAM-4)
	<i>Staphylococcus aureus</i> Count	Surface Plating Method (FDA BAM-12)
	<i>Salmonella</i> Detection	Conventional Method (FDA BAM-5)
	<i>Listeria monocytogenes</i>	qPCR Method ISO 11290-1:2017
03.3 Flavored ice (e.g. Ice candy)	Aerobic Plate Count	Pour Plate Method (FDA BAM-3)
	Yeast and Molds Count	Spread Plate Method (FDA BAM-18) Dry Rehydratable Film Method (AOAC 997.02)
	Coliform Count	Pour Plate Method, MPN Method (FDA BAM-4)
	<i>Salmonella</i> Detection	Conventional Method (FDA BAM-5) qPCR Method
03.4 Ice Products (pre-packaged tubed and cubed ice)	Heterotrophic Plate Count, CFU/mL	Pour Plate Method (SMEWW 9215 23rd Ed., 2017)
	Coliform Count	MPN Method, (SMEWW 9221 23rd Ed., 2017)
	Thermotolerant Coliform/ <i>E.coli</i>	MPN Method, (SMEWW 9221 23rd Ed., 2017)
04.0 Confectionaries		
04.1 Cocoa powder	Aerobic Plate Count	Pour Plate Method (FDA BAM-3)
	Molds Count	Spread Plate Method (FDA BAM-18)

Product	Specific Test	Method Reference
		Dry Rehydratable Film Method (AOAC 997.02)
	Coliform Count	Pour Plate Method, MPN Method (FDA BAM-4)
	<i>Salmonella</i> Detection	Conventional Method (FDA BAM-5)
		qPCR Method
04.2 Chocolate products	Aerobic Plate Count	Pour Plate Method (FDA BAM-3)
	Molds Count	Spread Plate Method (FDA BAM-18)
		Dry Rehydratable Film Method (AOAC 997.02)
	Coliform Count	Pour Plate Method, MPN Method (FDA BAM-4)
	<i>Salmonella</i> Detection	Conventional Method (FDA BAM-5)
04.3 Chocolate confectioneries (chocolate bars, blocks and bonbon)		qPCR Method
	Aerobic Plate Count	Pour Plate Method (FDA BAM-3)
	Molds Count	Spread Plate Method (FDA BAM-18)
		Dry Rehydratable Film Method (AOAC 997.02)
	Coliform Count	Pour Plate Method, MPN Method (FDA BAM-4)
04.4 Sugar confectioneries (hard and soft candies, toffees, caramel, fondants, creams, nougats and pastes)		Conventional Method (FDA BAM-5)
	<i>Salmonella</i> Detection	qPCR Method
	Aerobic Plate Count	Pour Plate Method (FDA BAM-3)
	Molds Count	Spread Plate Method (FDA BAM-18)
		Dry Rehydratable Film Method (AOAC 997.02)
	Coliform Count	Pour Plate Method, MPN Method (FDA BAM-4)

Product	Specific Test	Method Reference
04.5 Ethnic Milk-based Confectioneries (Pastillas and Yema)	Aerobic Plate Count	Pour Plate Method (FDA BAM-3)
	Yeast and Molds Count	Spread Plate Method (FDA BAM-18) Dry Rehydratable Film Method (AOAC 997.02)
	Coliform Count	Pour Plate Method, MPN Method (FDA BAM-4)
	<i>Salmonella</i> Detection	Conventional Method (FDA BAM-5) qPCR Method
04.6 Ethnic Flour-based Confectioneries (Polvoron, Piaya and Barquillos)	Yeast and Molds Count	Spread Plate Method (FDA BAM-18) Dry Rehydratable Film Method (AOAC 997.02)
	Coliform Count	Pour Plate Method (FDA BAM-4)
04.7 Coconut Sap Sugar	Aerobic Plate Count	Pour Plate Method (FDA BAM-3)
	Yeast and Molds Count	Spread Plate Method (FDA BAM-18) Dry Rehydratable Film Method (AOAC 997.02)
	Coliform Count	Pour Plate Method, MPN Method (FDA BAM-4)
	<i>Escherichia coli</i> Count	MPN Method (FDA BAM-4)
	<i>Salmonella</i> Detection	Conventional Method (FDA BAM-5) qPCR Method
04.8 Dry, Granulated Sugar	Aerobic Plate Count	Pour Plate Method (FDA BAM-3)
	Yeast Count	Spread Plate Method (FDA BAM-18) Dry Rehydratable Film Method (AOAC 997.02)

Product	Specific Test	Method Reference
	Molds Count	Spread Plate Method (FDA BAM-18) Dry Rehydratable Film Method (AOAC 997.02)
04.9. Liquid Sugar (sugar syrup)	Aerobic Plate Count	Pour Plate Method (FDA BAM-3)
	Yeast Count	Spread Plate Method (FDA BAM-18) Dry Rehydratable Film Method (AOAC 997.02)
	Molds Count	Spread Plate Method (FDA BAM-18) Dry Rehydratable Film Method (AOAC 997.02)
04.10 Non-nutritive sweeteners (e.g. aspartame, sucralose) and bulk sweeteners (e.g. polysols)	Aerobic Plate Count	Pour Plate Method (FDA BAM-3)
	Yeast and Molds Count	Spread Plate Method (FDA BAM-18) Dry Rehydratable Film Method (AOAC 997.02)
	Coliform Count	Pour Plate Method, MPN Method (FDA BAM-4)
	<i>Escherichia coli</i> Count	MPN Method (FDA BAM-4)
	<i>Staphylococcus aureus</i> Count	Surface Plating Method (FDA BAM-12)
	<i>Salmonella</i> Detection	Conventional Method (FDA BAM-5) qPCR Method
05.0 Fruits and vegetables, nuts and seeds		

Product	Specific Test	Method Reference
05.2 Fermented fruits and vegetables, Ready to Eat (e.g. Kimchi)	Yeast and Molds Count	Spread Plate Method (FDA BAM-18) Dry Rehydratable Film Method (AOAC 997.02)
	Coliform Count	Pour Plate Method, MPN Method (FDA BAM-4)
	<i>Escherichia coli</i> Count	MPN Method (FDA BAM-4)
	<i>Staphylococcus aureus</i> Count	Surface Plating Method (FDA BAM-12)
	<i>Salmonella</i> Detection	Conventional Method (FDA BAM-5) qPCR Method
05.5 Coconut (desiccated)	Aerobic Plate Count	Pour Plate Method (FDA BAM-3)
	Yeast and Molds Count	Spread Plate Method (FDA BAM-18) Dry Rehydratable Film Method (AOAC 997.02)
	Coliform Count	Pour Plate Method (FDA BAM-4)
	<i>Escherichia coli</i> Count	MPN Method (FDA BAM-4)
	<i>Salmonella</i> Detection	Conventional Method (FDA BAM-5) qPCR Method
05.6 Peanut Butter & other Nut Butters	<i>Salmonella</i> Detection	Conventional Method (FDA BAM-5)
05.7 Sun Dried Fruits	Molds Count	Spread Plate Method (FDA BAM-18) Dry Rehydratable Film Method (AOAC 997.02)
	<i>Escherichia coli</i> Count	MPN Method (FDA BAM-4)
05.8 Dried Fruits (e.g. dried mangoes, dates, figs, apricots, raisins etc.)	Yeast Count	Spread Plate Method (FDA BAM-18) Dry Rehydratable Film Method

Product	Specific Test	Method Reference
		(AOAC 997.02)
	Molds Count	Spread Plate Method (FDA BAM-18) Dry Rehydratable Film Method (AOAC 997.02)
	<i>Escherichia coli</i> Count	MPN Method (FDA BAM-4)
	<i>Salmonella</i> Detection	Conventional Method (FDA BAM-5) qPCR Method
05.9 Ethnic Food Products – Sweet Preserves in Syrup e.g. Kaong, Langka, Banana, Legumes, Chickpeas, Red Beans, White Kidney Beans, Coconut, Nata de Coco, Mixed Preserves (halo-halo) <i>Acidified sweet preserves only: pH ≤4.6; (a_w) > 0.85</i>	Aerobic Plate Count	Pour Plate Method (FDA BAM-3)
	Yeast and Molds Count	Spread Plate Method (FDA BAM-18) Dry Rehydratable Film Method (AOAC 997.02)
05.11 Malunggay (Moringa) Powder	Aerobic Plate Count	Pour Plate Method (FDA BAM-3)
	Yeast and Molds Count	Spread Plate Method (FDA BAM-18) Dry Rehydratable Film Method (AOAC 997.02)
	<i>Escherichia coli</i> Count	MPN Method (FDA BAM-4)
	<i>Staphylococcus aureus</i> Count	Surface Plating Method (FDA BAM-12)
	<i>Salmonella</i> Detection	Conventional Method (FDA BAM-5) qPCR Method
06.0 Egg and Egg Products		
06.1 Pasteurized Egg Products (smoked, liquid, frozen or dried)	Coliform Count	Pour Plate Method (FDA BAM-4)
	<i>Salmonella</i> Detection	Conventional Method (FDA BAM-5)

Product	Specific Test	Method Reference
		qPCR Method
	Yeast and Molds Count	Spread Plate Method (FDA BAM-18) Dry Rehydratable Film Method (AOAC 997.02)
	Aerobic Plate Count	Pour Plate Method (FDA BAM-3)
07.0 Cereals and cereal products		
07.1 Breakfast cereals	Aerobic Plate Count	Pour Plate Method (FDA BAM-3)
	Yeast & Yeast-like Fungi	Spread Plate Method (FDA BAM-18) Dry Rehydratable Film Method (AOAC 997.02)
	Molds Count	Spread Plate Method (FDA BAM-18) Dry Rehydratable Film Method (AOAC 997.02)
	Coliform Count	Pour Plate Method (FDA BAM-4)
07.2 Cereal/cereal grains	Aerobic Plate Count	Pour Plate Method (FDA BAM-3)
	Yeast and Molds Count	Spread Plate Method (FDA BAM-18) Dry Rehydratable Film Method (AOAC 997.02)
	Coliform Count	Pour Plate Method (FDA BAM-4)
07.3 Cultured seeds and grains (Sprouted Seeds) e.g. bean sprouts, alfalfa etc.	<i>Escherichia coli</i> Count	MPN Method (FDA BAM-4)
	<i>Salmonella</i> Detection	Conventional Method (FDA BAM-5) qPCR Method
07.4 Soya flours, concentrates and isolates	Molds Count	Spread Plate Method (FDA BAM-18) Dry Rehydratable Film Method (AOAC 997.02)
	<i>Salmonella</i> Detection	Conventional Method (FDA BAM-5)

Product	Specific Test	Method Reference
		qPCR Method
07.5 Flour, corn meal, corn grits, semolina	Yeast & Yeast-like Fungi	Spread Plate Method (FDA BAM-18) Dry Rehydratable Film Method (AOAC 997.02)
	Molds Count	Spread Plate Method (FDA BAM-18) Dry Rehydratable Film Method (AOAC 997.02)
	Coliform Count	Pour Plate Method (FDA BAM-4)
07.6 Dry Mixes (e.g. Pancake Mix, Purple Yam Mix)	Aerobic Plate Count	Pour Plate Method (FDA BAM-3)
	Yeast and Molds Count	Spread Plate Method (FDA BAM-18) Dry Rehydratable Film Method (AOAC 997.02)
	Coliform Count	Pour Plate Method (FDA BAM-4)
07.7 Frozen entrees containing rice or corn flour as main ingredient	<i>Bacillus cereus</i>	Spread Plate Method (FDA BAM-14)
07.8 Soy protein	Aerobic Plate Count	Pour Plate Method (FDA BAM-3)
	Yeast and Molds Count	Spread Plate Method (FDA BAM-18) Dry Rehydratable Film Method (AOAC 997.02)
	Coliform Count	Pour Plate Method (FDA BAM-4)
	<i>Escherichia coli</i> Count	MPN Method (FDA BAM-4)
	<i>Salmonella</i> Detection	Conventional Method (FDA BAM-5)
07.9 Tofu	<i>Escherichia coli</i> Count	qPCR Method MPN Method (FDA BAM-4)
	<i>Bacillus cereus</i>	Spread Plate Method (FDA BAM-14)

Product	Specific Test	Method Reference
	<i>Staphylococcus aureus</i> Count	Surface Plating Method (FDA BAM-12)
07.10 Pasta products and noodles Uncooked (wet and dry)	Aerobic Plate Count	Pour Plate Method (FDA BAM-3)
	Yeast and Molds Count	Spread Plate Method (FDA BAM-18) Dry Rehydratable Film Method (AOAC 997.02)
	Coliform Count	Pour Plate Method (FDA BAM-4)
	<i>Staphylococcus aureus</i> Count	Surface Plating Method (FDA BAM-12)
	<i>Salmonella</i> Detection	Conventional Method (FDA BAM-5) qPCR Method
07.11 Starch	Aerobic Plate Count	Pour Plate Method (FDA BAM-3)
	Yeast and Molds Count	Spread Plate Method (FDA BAM-18) Dry Rehydratable Film Method (AOAC 997.02)
	Coliform Count	Pour Plate Method (FDA BAM-4)
	<i>Salmonella</i> Detection	Conventional Method (FDA BAM-5) qPCR Method
07.12 Coconut Flour	Aerobic Plate Count	Pour Plate Method (FDA BAM-3)
	Yeast and Molds Count	Spread Plate Method (FDA BAM-18) Dry Rehydratable Film Method (AOAC 997.02)
	Coliform Count	Pour Plate Method (FDA BAM-4)
	<i>Staphylococcus aureus</i> Count	Surface Plating Method (FDA BAM-12)
	<i>Salmonella</i> Detection	Conventional Method (FDA BAM-5) qPCR Method

Product	Specific Test	Method Reference
07.13 Instant Noodles (Noodle Cake)	Aerobic Plate Count	Pour Plate Method (FDA BAM-3)
	Yeast and Molds Count	Spread Plate Method (FDA BAM-18) Dry Rehydratable Film Method (AOAC 997.02)
	Coliform Count	Pour Plate Method (FDA BAM-4)
	<i>Staphylococcus aureus</i> Count	Surface Plating Method (FDA BAM-12)
	<i>Salmonella</i> Detection	Conventional Method (FDA BAM-5)
07.14 Instant Noodles (mixed with seasoning)		qPCR Method
	Aerobic Plate Count	Pour Plate Method (FDA BAM-3)
	Yeast and Molds Count	Spread Plate Method (FDA BAM-18) Dry Rehydratable Film Method (AOAC 997.02)
	Coliform Count	Pour Plate Method (FDA BAM-4)
	<i>Staphylococcus aureus</i> Count	Surface Plating Method (FDA BAM-12)
07.15 Rice based desserts (rice cakes), ready-to-eat e.g. kakanin, suman, layered, moulded, rice balls, mochi	<i>Salmonella</i> Detection	Conventional Method (FDA BAM-5)
		qPCR Method
	Aerobic Plate Count	Pour Plate Method (FDA BAM-3)
	<i>Bacillus cereus</i>	Spread Plate Method (FDA BAM-14)
	Yeast and Molds Count	Spread Plate Method (FDA BAM-18) Dry Rehydratable Film Method (AOAC 997.02)
	<i>Escherichia coli</i> Count	MPN Method (FDA BAM-4)
	<i>Staphylococcus aureus</i> Count	Surface Plating Method (FDA BAM-12)
	<i>Salmonella</i> Detection	Conventional Method (FDA BAM-5)

Product	Specific Test	Method Reference
		qPCR Method
08.0 Bakery Products		
08.1 Frozen bakery products (ready to eat) with low acid or high a_w fillings or toppings	<i>Staphylococcus aureus</i> Count	Surface Plating Method (FDA BAM-12)
	Salmonella Detection	Conventional Method (FDA BAM-5)
08.2 Frozen bakery products (to be cooked) with low acid or high a_w fillings or toppings (e.g. meat pies and pizzas)	<i>Staphylococcus aureus</i> Count	Surface Plating Method (FDA BAM-12)
	<i>Salmonella</i> Detection	Conventional Method (FDA BAM-5) qPCR Method
08.3 Frozen and refrigerated doughs	<i>Salmonella</i> Detection	Conventional Method (FDA BAM-5) qPCR Method
08.4 Baked goods (e.g. breads, cakes, pie crust, pastries and fried doughs)	Aerobic Plate Count	Pour Plate Method (FDA BAM-3)
	Yeast Count	Spread Plate Method (FDA BAM-18)
		Dry Rehydratable Film Method (AOAC 997.02)
	Molds Count	Spread Plate Method (FDA BAM-18) Dry Rehydratable Film Method (AOAC 997.02)
	Coliform Count	Pour Plate Method (FDA BAM-4)
	<i>Salmonella</i> Detection	Conventional Method (FDA BAM-5) qPCR Method
08.5 Coated or filled, dried shelf-stable biscuits	Coliform Count	Pour Plate Method (FDA BAM-4)
	<i>Escherichia coli</i> Count	MPN Method (FDA BAM-4)
	<i>Salmonella</i> Detection	Conventional Method (FDA BAM-5) qPCR Method
09.0 Ready-to-eat savouries		
09.1 Snacks foods (e.g. potato chips,	Aerobic Plate Count	Pour Plate Method (FDA BAM-3)

Product	Specific Test	Method Reference
popcorn, pretzels, rice crackers, flavored crackers, processed whole nuts, yoghurt-cereal- and honey-covered nuts, dried fruit nut and cereal snacks, crackers with fish, fish product or flavoring)	Yeast & Yeast-like Fungi	Spread Plate Method (FDA BAM-18) Dry Rehydratable Film Method (AOAC 997.02)
	Molds Count	Spread Plate Method (FDA BAM-18) Dry Rehydratable Film Method (AOAC 997.02)
	Coliform Count	Pour Plate Method (FDA BAM-4)
10.0 Meat and meat products		
10.1 Dried animal products	<i>Staphylococcus aureus</i> Count	Surface Plating Method (FDA BAM-12)
	<i>Salmonella</i> Detection	Conventional Method (FDA BAM-5) qPCR Method
10.2 Meat paste and paté (heat treated)	Aerobic Plate Count	Pour Plate Method (FDA BAM-3)
	Coliform Count	Pour Plate Method (FDA BAM-4)
	<i>Escherichia coli</i> Count	MPN Method (FDA BAM-4)
	<i>Staphylococcus aureus</i> Count	Surface Plating Method (FDA BAM-12)
	<i>Salmonella</i> Detection	Conventional Method (FDA BAM-5) qPCR Method
10.3 Cold cuts, frozen and chilled hotdogs, corned beef, luncheon meat	Aerobic Plate Count	Pour Plate Method (FDA BAM-3)
	<i>Escherichia coli</i> Count	MPN Method (FDA BAM-4)
	<i>Listeria monocytogenes</i>	ISO 11290-1:2017
	<i>Staphylococcus aureus</i> Count	Surface Plating Method (FDA BAM-12)
	<i>Salmonella</i> Detection	Conventional Method (FDA BAM-5) qPCR Method
10.4 Packaged cooked cured/salted meat (ham, bacon)	<i>Staphylococcus aureus</i> Count	Surface Plating Method (FDA BAM-12)
	<i>Listeria monocytogenes</i>	ISO 11290-1:2017

Product	Specific Test	Method Reference
	<i>Salmonella</i> Detection	Conventional Method (FDA BAM-5) qPCR Method
10.5 Fermented, comminuted meat, not cooked (dry and semi-dry fermented sausages)	<i>Escherichia coli</i> Count	MPN Method (FDA BAM-4)
	<i>Staphylococcus aureus</i> Count	Surface Plating Method (FDA BAM-12)
	<i>Salmonella</i> Detection	Conventional Method (FDA BAM-5) qPCR Method
10.6 Cooked poultry meat, frozen to be re-heated before eating (e.g. prepared frozen meals chicken burgers, chicken turkey rolls, chicken nuggets, other breaded poultry meat products)	Aerobic Plate Count	Pour Plate Method (FDA BAM-3)
	<i>Listeria monocytogenes</i>	ISO 11290-1:2017
	<i>Staphylococcus aureus</i> Count	Surface Plating Method (FDA BAM-12)
	<i>Salmonella</i> Detection	Conventional Method (FDA BAM-5) qPCR Method
10.7 Cured/smoked poultry meat	<i>Staphylococcus aureus</i> Count	Surface Plating Method (FDA BAM-12)
	<i>Salmonella</i> Detection	Conventional Method (FDA BAM-5) qPCR Method
10.8 Dehydrated poultry products	<i>Salmonella</i> Detection	Conventional Method (FDA BAM-5) qPCR Method
10.10 Marinated Meat Products e.g. Marinated meat and meat preparations (tapa, sisig, etc.), Marinated Poultry, Dim Sum made from meat (siomai)	<i>Staphylococcus aureus</i> Count	Surface Plating Method (FDA BAM-12)
	<i>Listeria monocytogenes</i>	ISO 11290-1:2017
	<i>Salmonella</i> Detection	Conventional Method (FDA BAM-5) qPCR Method
10.11 Minced meat and meat preparations made from poultry meat intended to be eaten cooked	Aerobic Plate Count	Pour Plate Method (FDA BAM-3)
	<i>Escherichia coli</i> Count	MPN Method (FDA BAM-4)
	<i>Salmonella</i> Detection	Conventional Method (FDA BAM-5)

Product	Specific Test	Method Reference
		qPCR Method
10.12 Minced meat and meat preparations made from species other than poultry intended to be eaten cooked	Aerobic Plate Count	Pour Plate Method (FDA BAM-3)
	<i>Escherichia coli</i> Count	MPN Method (FDA BAM-4)
	<i>Salmonella</i> Detection	Conventional Method (FDA BAM-5)
		qPCR Method
10.13 Foods cooked immediately prior to sale or consumption e.g. Takeaway food, burgers, kebabs, sausages, pizza, ready meals (cook/chill and cook/freeze) after regeneration	Aerobic Plate Count	Pour Plate Method (FDA BAM-3)
	<i>Escherichia coli</i> Count	MPN Method (FDA BAM-4)
	<i>Listeria monocytogenes</i>	ISO 11290-1:2017
	<i>Staphylococcus aureus</i> Count	Surface Plating Method (FDA BAM-12)
	<i>Salmonella</i> Detection	Conventional Method (FDA BAM-5)
11.0 Fish and fish products		
11.1 Fresh frozen fish and cold-smoked	Aerobic Plate Count	Pour Plate Method (FDA BAM-3)
	<i>Escherichia coli</i> Count	MPN Method (FDA BAM-4)
	<i>Staphylococcus aureus</i> Count	Surface Plating Method (FDA BAM-12)
	<i>Salmonella</i> Detection	Conventional Method (FDA BAM-5)
		qPCR Method
	<i>Vibrio parahaemolyticus</i>	Conventional Method, ISO 21872-1:2017
11.2 Pre-cooked breaded and fish	Aerobic Plate Count	Pour Plate Method (FDA BAM-3)
	<i>Escherichia coli</i> Count	MPN Method (FDA BAM-4)
	<i>Staphylococcus aureus</i> Count	Surface Plating Method (FDA BAM-12)
11.3 Frozen raw crustaceans	Aerobic Plate Count	Pour Plate Method (FDA BAM-3)
	<i>Escherichia coli</i> Count	MPN Method (FDA BAM-4)

Product	Specific Test	Method Reference
	<i>Staphylococcus aureus</i> Count	Surface Plating Method (FDA BAM-12)
	<i>Salmonella</i> Detection	Conventional Method (FDA BAM-5)
	<i>Vibrio parahaemolyticus</i>	qPCR Method Conventional Method, ISO 21872-1:2017
11.4 Frozen cooked crustaceans	Aerobic Plate Count	Pour Plate Method (FDA BAM-3)
	<i>Escherichia coli</i> Count	MPN Method (FDA BAM-4)
	<i>Staphylococcus aureus</i> Count	Surface Plating Method (FDA BAM-12)
	<i>Salmonella</i> Detection	Conventional Method (FDA BAM-5)
	<i>Vibrio parahaemolyticus</i>	qPCR Method Conventional Method, ISO 21872-1:2017
11.5 Cooked crustaceans	Aerobic Plate Count	Pour Plate Method (FDA BAM-3)
	<i>Staphylococcus aureus</i> Count	Surface Plating Method (FDA BAM-12)
	<i>Salmonella</i> Detection	Conventional Method (FDA BAM-5)
		qPCR Method
11.6 Cooked, chilled and frozen crabmeat	Aerobic Plate Count	Pour Plate Method (FDA BAM-3)
	<i>Escherichia coli</i> Count	MPN Method (FDA BAM-4)
	<i>Staphylococcus aureus</i> Count	Surface Plating Method (FDA BAM-12)
11.7 Fresh and frozen bivalve molluscs	Aerobic Plate Count	Pour Plate Method (FDA BAM-3)
	<i>Escherichia coli</i> Count	MPN Method (FDA BAM-4)
	<i>Salmonella</i> Detection	Conventional Method (FDA BAM-5)
	<i>Vibrio parahaemolyticus</i>	qPCR Method Conventional Method, ISO 21872-1:2017
	Aerobic Plate Count	Pour Plate Method (FDA BAM-3)

Product	Specific Test	Method Reference
11.9 Ethnic food products – Dried, salted fish	Yeast and Molds Count	Spread Plate Method (FDA BAM-18) Dry Rehydratable Film Method (AOAC 997.02)
	Coliform Count	MPN Method (FDA BAM-4)
	<i>Escherichia coli</i> Count	MPN Method (FDA BAM-4)
	<i>Staphylococcus aureus</i> Count	Surface Plating Method (FDA BAM-12)
11.10 Smoked Fish	Aerobic Plate Count	Pour Plate Method (FDA BAM-3)
	<i>Escherichia coli</i> Count	MPN Method (FDA BAM-4)
	<i>Salmonella</i> Detection	Conventional Method (FDA BAM-5) qPCR Method
11.11 Salt Fermented Fish and Shrimps (bagoong)	Aerobic Plate Count	Pour Plate Method (FDA BAM-3)
	Coliform Count	Pour Plate Method (FDA BAM-4)
11.13 Aquatic products – cooked (heat-treated) aquatic product; intended for human consumption aquatic plant products (algae)	<i>Staphylococcus aureus</i> Count	Surface Plating Method (FDA BAM-12)
	<i>Salmonella</i> Detection	Conventional Method (FDA BAM-5) qPCR Method
	<i>Vibrio parahaemolyticus</i>	Conventional Method, ISO 21872-1:2017
11.14 Fish and crustacean based processed meat e.g. fish ball, squid ball	Aerobic Plate Count	Pour Plate Method (FDA BAM-3)
	<i>Escherichia coli</i> Count	MPN Method (FDA BAM-4)
	<i>Staphylococcus aureus</i> Count	Surface Plating Method (FDA BAM-12)
	<i>Vibrio parahaemolyticus</i>	Conventional Method, ISO 21872-1:2017
12.0 Spices, soups, sauces, salads and protein products		
12.1 Dry mixes for soup and sauces	Aerobic Plate Count	Pour Plate Method (FDA BAM-3)
	Yeast and Molds Count	Spread Plate Method (FDA BAM-18)

Product	Specific Test	Method Reference
		Dry Rehydratable Film Method (AOAC 997.02)
	Coliform Count	Pour Plate Method (FDA BAM-4)
	<i>Salmonella</i> Detection	Conventional Method (FDA BAM-5) qPCR Method
12.2 Yeast	<i>Salmonella</i> Detection	Conventional Method (FDA BAM-5) qPCR Method
12.3 Spices	Aerobic Plate Count	Pour Plate Method (FDA BAM-3)
	Molds Count	Spread Plate Method (FDA BAM-18) Dry Rehydratable Film Method (AOAC 997.02)
12.4 Spices (ready to eat)	Aerobic Plate Count	Pour Plate Method (FDA BAM-3)
	Molds Count	Spread Plate Method (FDA BAM-18) Dry Rehydratable Film Method (AOAC 997.02)
	Coliform Count	Pour Plate Method (FDA BAM-4)
	<i>Escherichia coli</i> Count	MPN Method (FDA BAM-4)
	<i>Staphylococcus aureus</i> Count	Surface Plating Method (FDA BAM-12)
	<i>Salmonella</i> Detection	Conventional Method (FDA BAM-5) qPCR Method
12.5 Food Grade Gelatin	<i>Escherichia coli</i> Count	MPN Method (FDA BAM-4)
	<i>Salmonella</i> Detection	Conventional Method (FDA BAM-5) qPCR Method
12.6 Emulsified Sauce pH≤4.6 (e.g.	Aerobic Plate Count	Pour Plate Method (FDA BAM-3)

Product	Specific Test	Method Reference
Mayonnaise, Thousand Island, Ranch, French)	Yeast and Molds Count	Spread Plate Method (FDA BAM-18) Dry Rehydratable Film Method (AOAC 997.02)
	<i>Salmonella</i> Detection	Conventional Method (FDA BAM-5) qPCR Method
	<i>Listeria monocytogenes</i>	ISO 11290-1:2017
12.7 Instant noodles seasoning	Aerobic Plate Count	Pour Plate Method (FDA BAM-3)
	Yeast and Molds Count	Spread Plate Method (FDA BAM-18) Dry Rehydratable Film Method (AOAC 997.02)
	Coliform Count	Pour Plate Method (FDA BAM-4)
	<i>Salmonella</i> Detection	Conventional Method (FDA BAM-5) qPCR Method
12.8 Ready to eat Flavourings/ Instant condiments (e.g. soy sauce and sauce and sauce products, composite seasonings	<i>Staphylococcus aureus</i> Count	Surface Plating Method (FDA BAM-12)
	<i>Salmonella</i> Detection	Conventional Method (FDA BAM-5) qPCR Method
12.9 Aquatic dressing	<i>Staphylococcus aureus</i> Count	Surface Plating Method (FDA BAM-12)
	<i>Salmonella</i> Detection	Conventional Method (FDA BAM-5) qPCR Method
	<i>Vibrio parahaemolyticus</i>	Conventional Method, ISO 21872-1:2017
12.10 Salad and Sandwich spreads (excluding cocoa milk based sandwich spreads)	Aerobic Plate Count	Pour Plate Method (FDA BAM-3)
	Yeast and Molds Count	Spread Plate Method (FDA BAM-18) Dry Rehydratable Film Method (AOAC 997.02)

Product	Specific Test	Method Reference
	<i>Salmonella</i> Detection	Conventional Method (FDA BAM-5) qPCR Method
	<i>Listeria monocytogenes</i>	ISO 11290-1:2017
13.0 Beverages		
13.1 Non-alcoholic beverages (e.g. Ready to drink softdrinks, iced tea, energy drinks, jelly drinks)	Aerobic Plate Count	Pour Plate Method (FDA BAM-3)
	Yeast and Molds Count	Spread Plate Method (FDA BAM-18) Dry Rehydratable Film Method (AOAC 997.02)
	Coliform Count	Pour Plate Method (FDA BAM-4)
13.2 Frozen juice concentrate	Aerobic Plate Count	Pour Plate Method (FDA BAM-3)
	Yeast and Molds Count	Spread Plate Method (FDA BAM-18) Dry Rehydratable Film Method (AOAC 997.02)
13.4 Powdered beverages (e.g. iced tea, powdered juices/mixes)	Aerobic Plate Count	Pour Plate Method (FDA BAM-3)
	Yeast and Molds Count	Spread Plate Method (FDA BAM-18) Dry Rehydratable Film Method (AOAC 997.02)
	Coliform Count	Pour Plate Method (FDA BAM-4)
13.5 Fruit beverage products	Aerobic Plate Count	Pour Plate Method (FDA BAM-3)
	Yeast and Molds Count	Spread Plate Method (FDA BAM-18) Dry Rehydratable Film Method (AOAC 997.02)
	Coliform Count	Pour Plate Method (FDA BAM-4)
	<i>Escherichia coli</i> Count	MPN Method (FDA BAM-4)

Product	Specific Test	Method Reference
13.6 Bottled Water (Purified/ distilled water)	Heterotrophic Plate Count, CFU/mL	Pour Plate Method (SMEWW 9215 23rd Ed., 2017)
	Coliform Count	MPN Method, (SMEWW 9221 23rd Ed., 2017)
	<i>Escherichia coli</i>	MPN Method, (SMEWW 9221 23rd Ed., 2017)
13.7 Bottled Water (Mineral water)	Heterotrophic Plate Count, CFU/mL	Pour Plate Method (SMEWW 9215 23rd Ed., 2017)
	Coliform Count	MPN Method, (SMEWW 9221 23rd Ed., 2017)
	<i>Escherichia coli</i>	MPN Method, (SMEWW 9221 23rd Ed., 2017)
13.8 Chilled Young Coconut Water (Buko Juice)	Aerobic Plate Count	Pour Plate Method (FDA BAM-3)
	Yeast and Molds Count	Spread Plate Method (FDA BAM-18) Dry Rehydratable Film Method (AOAC 997.02)
	Coliform Count	Pour Plate Method (FDA BAM-4)
14.0 Food for Infants and Young Children		
14.1 Powdered infant formula with or without added Lactic Acid producing cultures (intended for 0 to 6 months old) Formula for Medical Purposes and Human Milk Fortifiers	<i>Salmonella</i> Detection	Conventional Method (FDA BAM-5) qPCR Method
	Aerobic Plate Count	Pour Plate Method (FDA BAM-3)
	Coliform Count	MPN Method (FDA BAM-4)
	<i>Escherichia coli</i> Count	MPN Method (FDA BAM-4)
14.2 Follow-up formula/Milk Supplement (from 6 month infants to 36	<i>Salmonella</i> Detection	Conventional Method (FDA BAM-5) qPCR Method
	Aerobic Plate Count	Pour Plate Method (FDA BAM-3)

Product	Specific Test	Method Reference
months young children);	Coliform Count	MPN Method (FDA BAM-4)
Formula for Special Medical Purposes for Young Children	<i>Escherichia coli</i> Count	MPN Method (FDA BAM-4)
14.5 Dried and Instant products requiring reconstitution	Coliform Count	MPN Method (FDA BAM-4)
	Aerobic Plate Count	Pour Plate Method (FDA BAM-3)
	<i>Salmonella</i> Detection	Conventional Method (FDA BAM-5) qPCR Method
	<i>Listeria monocytogenes</i>	ISO 11290-1:2017
14.6 Dried products requiring reconstitution and boiling before consumption	Coliform Count	Pour Plate Method (FDA BAM-4)
	<i>Salmonella</i> Detection	Conventional Method (FDA BAM-5) qPCR Method
	Aerobic Plate Count	Pour Plate Method (FDA BAM-3)
14.7 Cereal based foods for infants	<i>Bacillus cereus</i>	Spread Plate Method (FDA BAM-14)
	Aerobic Plate Count	Pour Plate Method (FDA BAM-3)
	<i>Salmonella</i> Detection	Conventional Method (FDA BAM-5) qPCR Method
	Coliform Count	Pour Plate Method (FDA BAM-4)
14.8 Ready-to-Use Therapeutic Foods (RUTF) and Ready-to-Use-Supplementary Foods (RUSF), 6-59 months of age	<i>Salmonella</i> Detection	Conventional Method (FDA BAM-5) qPCR Method

Legend to Reference Methods

AOAC – Association of Official Analytical Collaboration

BAM - Bacteriological Analytical Manual

ISO – International Organization for Standardization

SMEWW - Standard Methods for Examination of Water and Wastewater

***** Nothing Follows *****