PHOENIX

2026

PRODUCT CATALOGUE

Commercial strength equipment. Plate loaded and pin loaded machines, racks and rigs, benches, bars, flooring and recovery.

www.L4Gym.com jamie@l4gym.com Phoenix Strength Europe



WHO WE ARE

BUILT BY PEOPLE WHO TRAIN.

Phoenix Strength is an Australian strength equipment brand, veteran owned and run from the Sunshine Coast. We design the gear, we manage the manufacturing ourselves, and we stand behind it after it lands.

Most buyers sourcing equipment from Asia deal with a sales desk sitting in front of a factory. With Phoenix you deal with a Western operator inside the manufacturing: someone who has spent 15 years setting up production, running shipments and making the mistakes so you do not have to.

300+
products

50+
machines ready to go

50+
new machines in design

The Phoenix standard

Heavy gauge commercial steel, powder coat finish, stainless steel pulleys and nylon coated aircraft cable on our cable machines.

Support that answers

Spare parts held and shipped, warranty honoured, and English speaking support from people who lift.


Your colours, your brand

Black frame as standard. Custom frame colours, upholstery and private label logos on request.

Fit-outs designed for you


Send a floor plan. We lay out the gym, specify every line and quote it item by item.









PHOENIX
05
PRODUCTS
PIN LOADED
Select the stack and go. Built for busy floors and every member.







PIN LOADED MACHINES

FUNCTIONAL TRAINER ULTRA

FTP

One machine. Every pattern.

Dual stack functional trainer with full pulley adjustment and an integrated chin bar.

- Dual independent weight stacks
- Pulley adjustment through full height
- Integrated chin bar
- Commercial-rated cable and pulley system

Type	Dual stack functional trainer
Stacks	2, independent
Pulleys	Multi-position, full height range
Extras	Integrated chin bar
Finish	Powder coat, custom colours

Built for Commercial gym floors · PT studios with varied programming · Rehab and athletic development







PIN LOADED MACHINES

DONKEY CALF RAISE

DCR


Full stretch. Fast loading.

Pin-loaded donkey calf raise that loads the calves through a deep stretch in a hip-hinged position.

- Hip-supported donkey position
- Full heel drop, non-slip platform
- Pin loaded stack, quick changes
- Commercial steel frame

Type	Pin-loaded donkey calf raise
Target	Calves
Loading	Weight stack
Platform	Non-slip, full heel drop
Finish	Powder coat, custom colours on request

Built for Commercial gyms · Bodybuilding floors







PIN LOADED MACHINES

LATERAL RAISE

LR

Side delts. No traps.

Pin-loaded lateral raise with a fixed arc in the scapular plane, so side delts work and traps stay out.

- Fixed arm path, scapular plane
- Pin loaded for fast changes
- Height adjustment for shoulder alignment
- Custom colours available

Type	Pin-loaded lateral raise
Target	Lateral deltoids
Arm path	Fixed, scapular plane
Loading	Weight stack
Finish	Powder coat, custom colours

Built for Commercial gyms and bodybuilding floors · High-turnover machine lines

PIN LOADED MACHINES

PRONE LEG CURL, PIN LOADED

PLCPIN



A curl that follows you.

Pin-loaded prone leg curl with a double elbow joint and an ankle roller that follows the strength curve.

- Double elbow joint design
- Ankle roller follows the strength curve
- Pin loaded, fast weight changes
- Hamstring isolation





Type	Pin-loaded prone leg curl
Target	Hamstrings
Loading	Weight stack

Built for Commercial gyms · High-turnover machine lines

PHOENIX

14
PRODUCTS



RACKS AND RIGS

One bolt-together system, from a garage cage to a 20 station floor.



RIG SYSTEM


WALL MOUNTED RIG

One station. Zero floor lost.

The uprights anchor to a structural wall instead of taking floor footprint, which suits narrow facilities and rooms where every square metre counts. One working station takes a full 7ft Olympic bar, or a 6ft or 5ft bar in tighter spaces. Supplied as a complete pre-packaged rig system, standard or custom.

1 Cell **2 Cell** **3 Cell** **4+ Cell**

Configuration	Wall mounted, 1 cell, 1 station
Uprights	75 × 75 mm SHS, 4 mm (Premium) or 3 mm (Standard) wall
Holes	25 mm diameter at 25 mm centres
Heights	2500 / 2750 / 3000 / 3500 mm
Load rating	500 kg
Compatibility	Phoenix and Valkyrie attachments (25/25 spec)
Construction	Bolt-together, modular



RIG SYSTEM

FREE STANDING RIG

One cell. Both sides.

A wall rig gives one working side. A free standing rig gives two, so two athletes train independently off the same frame. Each side takes a 7ft, 6ft or 5ft bar. Supplied as a complete system with uprights, base plates, crossbeams, chin bar, J-hooks and safety spotter arms.

1 Cell **2 Cell** **3 Cell** **4+ Cell**

Configuration	Free standing, 1 cell, 2 stations
Includes	Uprights, base plates, crossbeams, chin bar, J-hooks, spotter arms
Uprights	75 × 75 mm SHS, 4 mm (Premium) or 3 mm (Standard) wall
Holes	25 mm diameter at 25 mm centres
Heights	2500 / 2750 / 3000 / 3500 mm
Load rating	500 kg
Compatibility	Phoenix and Valkyrie attachments (25/25 spec)







RACKS AND RIGS

PSPX2 HALF CAGE

PSPX2

Built for war, not warm-ups.

Engineer-designed commercial half cage, simulation tested to 500 kg. Full rack function without the depth of a cage.

- Simulation tested to 500 kg
- Structural engineer designed
- Open-front half cage format
- Modular, takes Phoenix attachments
- Black, red or custom colour

Load rating	500 kg
Configuration	Half cage, open-front access
Frame	Commercial heavy gauge steel
Finish	Powder coat, black, red or custom
Dimensions	1210 L x 1268 W x 2400 H mm
Weight	172 kg

Built for PT studios · Warehouse gyms · Commercial facilities







RACKS AND RIGS

LCPC PRO

LCPC-1 / LCPC-2

Four machines. One footprint.

Power cage, plate-loaded lat pulldown and seated row in one commercial unit, with an optional cable crossover kit.

- Cage, pulldown, row, optional crossover
- Plate-loaded carriage, no weight stack
- J-hooks, safety arms, multi-grip pull-up bar
- Standard cable attachment hook
- Ships flat-pack

Functions	Power cage, lat pulldown, seated row, optional crossover
Overall size	2354.5 H x 1407 W x 1730 D mm
With crossover kit	2414 H x 2242 D mm
Frame	60 × 60 × 2 mm heavy gauge steel
Lat pulldown	Plate-loaded carriage, twin 25 mm guide rods
Safety arms	Bolt-on adjustable

Built for PT studios · Warehouse gyms · Serious home gyms



CABLE CROSSOVER KIT FOR LCPC PRO

LCCCKIT

Bolt-on kit that adds high and low pulley cable work to the LCPC Pro power cage.

- Fits the LCPC Pro power cage
- High and low pulley positions
- No separate cable machine needed

Compatible unit	LCPC Pro Power Cage
Cable positions	High pulley and low pulley
Exercises	Cable fly, pushdown, curl, face pull, row, crunch



HD SQUAT STAND, PAIR

HDSS

Heavy duty freestanding squat stands for barbell work where a full power cage will not fit.

- Freestanding pair with safety bars
- Height adjustable with safety pins
- Squat, bench, press, rack pulls

Type	Freestanding squat stand pair
Adjustment	Height adjustable with safety pins
Includes	Pair of stands with safety bars



BULGARIAN SPLIT SQUAT STAND

BSS

Adjustable rear-foot stand with an angled foam pad and wide steel base. The right height for every athlete.

- Height adjustable
- Angled high-density foam pad
- Wide, stable steel base

Type	Rear-foot elevated split squat stand
Height	Adjustable
Pad	Angled high-density foam



PHOENIX

04
PRODUCTS

BENCHES

Pressing, rowing and glute work on frames that do not move.



Z4 FID BENCH

Z4B-1 / Z4B-2

Flat, incline and decline in one commercial bench, with an independent seat that keeps lifters locked in.

- Flat, incline and decline positions
- Independent seat pad adjustment
- Optional foot pad for decline work

Positions	Flat, multiple inclines, decline
Seat	Independent seat pad adjustment
Upholstery	High-density foam, commercial vinyl



CFI4 FLAT INCLINE BENCH

CFI4

Commercial flat and incline bench with quick pop-pin adjustment and a frame that does not flex.

- Flat plus multiple incline angles
- Quick pop-pin ladder adjustment
- Wide, low base stays planted

Positions	Flat and multiple incline angles
Adjustment	Pop-pin ladder
Upholstery	High-density commercial foam, vinyl



HIP THRUST COMBO 2

HTC2

Commercial hip thrust station with adjustable pads, band pegs and wheels. Built for high-volume glute training.

- Adjustable backrest and dual seat pad
- Built-in band pegs
- Fitted transport wheels

Type	Commercial hip thrust station
Includes	Bench, barbell pad, band pegs
Adjustability	Backrest, dual seat pad with longitudinal adjustment



HIP THRUST HOME

HTH

Hip thrust bench set at the correct height for barbell thrusts, in a compact home gym footprint.

- Correct hip thrust height
- Barbell and banded thrusts, glute bridges
- Compact footprint

Type	Hip thrust bench, home version
Frame	Steel, powder coated
Upholstery	Padded foam, vinyl cover

PHOENIX

07
PRODUCTS



BARBELLS

Training bars and specialty bars for every lift on the program.



PX HARDENED CHROME BARBELL, 20KG

PX20

28.5mm shaft, needle bearings and dual knurl marks. A do-everything 20 kg bar built for commercial floors.

- Needle bearings for clean spin
- Dual IPF and IWF knurl marks
- Rated to 680 kg

Bar weight	20 kg
Shaft diameter	28.5 mm
Sleeve diameter	50 mm Olympic



SWISS BAR, OLYMPIC CHROME

ASBO

Multi-grip neutral bar for bench, press, row and curl without forcing shoulders into compromised positions.

- Multiple neutral grip angles
- Shoulder-friendly pressing and rowing
- Olympic 50mm sleeves

Overall length	2,200 mm
Grip diameter	28 mm
Sleeve diameter	50 mm Olympic



OLYMPIC EZ CURL BARBELL

OEZCB

Angled grips put forearms in a natural position so the bicep or tricep does the work, not the joint.

- Angled grips reduce wrist strain
- Curls, skull crushers, upright rows
- Olympic 50mm sleeves

Grip type	Angled EZ curl grips
Overall length	1,200 mm
Grip diameter	28 mm



OLYMPIC RICKSHAW U BARBELL

ORB

Open U-frame bar that puts the load at your sides for farmer walks, split squats, RDLs and shrugs.

- Open U-frame, step-through access
- Dual handle heights
- Neutral parallel grips

Handle positions	Dual height, low and high
Grip type	Neutral parallel U-frame handles
Sleeve diameter	50 mm Olympic

PHOENIX

07
PRODUCTS



PLATES AND STORAGE

Plates that last and storage that keeps the floor clear.



OLYMPIC WEIGHT TREE

OWT

Free-standing Olympic plate storage with tiered arms that sort plates by size and keep the floor clear.

- Tiered arms sort plates by size
- Six Olympic 50mm sleeves
- Integrated barbell holders

Type	Free-standing Olympic weight tree
Sleeves	6 × 50 mm Olympic
Compatibility	All 50 mm Olympic plates



FRACTIONAL BUMPER PLATE SET, 15KG

FRACSET

Five pairs from 0.5 kg to 2.5 kg for microloading when a 5 kg jump is too much.

- Pairs of 0.5, 1, 1.5, 2, 2.5 kg
- Rubber bumper construction
- Tolerance of plus or minus 10 g

Set contents	5 pairs: 0.5, 1, 1.5, 2, 2.5 kg
Total weight	15 kg
Sleeve fit	50 mm Olympic



BUMPER PLATE RACK, TOASTER

TOA

Toaster-style rack that stores Olympic bumper plates upright in slots, sorted and ready to grab.

- Stores 450mm bumper plates upright
- Holds up to 150 kg
- Dividers spaced 10 cm apart

Type	Toaster-style bumper plate rack
Compatibility	450 mm diameter bumper plates
Capacity	Up to 150 kg of bumper plates



VBBR9 VERTICAL BARBELL RACK

VBBR

Vertical storage for nine Olympic barbells. Keeps bars straight, sleeves protected and every bar easy to spot.

- Holds 9 Olympic barbells upright
- Protects sleeves, bearings and knurl
- Weighted anti-tip base

Capacity	9 Olympic barbells
Storage	Vertical, bars upright
Shaft compatibility	28 to 32 mm

PHOENIX

04
PRODUCTS



FLOORING

Rubber, foam and astro turf for every zone on the floor.




COMMERCIAL ASTRO TURF

AT-1X15-STD / AT-2X20-STD / AT-2X20-WL / ASTROLOGO / AT-2X20-BLK / AT-2X20-BLK-WL

Short-pile nylon turf specced for sled lanes, loaded carries and sprint work. Ferrari Red or black, three roll formats.

- Specced for sled push and pull
- UV-resistant short-pile nylon
- 1m x 15m and 2m x 20m rolls

Colours	Ferrari Red, Black
Pile	UV-resistant nylon, short pile
Backing	Rubber, indoor use without adhesive



COMMERCIAL RUBBER GYM TILES

RGF1 / RGF1-FLK

High-density vulcanised rubber tiles that take dropped plates, heavy kit and daily foot traffic.

- High-density vulcanised rubber
- Absorbs dropped plate impact
- Resists compression and cracking

Material	High-density vulcanised rubber
Thickness	15 mm
Tile size	1m x 1m

PHOENIX

COMMERCIAL RUBBER GYM ROLL, 10MM

Photos and drawings on request

COMMERCIAL RUBBER GYM ROLL, 10MM

RROLL10 / RROLL10-FLK

Continuous 1m x 10m rubber rolls for large floor areas. Faster to lay and flatter than tiles across a big space.

- 1m x 10m roll, 10 sqm coverage
- Fewer seams than tiles
- Plain black or 20% EPDM fleck

Thickness	10 mm
Roll size	1 m x 10 m
Coverage	10 sqm per roll

PHOENIX

JIGSAW EVA FOAM FLOORING

Photos and drawings on request

JIGSAW EVA FOAM FLOORING

EVA20 / EVA40

Interlocking EVA foam in 20mm and 40mm. No adhesive, non-marking, and light enough for one person to relocate.

- Interlocking jigsaw edges, no adhesive
- 20mm and 40mm thickness
- Non-marking

Material	EVA foam
Thickness	20 mm or 40 mm
Fitting	Interlocking jigsaw, no adhesive





FIT-OUTS · PRIVATE LABEL · DISTRIBUTION

LET'S BUILD YOUR GYM.

Gym fit-outs

Commercial gyms, PT studios, hotels, mine camps and home gyms. We design the floor, specify the equipment and quote it line by line.

Private label and OEM

Your brand on our equipment, or your design built to the Phoenix standard. Custom colours, upholstery and logos.

Europe

Projects in Germany and across Europe are quoted and handled by L4Gym, our European partner.

PHOENIX

Jamie Bevan Founder, L4Gym

Phoenix Strength partner for Germany and Europe

jamie@l4gym.com | www.L4Gym.com

Happy Sisyphus Pty Ltd t/a Phoenix Strength Co. Specifications and finishes may change as we improve the product. Images may show optional extras and custom colours.