PHOENIX

2026

PRODUCT CATALOGUE

Commercial strength equipment. Plate loaded and pin loaded machines, racks and rigs, benches, bars, flooring and recovery.

www.L4Gym.com jamie@l4gym.com Phoenix Strength Europe



WHO WE ARE

BUILT BY PEOPLE WHO TRAIN.

Phoenix Strength is an Australian strength equipment brand, veteran owned and run from the Sunshine Coast. We design the gear, we manage the manufacturing ourselves, and we stand behind it after it lands.

Most buyers sourcing equipment from Asia deal with a sales desk sitting in front of a factory. With Phoenix you deal with a Western operator inside the manufacturing: someone who has spent 15 years setting up production, running shipments and making the mistakes so you do not have to.

300+
products

50+
machines ready to go

50+
new machines in design

The Phoenix standard

Heavy gauge commercial steel, powder coat finish, stainless steel pulleys and nylon coated aircraft cable on our cable machines.

Support that answers

Spare parts held and shipped, warranty honoured, and English speaking support from people who lift.


Your colours, your brand

Black frame as standard. Custom frame colours, upholstery and private label logos on request.

Fit-outs designed for you

Send a floor plan. We lay out the gym, specify every line and quote it item by item.









14
PRODUCTS

RACKS AND RIGS

One bolt-together system, from a garage cage to a 20 station floor.



RIG SYSTEM


WALL MOUNTED RIG

One station. Zero floor lost.

The uprights anchor to a structural wall instead of taking floor footprint, which suits narrow facilities and rooms where every square metre counts. One working station takes a full 7ft Olympic bar, or a 6ft or 5ft bar in tighter spaces. Supplied as a complete pre-packaged rig system, standard or custom.

1 Cell **2 Cell** **3 Cell** **4+ Cell**

Configuration	Wall mounted, 1 cell, 1 station
Uprights	75 × 75 mm SHS, 4 mm (Premium) or 3 mm (Standard) wall
Holes	25 mm diameter at 25 mm centres
Heights	2500 / 2750 / 3000 / 3500 mm
Load rating	500 kg
Compatibility	Phoenix and Valkyrie attachments (25/25 spec)
Construction	Bolt-together, modular



RIG SYSTEM

FREE STANDING RIG

One cell. Both sides.

A wall rig gives one working side. A free standing rig gives two, so two athletes train independently off the same frame. Each side takes a 7ft, 6ft or 5ft bar. Supplied as a complete system with uprights, base plates, crossbeams, chin bar, J-hooks and safety spotter arms.

1 Cell **2 Cell** **3 Cell** **4+ Cell**

Configuration	Free standing, 1 cell, 2 stations
Includes	Uprights, base plates, crossbeams, chin bar, J-hooks, spotter arms
Uprights	75 × 75 mm SHS, 4 mm (Premium) or 3 mm (Standard) wall
Holes	25 mm diameter at 25 mm centres
Heights	2500 / 2750 / 3000 / 3500 mm
Load rating	500 kg
Compatibility	Phoenix and Valkyrie attachments (25/25 spec)



RIG SYSTEM

SPECIALIST RIGS

Your space. Our design.

Not every facility fits a straight-line rig. Phoenix designs staircase rigs, multi-level builds, L-shapes that wrap columns, T-shapes that anchor a floor plan, obstacle sections and franchise specs that replicate across sites. Every specialist rig runs the same core system and attachment spec. Technical drawings available on request.

Staircase **L, U and T** **High-bay** **Franchise rollout**

Uprights	75 × 75 mm SHS, 4 mm (Premium) or 3 mm (Standard) wall
Holes	25 mm diameter at 25 mm centres
Heights	2500 / 2750 / 3000 / 3500 mm
Load rating	500 kg
Compatibility	Phoenix and Valkyrie attachments (25/25 spec)
Finish	Black powder coat, custom RAL available



RIG SYSTEM

POWER CAGE FROM RIG PARTS

Same parts. Any shape.

Every Phoenix rig, cage and specialist build runs on the same uprights, hole spacing and attachment spec, so a floor can grow from one cage to a full rig line without replacing a single part.

Uprights **Crossmembers** **Chin bars** **J-hooks and spotters**







RACKS AND RIGS

PSPX2 HALF CAGE

PSPX2

Built for war, not warm-ups.

Engineer-designed commercial half cage, simulation tested to 500 kg. Full rack function without the depth of a cage.

- Simulation tested to 500 kg
- Structural engineer designed
- Open-front half cage format
- Modular, takes Phoenix attachments
- Black, red or custom colour

Load rating	500 kg
Configuration	Half cage, open-front access
Frame	Commercial heavy gauge steel
Finish	Powder coat, black, red or custom
Dimensions	1210 L x 1268 W x 2400 H mm
Weight	172 kg

Built for PT studios · Warehouse gyms · Commercial facilities







RACKS AND RIGS

LCPC PRO

LCPC-1 / LCPC-2

Four machines. One footprint.

Power cage, plate-loaded lat pulldown and seated row in one commercial unit, with an optional cable crossover kit.

- Cage, pulldown, row, optional crossover
- Plate-loaded carriage, no weight stack
- J-hooks, safety arms, multi-grip pull-up bar
- Standard cable attachment hook
- Ships flat-pack

Functions	Power cage, lat pulldown, seated row, optional crossover
Overall size	2354.5 H x 1407 W x 1730 D mm
With crossover kit	2414 H x 2242 D mm
Frame	60 × 60 × 2 mm heavy gauge steel
Lat pulldown	Plate-loaded carriage, twin 25 mm guide rods
Safety arms	Bolt-on adjustable

Built for PT studios · Warehouse gyms · Serious home gyms



CABLE CROSSOVER KIT FOR LCPC PRO

LCCCKIT

Bolt-on kit that adds high and low pulley cable work to the LCPC Pro power cage.

- Fits the LCPC Pro power cage
- High and low pulley positions
- No separate cable machine needed

Compatible unit	LCPC Pro Power Cage
Cable positions	High pulley and low pulley
Exercises	Cable fly, pushdown, curl, face pull, row, crunch



HD SQUAT STAND, PAIR

HDSS

Heavy duty freestanding squat stands for barbell work where a full power cage will not fit.

- Freestanding pair with safety bars
- Height adjustable with safety pins
- Squat, bench, press, rack pulls

Type	Freestanding squat stand pair
Adjustment	Height adjustable with safety pins
Includes	Pair of stands with safety bars



BULGARIAN SPLIT SQUAT STAND

BSS

Adjustable rear-foot stand with an angled foam pad and wide steel base. The right height for every athlete.

- Height adjustable
- Angled high-density foam pad
- Wide, stable steel base

Type	Rear-foot elevated split squat stand
Height	Adjustable
Pad	Angled high-density foam



PHOENIX

04
PRODUCTS

BENCHES

Pressing, rowing and glute work on frames that do not move.



Z4 FID BENCH

Z4B-1 / Z4B-2

Flat, incline and decline in one commercial bench, with an independent seat that keeps lifters locked in.

- Flat, incline and decline positions
- Independent seat pad adjustment
- Optional foot pad for decline work

Positions	Flat, multiple inclines, decline
Seat	Independent seat pad adjustment
Upholstery	High-density foam, commercial vinyl



CFI4 FLAT INCLINE BENCH

CFI4

Commercial flat and incline bench with quick pop-pin adjustment and a frame that does not flex.

- Flat plus multiple incline angles
- Quick pop-pin ladder adjustment
- Wide, low base stays planted

Positions	Flat and multiple incline angles
Adjustment	Pop-pin ladder
Upholstery	High-density commercial foam, vinyl



HIP THRUST COMBO 2

HTC2

Commercial hip thrust station with adjustable pads, band pegs and wheels. Built for high-volume glute training.

- Adjustable backrest and dual seat pad
- Built-in band pegs
- Fitted transport wheels

Type	Commercial hip thrust station
Includes	Bench, barbell pad, band pegs
Adjustability	Backrest, dual seat pad with longitudinal adjustment



HIP THRUST HOME

HTH

Hip thrust bench set at the correct height for barbell thrusts, in a compact home gym footprint.

- Correct hip thrust height
- Barbell and banded thrusts, glute bridges
- Compact footprint

Type	Hip thrust bench, home version
Frame	Steel, powder coated
Upholstery	Padded foam, vinyl cover

PHOENIX

07
PRODUCTS



PLATES AND STORAGE

Plates that last and storage that keeps the floor clear.



OLYMPIC WEIGHT TREE

OWT

Free-standing Olympic plate storage with tiered arms that sort plates by size and keep the floor clear.

- Tiered arms sort plates by size
- Six Olympic 50mm sleeves
- Integrated barbell holders

Type	Free-standing Olympic weight tree
Sleeves	6 × 50 mm Olympic
Compatibility	All 50 mm Olympic plates



FRACTIONAL BUMPER PLATE SET, 15KG

FRACSET

Five pairs from 0.5 kg to 2.5 kg for microloading when a 5 kg jump is too much.

- Pairs of 0.5, 1, 1.5, 2, 2.5 kg
- Rubber bumper construction
- Tolerance of plus or minus 10 g

Set contents	5 pairs: 0.5, 1, 1.5, 2, 2.5 kg
Total weight	15 kg
Sleeve fit	50 mm Olympic



BUMPER PLATE RACK, TOASTER

TOA

Toaster-style rack that stores Olympic bumper plates upright in slots, sorted and ready to grab.

- Stores 450mm bumper plates upright
- Holds up to 150 kg
- Dividers spaced 10 cm apart

Type	Toaster-style bumper plate rack
Compatibility	450 mm diameter bumper plates
Capacity	Up to 150 kg of bumper plates



VBBR9 VERTICAL BARBELL RACK

VBBR

Vertical storage for nine Olympic barbells. Keeps bars straight, sleeves protected and every bar easy to spot.

- Holds 9 Olympic barbells upright
- Protects sleeves, bearings and knurl
- Weighted anti-tip base

Capacity	9 Olympic barbells
Storage	Vertical, bars upright
Shaft compatibility	28 to 32 mm




WHEELS FOR OLYMPIC WEIGHT TREE, 4 PACK

WSOWT

Bolt-on lockable castors that let you roll a loaded Olympic Weight Tree around the floor.

- Set of 4 heavy duty castors
- Lockable for use
- 360 degree rotation

Compatible with	Phoenix Olympic Weight Tree (OWT)
Type	Heavy duty lockable castors
Quantity	4




GORILLA GRIP STORAGE RACK

GGSTO

Powder coated steel rack that holds 10 cable handles, wall mounted or floor standing.

- Holds 10 cable handles
- Wall-mount or floor-standing
- Powder coated steel

Type	Cable attachment storage rack
Capacity	10 handles
Mount	Wall-mount or floor-standing



PRO URETHANE BUMPER PLATE SET, 150KG

URESET15

150 kg of colour-coded urethane bumpers with steel hubs and plus or minus 10 g tolerance.

- Urethane outer, steel hub insert
- Plus or minus 10 g tolerance
- 450mm diameter, IWF colour coded

Set contents	2 pr 10 kg, 2 pr 15 kg, 1 pr 25 kg
Total weight	150 kg
Material	Urethane outer, steel hub insert

PHOENIX

04
PRODUCTS



FLOORING

Rubber, foam and astro turf for every zone on the floor.




COMMERCIAL ASTRO TURF

AT-1X15-STD / AT-2X20-STD / AT-2X20-WL / ASTROLOGO / AT-2X20-BLK / AT-2X20-BLK-WL

Short-pile nylon turf specced for sled lanes, loaded carries and sprint work. Ferrari Red or black, three roll formats.

- Specced for sled push and pull
- UV-resistant short-pile nylon
- 1m x 15m and 2m x 20m rolls

Colours	Ferrari Red, Black
Pile	UV-resistant nylon, short pile
Backing	Rubber, indoor use without adhesive



COMMERCIAL RUBBER GYM TILES

RGF1 / RGF1-FLK

High-density vulcanised rubber tiles that take dropped plates, heavy kit and daily foot traffic.

- High-density vulcanised rubber
- Absorbs dropped plate impact
- Resists compression and cracking

Material	High-density vulcanised rubber
Thickness	15 mm
Tile size	1m x 1m

PHOENIX

COMMERCIAL RUBBER GYM ROLL, 10MM

Photos and drawings on request

COMMERCIAL RUBBER GYM ROLL, 10MM

RROLL10 / RROLL10-FLK

Continuous 1m x 10m rubber rolls for large floor areas. Faster to lay and flatter than tiles across a big space.

- 1m x 10m roll, 10 sqm coverage
- Fewer seams than tiles
- Plain black or 20% EPDM fleck

Thickness	10 mm
Roll size	1 m x 10 m
Coverage	10 sqm per roll

PHOENIX

JIGSAW EVA FOAM FLOORING

Photos and drawings on request

JIGSAW EVA FOAM FLOORING

EVA20 / EVA40

Interlocking EVA foam in 20mm and 40mm. No adhesive, non-marking, and light enough for one person to relocate.

- Interlocking jigsaw edges, no adhesive
- 20mm and 40mm thickness
- Non-marking

Material	EVA foam
Thickness	20 mm or 40 mm
Fitting	Interlocking jigsaw, no adhesive



PHOENIX

MTG

MOBILE TRAINING GYM

A complete strength gym built inside a 10ft or 20ft shipping container. Racks, rigs, bars, plates and flooring fitted out, locked down for transport and ready to open on site. For mine camps, remote sites, defence and events.

MTG 10 **MTG 20** **Custom branding**

Full specifications in the separate MTG 2026 catalogue.





FIT-OUTS · PRIVATE LABEL · DISTRIBUTION

LET'S BUILD YOUR GYM.

Gym fit-outs

Commercial gyms, PT studios, hotels, mine camps and home gyms. We design the floor, specify the equipment and quote it line by line.

Private label and OEM

Your brand on our equipment, or your design built to the Phoenix standard. Custom colours, upholstery and logos.

Europe

Projects in Germany and across Europe are quoted and handled by L4Gym, our European partner.

PHOENIX

Jamie Bevan Founder, L4Gym

Phoenix Strength partner for Germany and Europe

jamie@l4gym.com | www.L4Gym.com

Happy Sisyphus Pty Ltd t/a Phoenix Strength Co. Specifications and finishes may change as we improve the product. Images may show optional extras and custom colours.