PHOENIX

2026

PRODUCT CATALOGUE

Commercial strength equipment. Plate loaded and pin loaded machines, racks and rigs, benches, bars, flooring and recovery.

www.L4Gym.com jamie@l4gym.com Phoenix Strength Europe



WHO WE ARE

BUILT BY PEOPLE WHO TRAIN.

Phoenix Strength is an Australian strength equipment brand, veteran owned and run from the Sunshine Coast. We design the gear, we manage the manufacturing ourselves, and we stand behind it after it lands.

Most buyers sourcing equipment from Asia deal with a sales desk sitting in front of a factory. With Phoenix you deal with a Western operator inside the manufacturing: someone who has spent 15 years setting up production, running shipments and making the mistakes so you do not have to.

300+
products

50+
machines ready to go

50+
new machines in design

The Phoenix standard

Heavy gauge commercial steel, powder coat finish, stainless steel pulleys and nylon coated aircraft cable on our cable machines.

Support that answers

Spare parts held and shipped, warranty honoured, and English speaking support from people who lift.


Your colours, your brand

Black frame as standard. Custom frame colours, upholstery and private label logos on request.

Fit-outs designed for you

Send a floor plan. We lay out the gym, specify every line and quote it item by item.







CONTENTS

2026 range

04	PLATE LOADED	24 products
17	PIN LOADED	5 products
21	SPECIALTY	2 products
23	NEW FOR 2026	16 products
28	RACKS AND RIGS	14 products
33	BENCHES	4 products
35	BARBELLS	7 products
38	PLATES AND STORAGE	7 products
41	FUNCTIONAL	8 products
44	FLOORING	4 products
46	RECOVERY	5 products
49	MTG MOBILE TRAINING GYM	Container gyms
50	FIT-OUTS AND PRIVATE LABEL	Design, OEM, contact

Prices, freight and lead times for Germany and Europe are issued on request by L4Gym, the Phoenix Strength partner for Europe. jamie@l4gym.com



PHOENIX

24
PRODUCTS

PLATE LOADED

Free-weight feel, machine safety. Load it with plates and train it hard.







PLATE LOADED MACHINES

BILATERAL LAT PULL DOWN

LPR

Two pulls. One footprint.

Plate-loaded lat pulldown and seated row in a single unit. Big pulling capacity without giving up floor space.

- Lat pulldown and seated row in one
- Olympic plate loaded, no weight stack
- Bilateral pulling for symmetry
- Free-standing, no floor anchoring
- Takes standard cable attachments

Type	Plate-loaded bilateral lat pulldown
Functions	Lat pulldown and seated row
Loading	Olympic plates
Frame	Heavy gauge commercial steel
Finish	Black powder coat
Install	Free-standing, no anchoring

Built for Commercial gyms and boutique studios · PT small group sessions · Serious home gyms







PLATE LOADED MACHINES

PENDULUM SQUAT

PDS2

Squat heavy. Walk out fresh.

Plate-loaded pendulum squat that drives the work into quads, glutes and hamstrings, not the lower back.

- Pendulum arc keeps the torso upright
- Front and rear counterweight horns
- Two-way adjustable footplate
- Multi-position safety catches
- 177 kg frame, no rock or flex

Type	Plate-loaded pendulum squat
Target	Quads, glutes, hamstrings
Loading	Olympic plates, front and rear horns
Footplate	Two-way adjustable, stance, angle, depth
Dimensions (L x W x H)	1010 × 1890 × 1540 mm
Weight	177 kg

Built for Premium strength gyms · Commercial floors training legs unsupervised · Defence and high performance facilities







PLATE LOADED MACHINES

T BAR ROW

TBAR

The classic back builder.

Plate-loaded T bar row with multiple handle positions and a checkerplate platform that stays planted.

- Neutral close, mid and wide pronated grips
- Checkerplate non-slip foot platform
- Landmine pivot for a smooth arc
- Chest pad available for strict rows
- Free-weight feel, no rolling barbell

Type	Plate-loaded T bar row
Target	Upper back, shoulders, arms
Handles	Adjustable, multi grip
Platform	Checkerplate, anti-slip
Loading	Olympic plates
Finish	Black powder coat, custom colours

Built for Commercial gyms and bodybuilding floors · Powerlifting and strongman gyms







PLATE LOADED MACHINES

CHEST SUPPORTED LEVER ROW

CSLR

Heavy rows. Zero back strain.

Plate-loaded lever row with 360 degree handles and an adjustable chest pad. Strict, heavy rowing with no lower back load.

- 360 degree rotating handles
- Independent lever arms for unilateral work
- Adjustable chest pad
- Converging arc for full contraction

Type	Plate-loaded chest supported lever row
Target	Lats, rhomboids, traps
Loading	Olympic plates, lever arm
Support	Angled chest pad, foot plate
Footprint	2020 L x 1210 W mm
Frame	Heavy gauge commercial steel

Built for Commercial gyms wanting a no-risk heavy row · Bodybuilding floors running high back volume · Lifters working around lower back issues







PLATE LOADED MACHINES

BENT OVER ROW BENCH

BORB

A row nobody can cheat.

Chest-supported bench angled for strict barbell and dumbbell rowing. The pad takes the lower back out of it.

- Fixed chest-supported rowing angle
- Barbell and dumbbell compatible
- Adjustable pad height
- Non-slip foot platform

Type	Chest-supported row bench
Use	Barbell and dumbbell rows
Pad	Adjustable height
Platform	Non-slip foot platform
Frame	Heavy gauge commercial steel
Finish	Powder coat, custom colours on request

Built for Commercial gyms · Bodybuilding floors running heavy back volume · Members with lower back history








PLATE LOADED MACHINES

ULTRA ROW

UR

Converging arc. Strict back work.

Plate-loaded row with a converging arm path and full chest support. Nothing left for the lower back to absorb.

- Converging arm path
- Adjustable chest pad
- Multiple grip positions
- Plate loaded, no stack to service

Type	Plate-loaded chest supported row
Arm path	Converging
Support	Adjustable chest pad
Grips	Multiple positions
Finish	Powder coat, custom colours

Built for Commercial gyms · Bodybuilding and strength floors · Athletes back from lower back issues








PLATE LOADED MACHINES

HACK SQUAT 40

HS40

Deep quads. Back supported.

Plate-loaded hack squat on a 40 degree sled. Deep, joint-friendly quad loading without the spinal cost.

- 40 degree sled angle
- Linear bearings on hardened rails
- Padded back and shoulder supports
- Multi-position safety catches
- Non-slip foot platform

Type	Plate-loaded hack squat
Sled angle	40 degrees
Guidance	Linear bearings, hardened guide rails
Safeties	Multi-position catches
Dimensions (L x W x H)	2220 × 1010 × 1440 mm
Weight	240 kg

Built for Commercial gyms needing an unsupervised leg station · Bodybuilding floors chasing quads · Lifters with cranky lower backs








PLATE LOADED MACHINES

TRICEP PRESS DOWN

TPD

Free up the cable stack.

Plate-loaded dedicated tricep station with a fixed elbow arc, so the cable crossover stops being a queue.

- Fixed path on the correct elbow arc
- Chest pad and adjustable seat
- Plate loaded, no stack to service
- Fast and self-explanatory

Type	Plate-loaded tricep press down
Path	Fixed elbow arc
Support	Chest pad, adjustable seat
Weight	165 kg
Finish	Powder coat, custom colours on request

Built for Gyms where the cable station is always busy · High-volume arm training · PT studios



PLATE LOADED MACHINES

VERTICAL LEG PRESS

VLP

Heavy pressing, small footprint.

Plate-loaded vertical leg press. Loads the legs from directly overhead through a deep range.

- Vertical load path, deep range
- Stainless steel guide rods
- Padded back and shoulder support
- Multi-position safety catches

Type	Plate-loaded vertical leg press
Guide rods	Solid stainless steel
Safeties	Multi-position catches
Dimensions (L x W x H)	1980 × 2030 × 2150 mm
Weight	267 kg
Finish	Powder coat, custom colours

Built for Gyms tight on floor space · Bodybuilding floors chasing deep quad and glute work








PLATE LOADED MACHINES

HIP PRESS

HP

Ten-second hip thrust setup.

Plate-loaded hip thrust machine. Heavy, repeatable glute loading with no barbell, no sliding bench, no spotter.

- Fixed drive path on the hip arc
- Padded lap bar, no bar digging in
- Adjustable back pad and foot platform
- Plates load from a seated position

Type	Plate-loaded hip thrust
Target	Glutes, posterior chain
Lap bar	Padded
Adjustment	Back pad and foot platform
Finish	Powder coat, custom colours

Built for Gyms where the hip thrust corner is a bottleneck · Glute-focused programming · Strength and rehab facilities

PLATE LOADED MACHINES

LEG EXTENSION

LE



Tension all the way up.

Plate-loaded leg extension with a shaped cam matched to the quad strength curve.

- Shaped cam matched to the strength curve
- Adjustable back pad for knee alignment
- Adjustable shin pad
- Range limiter for rehab work





Type	Plate-loaded leg extension
Target	Quadriceps
Cam	Shaped to quad strength curve
Adjustment	Back pad, shin pad, range limiter
Dimensions (L x W x H)	1590 × 1150 × 1180 mm
Weight	128 kg

Built for Commercial gyms and bodybuilding floors · Rehab and return-to-sport

PLATE LOADED MACHINES

CHEST FLY INCLINE

PECFLY



Upper chest, properly loaded.

Plate-loaded incline chest fly. A converging arc that loads the upper chest instead of the front delts.

- Converging arc on an incline plane
- Adjustable seat for shoulder alignment
- Plate loaded, no stack to service
- Heavy gauge commercial steel

Type	Plate-loaded incline chest fly
Target	Upper chest
Arm path	Converging, incline plane
Seat	Adjustable
Finish	Powder coat, custom colours on request

Built for Commercial gyms · Bodybuilding-focused floors

PLATE LOADED MACHINES

BILATERAL LEG PRESS

BLP



Neither leg hides.

Plate-loaded leg press with independent foot plates, so each leg drives its own load.

- Independent foot plates
- Bolt action lock for linear pressing
- Two-piece backrest, adjustable angle
- Heavy duty non-slip foot plates





Type	Plate-loaded bilateral leg press
Foot plates	Independent, lockable together
Backrest	Two-piece, adjustable angle
Dimensions (L x W x H)	2550 × 1550 × 1200 mm
Weight	340 kg

Built for Commercial gyms · Bodybuilding floors · Rehab and imbalance correction

PLATE LOADED MACHINES

HACK SQUAT 45

HS45




More posterior chain.

Plate-loaded 45 degree hack squat for quads, hamstrings and glutes, with a smooth guided carriage.

- 45 degree sled angle
- Adjustable shoulder pads
- Smooth guided carriage
- Steel build, no plastic components





Type	Plate-loaded hack squat
Sled angle	45 degrees
Target	Quads, hamstrings, glutes
Shoulder pads	Adjustable
Construction	Steel, no plastic components

Built for Commercial gyms · Strength and bodybuilding floors







PLATE LOADED MACHINES

LEVER BELT SQUAT

LBS

Squat heavy. Spine unloaded.

Plate-loaded lever belt squat. A hip belt and chain put the load through the hips, not the spine.

- Hip belt and chain loading
- No spinal compression
- Plate loaded lever
- Suits powerlifting and rehab

Type	Plate-loaded lever belt squat
Loading	Hip belt and chain
Target	Quads, glutes, hamstrings

Built for Powerlifting gyms · Rehab facilities · Commercial gyms pushing leg volume








PLATE LOADED MACHINES

POWER SQUAT

PS

Front or back. Joint friendly.

Plate-loaded power squat for front and back squat positions, with a resistance curve that is easy on knees, ankles and hips.

- Front and back squat positions
- Joint-friendly resistance curve
- Adjustable incline foot plate
- Safety brake system

Type	Plate-loaded power squat
Positions	Front squat and back squat
Foot plate	Adjustable incline
Safety	Safety brake system
Dimensions (L x W x H)	1340 × 2170 × 1930 mm

Built for Commercial gyms · Strength and athletic development floors



PLATE LOADED MACHINES

SISSY SQUAT / NORDIC CURL COMBO

SSNCC

Quads one side. Hammies the other.

One compact station for sissy squats and nordic curls. Fits small spaces and lifters of any size.

- Sissy squat and nordic curl in one
- Compact footprint
- Suits lifters of any size
- Easy to reposition





Type	Sissy squat and nordic curl station
Target	Quads, hamstrings
Dimensions (L x W x H)	1200 × 700 × 570 mm
Weight	32 kg

Built for PT studios · S&C and team sport facilities · Home gyms




PLATE LOADED MACHINES

STANDING HAMSTRING CURL

SHC

One leg at a time.

Plate-loaded standing hamstring curl for strict single-leg hamstring isolation.

- Single-leg hamstring isolation
- Plate loaded
- Standing position
- Compact footprint

Type	Plate-loaded standing hamstring curl
Target	Hamstrings
Dimensions (L x W x H)	1250 × 940 × 1210 mm
Weight	77 kg

Built for Commercial gyms · Bodybuilding floors



PLATE LOADED MACHINES

PRONE LEG CURL, PLATE LOADED


PLC

Hamstrings, locked in.

Plate-loaded prone leg curl for hamstrings, with strong form control and a stable frame.

- Prone position for strict curls
- Plate loaded, no stack to service
- Stable frame
- Hamstring isolation





Type	Plate-loaded prone leg curl
Target	Hamstrings
Dimensions (L x W x H)	2000 × 1080 × 820 mm
Weight	94 kg

Built for Commercial gyms · Strength training centres








PLATE LOADED MACHINES

FRANKENHYPER, GHD REVERSE HYPER HYBRID

FHYPER

Posterior chain, two ways.

Plate-loaded GHD and reverse hyper hybrid for glutes, hamstrings and lower back.

- GHD and reverse hyper in one
- Plate loaded
- Glutes, hamstrings, lower back
- 230 kg frame stays planted

Type	Plate-loaded GHD and reverse hyper
Target	Glutes, hamstrings, lower back
Dimensions (L x W x H)	2220 × 1070 × 1460 mm
Weight	230 kg

Built for Strength and conditioning facilities · Commercial gyms · Athletic performance training



PLATE LOADED MACHINES


LINEAR LEG PRESS

LINLP

Smooth sled. Heavy loads.

Plate-loaded linear leg press with an oversized foot plate, built for heavy daily commercial use.

- Oversized foot plate
- Smooth, controlled sled
- Plate loaded
- Built for heavy daily use





Type	Plate-loaded linear leg press
Foot plate	Oversized

Built for Commercial gyms · Performance gyms



PLATE LOADED MACHINES

CHEST PRESS ADJUSTABLE

CP

Heavy pressing, all steel.

Plate-loaded adjustable chest press with a heavy duty all-steel build for commercial gyms.

- Adjustable pressing position
- Plate loaded
- Heavy duty all-steel build
- Chest, shoulders, triceps



Type	Plate-loaded adjustable chest press
Target	Chest, shoulders, triceps
Construction	Heavy duty all-steel

Built for Commercial gyms · Bodybuilding floors

PLATE LOADED MACHINES

BILATERAL ROW


BRP



Both sides pull even.

Plate-loaded bilateral row with independent loading on each side, so both sides of the back work evenly.

- Independent loading each side
- Balanced back development
- Plate loaded



Type	Plate-loaded bilateral row
Loading	Independent, each side
Target	Back

Built for Commercial gyms · Bodybuilding floors

PLATE LOADED MACHINES

AXEL BELT SQUAT, DUAL AXEL

ABSD



Belt squat, kickstand style.

Free standing X frame belt squat, dual axel. Hip loading with a kickstand design.

- Free standing X-frame base
- Kickstand design
- Dual axel
- Hip loaded, spine unloaded





Type	Belt squat, free standing X frame
Axel	Dual
Target	Quads, glutes, hamstrings

Built for Commercial gyms · Powerlifting and rehab





PHOENIX

05
PRODUCTS

PIN LOADED

Select the stack and go. Built for busy floors and every member.







PIN LOADED MACHINES

FUNCTIONAL TRAINER ULTRA

FTP

One machine. Every pattern.

Dual stack functional trainer with full pulley adjustment and an integrated chin bar.

- Dual independent weight stacks
- Pulley adjustment through full height
- Integrated chin bar
- Commercial-rated cable and pulley system

Type	Dual stack functional trainer
Stacks	2, independent
Pulleys	Multi-position, full height range
Extras	Integrated chin bar
Finish	Powder coat, custom colours

Built for Commercial gym floors · PT studios with varied programming · Rehab and athletic development







PIN LOADED MACHINES

DONKEY CALF RAISE

DCR


Full stretch. Fast loading.

Pin-loaded donkey calf raise that loads the calves through a deep stretch in a hip-hinged position.

- Hip-supported donkey position
- Full heel drop, non-slip platform
- Pin loaded stack, quick changes
- Commercial steel frame

Type	Pin-loaded donkey calf raise
Target	Calves
Loading	Weight stack
Platform	Non-slip, full heel drop
Finish	Powder coat, custom colours on request

Built for Commercial gyms · Bodybuilding floors







PIN LOADED MACHINES

LATERAL RAISE

LR

Side delts. No traps.

Pin-loaded lateral raise with a fixed arc in the scapular plane, so side delts work and traps stay out.

- Fixed arm path, scapular plane
- Pin loaded for fast changes
- Height adjustment for shoulder alignment
- Custom colours available

Type	Pin-loaded lateral raise
Target	Lateral deltoids
Arm path	Fixed, scapular plane
Loading	Weight stack
Finish	Powder coat, custom colours

Built for Commercial gyms and bodybuilding floors · High-turnover machine lines

PIN LOADED MACHINES

PRONE LEG CURL, PIN LOADED

PLCPIN



A curl that follows you.

Pin-loaded prone leg curl with a double elbow joint and an ankle roller that follows the strength curve.

- Double elbow joint design
- Ankle roller follows the strength curve
- Pin loaded, fast weight changes
- Hamstring isolation





Type	Pin-loaded prone leg curl
Target	Hamstrings
Loading	Weight stack

Built for Commercial gyms · High-turnover machine lines



PIN LOADED MACHINES

SEATED HAMSTRING CURL, PIN LOADED

SHCPIN


Seated, strict, isolated.

Pin-loaded seated hamstring curl that isolates the hamstrings with quick stack changes.

- Seated hamstring isolation
- Pin loaded stack
- Quick weight changes

Type	Pin-loaded seated hamstring curl
Target	Hamstrings
Loading	Weight stack

Built for Commercial gyms · Machine lines and leg circuits



PHOENIX

02



SPECIALTY

Multi-use stations that do more per square metre.







SPECIALTY MACHINES

IPF COMBO RACK

IPFCR

Squat and bench. One frame.

Competition-spec combined squat stand and bench press station, built to the standard powerlifting meets demand.

- Squat and bench in one footprint
- Four roller J-hooks
- Fast height adjustment on both
- Checker plate tread, band pegs
- Fully welded 75mm structural steel

Type	Combined squat stand and bench press
Frame	75 mm structural steel, fully welded
J-hooks	4 x roller J-hooks
Extras	Band pegs, checker plate tread
Dimensions (L x W x H)	1380 × 1270 × 1020 mm
Weight	75 kg

Built for Powerlifting clubs and competition platforms · Gyms running meets and mock meets · Strength facilities short on space



SPECIALTY MACHINES

360 FLEX

FLEX

One station. Lower body covered.

Plate-loaded multi-exercise lower body station with a wide range of handle positions and squat pads.

- Wide range of handle positions
- Squat pads included
- Plate loaded
- Compact multi-exercise footprint

Type	Plate-loaded lower body station
Target	Quads, hamstrings, glutes, calves
Dimensions (L x W x H)	1770 × 1790 × 860 mm
Weight	180 kg

Built for Commercial gyms short on space · PT studios · Home gyms



PHOENIX

16
PRODUCTS

NEW FOR 2026

Fresh off the drawing board. Drawings, renders and full specs available on request.

PHOENIX

LEVER LEG PRESS

Photos and drawings on request

LEVER LEG PRESS

LLP

Plate-loaded lever leg press with a 194 kg frame, adjustable back pad and three lever start positions.

- 194 kg steel frame
- Back pad with 4 positions
- Lever arm with 3 start positions

Type	Plate-loaded lever leg press
Back pad	4 adjustable positions
Lever arm	3 start positions

PHOENIX

BILATERAL MID TO LOW ROW, PIN LOADED

Photos and drawings on request

BILATERAL MID TO LOW ROW, PIN LOADED

MLRPIN

Pin-loaded bilateral row for the mid and lower back, with independent loading on each side.

- Independent loading each side
- Mid and lower back focus
- Pin loaded stack

Type	Pin-loaded bilateral row
Target	Mid and lower back
Loading	Weight stack, independent sides

PHOENIX

BILATERAL SHOULDER PRESS, PIN LOADED

Photos and drawings on request

BILATERAL SHOULDER PRESS, PIN LOADED

SPPIN

Pin-loaded bilateral shoulder press with independent loading on each side for balanced shoulder development.

- Independent loading each side
- Guided overhead pressing path
- Pin loaded stack

Type	Pin-loaded bilateral shoulder press
Target	Shoulders, triceps
Loading	Weight stack, independent sides

PHOENIX

BILATERAL CHEST PRESS, PIN LOADED

Photos and drawings on request

BILATERAL CHEST PRESS, PIN LOADED

CPPIN

Pin-loaded bilateral chest press with independent loading on each side for targeted, balanced chest work.

- Independent loading each side
- Guided pressing path
- Pin loaded stack

Type	Pin-loaded bilateral chest press
Target	Chest, shoulders, triceps
Loading	Weight stack, independent sides

PHOENIX

HYBRID BICEP TRICEP, PIN LOADED

Photos and drawings on request

HYBRID BICEP TRICEP, PIN LOADED

HBTPIN

Pin-loaded hybrid station for bicep curls and tricep extensions on one machine.

- Bicep and tricep work in one
- Pin loaded stack
- One machine footprint

Type	Pin-loaded bicep and tricep station
Target	Biceps, triceps
Loading	Weight stack

PHOENIX

BILATERAL LAT PULL DOWN ADJUSTABLE, PIN LOADED

Photos and drawings on request

BILATERAL LAT PULL DOWN ADJUSTABLE, PIN LOADED

LPPIN

Pin-loaded adjustable bilateral lat pulldown with independent loading on each side.

- Independent loading each side
- Adjustable set-up
- Pin loaded stack

Type	Pin-loaded adjustable bilateral lat pulldown
Target	Lats, upper back, biceps
Loading	Weight stack, independent sides

PHOENIX

8 STATION COMBO

Photos and drawings on request

8 STATION COMBO

8COMBO

Pin-loaded multi-station combo machine with eight training stations in one unit.

- Eight training stations
- Pin loaded
- Multi-user in one footprint

Type	Pin-loaded multi-station combo
Stations	8

PHOENIX

BILATERAL BICEP CURL, PIN LOADED

Photos and drawings on request


BILATERAL BICEP CURL, PIN LOADED

BBCPIN

Pin-loaded bilateral bicep curl with individual weight settings for each arm.

- Individual loading each arm
- Guided curl path
- Pin loaded stack

Type	Pin-loaded bilateral bicep curl
Target	Biceps
Loading	Weight stack, independent sides




FUNCTIONAL TRAINER X

FTX

Pin-loaded functional trainer in a space-saving footprint, with adjustable cable positions.

- Pin loaded weight stacks
- Adjustable cable positions
- Space-saving footprint

Type	Pin-loaded functional trainer
Cable positions	Adjustable
Loading	Weight stack




BILATERAL LEG EXTENSION, PIN LOADED

LEPIN

Pin-loaded bilateral leg extension with independent loading on each side for balanced quad development.

- Independent loading each side
- Quad isolation
- Pin loaded stack

Type	Pin-loaded bilateral leg extension
Target	Quadriceps
Loading	Weight stack, independent sides




SEATED ROW / LAT PULLDOWN TOWER

SRLPT

Plate-loaded tower combining a seated row and a lat pulldown in one unit.

- Seated row and lat pulldown
- Plate loaded
- Single footprint

Type	Plate-loaded row and pulldown tower
Target	Lats, upper back, biceps




HIP QUAD ULTRA

HQU

Plate-loaded machine for hip and quad training.

- Hip and quad training
- Plate loaded
- Commercial build

Type	Plate-loaded hip and quad machine
Target	Hips, quadriceps




INVERSE CURL ULTRA

IVCURL

Plate-loaded inverse curl machine.

- Plate loaded
- Commercial build
- Dedicated inverse curl station

Type	Plate-loaded inverse curl




REVERSE LUNGE

RLPL

Plate-loaded reverse lunge machine for quads, hamstrings and glutes.

- Guided reverse lunge path
- Plate loaded
- Quads, hamstrings, glutes

Type	Plate-loaded reverse lunge
Target	Quads, hamstrings, glutes




3D SMITH MACHINE

3DSMITH

Plate-loaded 3D smith machine.

- Plate loaded
- Guided bar path
- Squat, press, pull

Type	Plate-loaded 3D smith machine



AXEL BELT SQUAT, SINGLE AXEL

ABSS

Free standing X frame belt squat, single axel. Loads the hips so lifters squat without spinal compression.

- Free standing X-frame base
- Hip loaded, spine unloaded
- Single axel

Type	Belt squat, free standing X frame
Axel	Single
Target	Quads, glutes, hamstrings

PHOENIX

14
PRODUCTS



RACKS AND RIGS

One bolt-together system, from a garage cage to a 20 station floor.



RIG SYSTEM


WALL MOUNTED RIG

One station. Zero floor lost.

The uprights anchor to a structural wall instead of taking floor footprint, which suits narrow facilities and rooms where every square metre counts. One working station takes a full 7ft Olympic bar, or a 6ft or 5ft bar in tighter spaces. Supplied as a complete pre-packaged rig system, standard or custom.

1 Cell **2 Cell** **3 Cell** **4+ Cell**

Configuration	Wall mounted, 1 cell, 1 station
Uprights	75 × 75 mm SHS, 4 mm (Premium) or 3 mm (Standard) wall
Holes	25 mm diameter at 25 mm centres
Heights	2500 / 2750 / 3000 / 3500 mm
Load rating	500 kg
Compatibility	Phoenix and Valkyrie attachments (25/25 spec)
Construction	Bolt-together, modular



RIG SYSTEM

FREE STANDING RIG

One cell. Both sides.

A wall rig gives one working side. A free standing rig gives two, so two athletes train independently off the same frame. Each side takes a 7ft, 6ft or 5ft bar. Supplied as a complete system with uprights, base plates, crossbeams, chin bar, J-hooks and safety spotter arms.

1 Cell **2 Cell** **3 Cell** **4+ Cell**

Configuration	Free standing, 1 cell, 2 stations
Includes	Uprights, base plates, crossbeams, chin bar, J-hooks, spotter arms
Uprights	75 × 75 mm SHS, 4 mm (Premium) or 3 mm (Standard) wall
Holes	25 mm diameter at 25 mm centres
Heights	2500 / 2750 / 3000 / 3500 mm
Load rating	500 kg
Compatibility	Phoenix and Valkyrie attachments (25/25 spec)



RIG SYSTEM

SPECIALIST RIGS

Your space. Our design.

Not every facility fits a straight-line rig. Phoenix designs staircase rigs, multi-level builds, L-shapes that wrap columns, T-shapes that anchor a floor plan, obstacle sections and franchise specs that replicate across sites. Every specialist rig runs the same core system and attachment spec. Technical drawings available on request.

Staircase **L, U and T** **High-bay** **Franchise rollout**

Uprights	75 × 75 mm SHS, 4 mm (Premium) or 3 mm (Standard) wall
Holes	25 mm diameter at 25 mm centres
Heights	2500 / 2750 / 3000 / 3500 mm
Load rating	500 kg
Compatibility	Phoenix and Valkyrie attachments (25/25 spec)
Finish	Black powder coat, custom RAL available



RIG SYSTEM

POWER CAGE FROM RIG PARTS

Same parts. Any shape.

Every Phoenix rig, cage and specialist build runs on the same uprights, hole spacing and attachment spec, so a floor can grow from one cage to a full rig line without replacing a single part.

Uprights **Crossmembers** **Chin bars** **J-hooks and spotters**







RACKS AND RIGS

PSPX2 HALF CAGE

PSPX2

Built for war, not warm-ups.

Engineer-designed commercial half cage, simulation tested to 500 kg. Full rack function without the depth of a cage.

- Simulation tested to 500 kg
- Structural engineer designed
- Open-front half cage format
- Modular, takes Phoenix attachments
- Black, red or custom colour

Load rating	500 kg
Configuration	Half cage, open-front access
Frame	Commercial heavy gauge steel
Finish	Powder coat, black, red or custom
Dimensions	1210 L x 1268 W x 2400 H mm
Weight	172 kg

Built for PT studios · Warehouse gyms · Commercial facilities







RACKS AND RIGS

LCPC PRO

LCPC-1 / LCPC-2

Four machines. One footprint.

Power cage, plate-loaded lat pulldown and seated row in one commercial unit, with an optional cable crossover kit.

- Cage, pulldown, row, optional crossover
- Plate-loaded carriage, no weight stack
- J-hooks, safety arms, multi-grip pull-up bar
- Standard cable attachment hook
- Ships flat-pack

Functions	Power cage, lat pulldown, seated row, optional crossover
Overall size	2354.5 H x 1407 W x 1730 D mm
With crossover kit	2414 H x 2242 D mm
Frame	60 × 60 × 2 mm heavy gauge steel
Lat pulldown	Plate-loaded carriage, twin 25 mm guide rods
Safety arms	Bolt-on adjustable

Built for PT studios · Warehouse gyms · Serious home gyms



CABLE CROSSOVER KIT FOR LCPC PRO

LCCCKIT

Bolt-on kit that adds high and low pulley cable work to the LCPC Pro power cage.

- Fits the LCPC Pro power cage
- High and low pulley positions
- No separate cable machine needed

Compatible unit	LCPC Pro Power Cage
Cable positions	High pulley and low pulley
Exercises	Cable fly, pushdown, curl, face pull, row, crunch



HD SQUAT STAND, PAIR

HDSS

Heavy duty freestanding squat stands for barbell work where a full power cage will not fit.

- Freestanding pair with safety bars
- Height adjustable with safety pins
- Squat, bench, press, rack pulls

Type	Freestanding squat stand pair
Adjustment	Height adjustable with safety pins
Includes	Pair of stands with safety bars



BULGARIAN SPLIT SQUAT STAND

BSS

Adjustable rear-foot stand with an angled foam pad and wide steel base. The right height for every athlete.

- Height adjustable
- Angled high-density foam pad
- Wide, stable steel base

Type	Rear-foot elevated split squat stand
Height	Adjustable
Pad	Angled high-density foam



PHOENIX

04
PRODUCTS

BENCHES

Pressing, rowing and glute work on frames that do not move.



Z4 FID BENCH

Z4B-1 / Z4B-2

Flat, incline and decline in one commercial bench, with an independent seat that keeps lifters locked in.

- Flat, incline and decline positions
- Independent seat pad adjustment
- Optional foot pad for decline work

Positions	Flat, multiple inclines, decline
Seat	Independent seat pad adjustment
Upholstery	High-density foam, commercial vinyl



CFI4 FLAT INCLINE BENCH

CFI4

Commercial flat and incline bench with quick pop-pin adjustment and a frame that does not flex.

- Flat plus multiple incline angles
- Quick pop-pin ladder adjustment
- Wide, low base stays planted

Positions	Flat and multiple incline angles
Adjustment	Pop-pin ladder
Upholstery	High-density commercial foam, vinyl



HIP THRUST COMBO 2

HTC2

Commercial hip thrust station with adjustable pads, band pegs and wheels. Built for high-volume glute training.

- Adjustable backrest and dual seat pad
- Built-in band pegs
- Fitted transport wheels

Type	Commercial hip thrust station
Includes	Bench, barbell pad, band pegs
Adjustability	Backrest, dual seat pad with longitudinal adjustment



HIP THRUST HOME

HTH

Hip thrust bench set at the correct height for barbell thrusts, in a compact home gym footprint.

- Correct hip thrust height
- Barbell and banded thrusts, glute bridges
- Compact footprint

Type	Hip thrust bench, home version
Frame	Steel, powder coated
Upholstery	Padded foam, vinyl cover

PHOENIX

07
PRODUCTS



BARBELLS

Training bars and specialty bars for every lift on the program.



PX HARDENED CHROME BARBELL, 20KG

PX20

28.5mm shaft, needle bearings and dual knurl marks. A do-everything 20 kg bar built for commercial floors.

- Needle bearings for clean spin
- Dual IPF and IWF knurl marks
- Rated to 680 kg

Bar weight	20 kg
Shaft diameter	28.5 mm
Sleeve diameter	50 mm Olympic



SWISS BAR, OLYMPIC CHROME

ASBO

Multi-grip neutral bar for bench, press, row and curl without forcing shoulders into compromised positions.

- Multiple neutral grip angles
- Shoulder-friendly pressing and rowing
- Olympic 50mm sleeves

Overall length	2,200 mm
Grip diameter	28 mm
Sleeve diameter	50 mm Olympic



OLYMPIC EZ CURL BARBELL

OEZCB

Angled grips put forearms in a natural position so the bicep or tricep does the work, not the joint.

- Angled grips reduce wrist strain
- Curls, skull crushers, upright rows
- Olympic 50mm sleeves

Grip type	Angled EZ curl grips
Overall length	1,200 mm
Grip diameter	28 mm



OLYMPIC RICKSHAW U BARBELL

ORB

Open U-frame bar that puts the load at your sides for farmer walks, split squats, RDLs and shrugs.

- Open U-frame, step-through access
- Dual handle heights
- Neutral parallel grips

Handle positions	Dual height, low and high
Grip type	Neutral parallel U-frame handles
Sleeve diameter	50 mm Olympic



OLYMPIC HEX TRAP BARBELL MK3

OHTB

Neutral-grip hex bar that centres the lifter in the load. More upright torso, less spinal stress.

- Neutral parallel grips
- Rated to 450 kg
- Deadlifts, shrugs, carries, jumps

Bar weight	24 kg
Overall length	1,800 mm
Sleeve length	450 mm



OLYMPIC SAFETY SQUAT BAR

Cambered, padded yoke bar that loads the upper traps and lets the arms hang. Heavy squats without shoulder mobility demands.

- Cambered design, padded yoke
- Three foam pads included
- Builds quads and upper back

Overall length	2,185 mm
Handle length	450 mm
Sleeve diameter	50 mm Olympic



PX HARDENED CHROME BARBELL, 15KG

HC15

Women's Olympic standard bar with a 25mm shaft and needle bearings, built to the same hardened chrome spec as the 20kg.

- 25mm shaft, women's Olympic standard
- Needle bearings for clean spin
- Hardened chrome finish

Bar weight	15 kg
Shaft diameter	25 mm
Sleeve diameter	50 mm Olympic

PHOENIX

07
PRODUCTS



PLATES AND STORAGE

Plates that last and storage that keeps the floor clear.



OLYMPIC WEIGHT TREE

OWT

Free-standing Olympic plate storage with tiered arms that sort plates by size and keep the floor clear.

- Tiered arms sort plates by size
- Six Olympic 50mm sleeves
- Integrated barbell holders

Type	Free-standing Olympic weight tree
Sleeves	6 × 50 mm Olympic
Compatibility	All 50 mm Olympic plates



FRACTIONAL BUMPER PLATE SET, 15KG

FRACSET

Five pairs from 0.5 kg to 2.5 kg for microloading when a 5 kg jump is too much.

- Pairs of 0.5, 1, 1.5, 2, 2.5 kg
- Rubber bumper construction
- Tolerance of plus or minus 10 g

Set contents	5 pairs: 0.5, 1, 1.5, 2, 2.5 kg
Total weight	15 kg
Sleeve fit	50 mm Olympic



BUMPER PLATE RACK, TOASTER

TOA

Toaster-style rack that stores Olympic bumper plates upright in slots, sorted and ready to grab.

- Stores 450mm bumper plates upright
- Holds up to 150 kg
- Dividers spaced 10 cm apart

Type	Toaster-style bumper plate rack
Compatibility	450 mm diameter bumper plates
Capacity	Up to 150 kg of bumper plates



VBBR9 VERTICAL BARBELL RACK

VBBR

Vertical storage for nine Olympic barbells. Keeps bars straight, sleeves protected and every bar easy to spot.

- Holds 9 Olympic barbells upright
- Protects sleeves, bearings and knurl
- Weighted anti-tip base

Capacity	9 Olympic barbells
Storage	Vertical, bars upright
Shaft compatibility	28 to 32 mm




WHEELS FOR OLYMPIC WEIGHT TREE, 4 PACK

WSOWT

Bolt-on lockable castors that let you roll a loaded Olympic Weight Tree around the floor.

- Set of 4 heavy duty castors
- Lockable for use
- 360 degree rotation

Compatible with	Phoenix Olympic Weight Tree (OWT)
Type	Heavy duty lockable castors
Quantity	4




GORILLA GRIP STORAGE RACK

GGSTO

Powder coated steel rack that holds 10 cable handles, wall mounted or floor standing.

- Holds 10 cable handles
- Wall-mount or floor-standing
- Powder coated steel

Type	Cable attachment storage rack
Capacity	10 handles
Mount	Wall-mount or floor-standing



PRO URETHANE BUMPER PLATE SET, 150KG

URESET15

150 kg of colour-coded urethane bumpers with steel hubs and plus or minus 10 g tolerance.

- Urethane outer, steel hub insert
- Plus or minus 10 g tolerance
- 450mm diameter, IWF colour coded

Set contents	2 pr 10 kg, 2 pr 15 kg, 1 pr 25 kg
Total weight	150 kg
Material	Urethane outer, steel hub insert


PHOENIX
08
PRODUCTS
FUNCTIONAL
The tools that fill the gaps between the big lifts.



GORILLA GRIP SETS

GGS-1 / GGS-2

Ergonomic cable handle set that locks the hand in a fixed neutral position for pulldowns, rows, curls and pressdowns.

- Fixed ergonomic neutral grip positions
- Less forearm fatigue on pulls
- Fits standard carabiner cable machines

Type	Cable attachment handle set
Colours	Red or white
Compatibility	Any cable machine with a standard carabiner



BATTLE ROPES

BR15

Nylon braided battle rope that builds power, endurance and grip in one movement, with zero running or jumping.

- Full-body conditioning, low joint impact
- Nylon braid, heat-shrunk end caps
- Loop end for anchor points

Length	15 m
Material	Nylon braid, heat-shrunk end caps
Anchor	Loop end



MICRO BANDS

MICRO-G / MICRO-Y / MICRO-B / MICRO-R

Short-loop natural latex bands for warm-ups, glute activation and rehab work.

- Natural latex, join-free construction
- Four resistance levels
- Short-loop format

Material	Natural latex
Construction	Join-free loop
Levels	X Light, Light, Medium, Heavy



POWER BANDS

POBA-G / POBA-Y / POBA-B / POBA-R

100% natural latex loop bands in five levels for pull-up assist, banded barbell work, mobility and rehab.

- 100% natural latex
- No joins, no seam failure point
- Five resistance levels

Material	100% natural latex
Loop length	41 inch
X-Light (Green)	5 to 15 kg



WEIGHT VEST

WV16CAM / WV20CAM / WV30BLK

Metal clasps, thick padded shoulders, removable 1 kg blocks. Built for rucking, conditioning and selection prep.

- Metal clasps, no plastic buckles
- Removable 1 kg blocks
- Thick padded shoulder yokes

Weights	16 kg, 20 kg, 30 kg
Colours	16 kg Camo, 20 kg Digi Cam, 30 kg Black
Closure	Metal clasps



TACTICAL PLATE CARRIER VEST

TACPCCAM

Plate carrier with front and rear plate pockets and full MOLLE webbing for rucking and tactical fitness.

- Front and rear plate pockets
- Full MOLLE webbing
- Shoulder and cummerbund adjustment

Plate pockets	Front and rear, steel or ceramic plates
Webbing	Full MOLLE
Adjustment	Shoulder and cummerbund




AGILITY BAND, 2M LOOP

AGBA2

2m natural latex loop band for lateral walks, agility drills, hip activation and sport conditioning.

- 2m loop, roughly 4m unlooped
- Natural latex, join-free
- Targets glute medius and hip abductors

Length	2 m loop (about 4 m unlooped)
Colour	Green
Material	Natural latex



SQUAT WEDGES

SQW10 / SQW20 / SQW30

Textured steel heel wedges in 10, 20 and 30 degree pairs. Instant heel elevation and a mobility progression.

- 10, 20 and 30 degree pairs
- Textured non-slip powder-coated steel
- Rated for full barbell loads

Angles	10, 20, 30 degrees
Sold as	Pairs
Material	Powder-coated steel

PHOENIX

04
PRODUCTS



FLOORING

Rubber, foam and astro turf for every zone on the floor.




COMMERCIAL ASTRO TURF

AT-1X15-STD / AT-2X20-STD / AT-2X20-WL / ASTROLOGO / AT-2X20-BLK / AT-2X20-BLK-WL

Short-pile nylon turf specced for sled lanes, loaded carries and sprint work. Ferrari Red or black, three roll formats.

- Specced for sled push and pull
- UV-resistant short-pile nylon
- 1m x 15m and 2m x 20m rolls

Colours	Ferrari Red, Black
Pile	UV-resistant nylon, short pile
Backing	Rubber, indoor use without adhesive



COMMERCIAL RUBBER GYM TILES

RGF1 / RGF1-FLK

High-density vulcanised rubber tiles that take dropped plates, heavy kit and daily foot traffic.

- High-density vulcanised rubber
- Absorbs dropped plate impact
- Resists compression and cracking

Material	High-density vulcanised rubber
Thickness	15 mm
Tile size	1m x 1m

PHOENIX

COMMERCIAL RUBBER GYM ROLL, 10MM

Photos and drawings on request

COMMERCIAL RUBBER GYM ROLL, 10MM

RROLL10 / RROLL10-FLK

Continuous 1m x 10m rubber rolls for large floor areas. Faster to lay and flatter than tiles across a big space.

- 1m x 10m roll, 10 sqm coverage
- Fewer seams than tiles
- Plain black or 20% EPDM fleck

Thickness	10 mm
Roll size	1 m x 10 m
Coverage	10 sqm per roll

PHOENIX

JIGSAW EVA FOAM FLOORING

Photos and drawings on request

JIGSAW EVA FOAM FLOORING

EVA20 / EVA40

Interlocking EVA foam in 20mm and 40mm. No adhesive, non-marking, and light enough for one person to relocate.

- Interlocking jigsaw edges, no adhesive
- 20mm and 40mm thickness
- Non-marking

Material	EVA foam
Thickness	20 mm or 40 mm
Fitting	Interlocking jigsaw, no adhesive

PHOENIX

05



RECOVERY

Heat and cold for the other half of training.



PORTABLE ICE BATH

INF700

Insulated portable cold plunge tub that folds away and sets up in minutes.

- Insulated cold plunge tub
- Folds away, sets up in minutes
- 700 mm diameter, 700 mm high

Type	Cold water immersion tub, portable
Dimensions	700 mm diameter x 700 mm H
Features	Insulated, folds away



THE CUBE OUTDOOR SAUNA, WOOD STOVE

CUBEFIRE

Off-grid wood-fired outdoor sauna in solid spruce. Seats 4 to 6 with no power connection required.

- Wood burning stove with chimney
- Fully off-grid, no power needed
- Solid spruce, glass window

Capacity	4 to 6 people
Heat source	Wood burning stove with chimney
Build	Spruce, glass window



BLAZE INDOOR SAUNA, TRADITIONAL ROCK, 2 PAX

IND1

Compact two-person traditional rock sauna in Canadian Hemlock, sized for home gyms, spare rooms and bathrooms.

- Traditional rock heater
- Canadian Hemlock, glass door
- Indoor-rated, small footprint

Capacity	2 people
Heat source	Traditional rock heater, electric
Build	Canadian Hemlock, glass door



INFERNO HYBRID OUTDOOR SAUNA

HYBRID2 / HYBRID1

Infrared and traditional rock combination sauna in red cedar. Run both together or each on its own.

- Infrared and traditional rock combination
- Run heaters together or separately
- Red cedar, glass door

Heat source	Traditional rock heater plus full-spectrum infrared
Build	Red cedar, glass door
Setting	Indoor or outdoor



ICEY KONG BARREL COLD PLUNGE

BARREL

Stainless steel cold plunge tub inside a timber barrel. Motor ready, with inlets fitted for a chiller.

- Stainless steel interior tub
- Timber barrel shell
- Motor ready, inlets fitted

Capacity	1 person
Build	Timber barrel, stainless steel tub
Dimensions	850 mm diameter x 950 mm H



PHOENIX

MTG

MOBILE TRAINING GYM

A complete strength gym built inside a 10ft or 20ft shipping container. Racks, rigs, bars, plates and flooring fitted out, locked down for transport and ready to open on site. For mine camps, remote sites, defence and events.

MTG 10 **MTG 20** **Custom branding**

Full specifications in the separate MTG 2026 catalogue.





FIT-OUTS · PRIVATE LABEL · DISTRIBUTION

LET'S BUILD YOUR GYM.

Gym fit-outs

Commercial gyms, PT studios, hotels, mine camps and home gyms. We design the floor, specify the equipment and quote it line by line.

Private label and OEM

Your brand on our equipment, or your design built to the Phoenix standard. Custom colours, upholstery and logos.

Europe

Projects in Germany and across Europe are quoted and handled by L4Gym, our European partner.

PHOENIX

Jamie Bevan Founder, L4Gym

Phoenix Strength partner for Germany and Europe

jamie@l4gym.com | www.L4Gym.com

Happy Sisyphus Pty Ltd t/a Phoenix Strength Co. Specifications and finishes may change as we improve the product. Images may show optional extras and custom colours.