

Wedding Website Full Styling Guide

This guide defines the shared styling system and responsive behavior for both parts of the wedding website:

1. The **guest invitation flow**, beginning with a closed envelope and wax seal.
2. The **admin dashboard**, where the couple manages invitees and RSVP data.

The implementation target is **React with plain CSS**. The design is mobile-first, but desktop layouts are designed separately rather than being compressed versions of mobile screens.

1. Shared visual direction

The website should feel like elegant wedding stationery placed over the real garden venue. The venue photograph is an atmospheric layer. It should be recognizable, but it should never reduce the readability of controls or invitation text.

The dominant surface color is **champagne**, not white. Champagne should appear on envelopes, invitation cards, dashboard cards, buttons, borders, and decorative rules. Pastel blue should support the composition through the wax seal, selected states, subtle overlays, and botanical details. Deep blue supplies readable text and primary navigation.

The guest experience should feel romantic and ceremonial. The admin experience should use the same colors and typography but should be calmer, denser, and more practical.

2. Shared design tokens

Create one token file and import it into both the guest and admin stylesheets.

CSS

```
:root {
  --pastel-blue: #a9c6e8;
  --pastel-blue-light: #dceafa;
  --pastel-blue-deep: #789fce;
  --champagne: #f7e7ce;
  --champagne-light: #fff8ea;
  --champagne-deep: #d6b77a;
  --ivory: #fbf8f1;
  --deep-blue: #2f4c73;
  --deep-blue-soft: #547195;
  --white: #ffffff;
  --success: #567b68;
  --success-light: #d9eadf;
  --warning: #8a6b35;
```

```
--warning-light: #f4e6c5;
--error: #8a4444;
--error-light: #f1d8d4;

--overlay-dark: rgb(25 48 76 / 0.32);
--overlay-dark-strong: rgb(25 48 76 / 0.52);
--glass-ivory: rgb(251 248 241 / 0.90);
--glass-champagne: rgb(247 231 206 / 0.94);
--glass-blue: rgb(220 234 250 / 0.84);

--font-display: "Cormorant Garamond", Georgia, serif;
--font-body: "DM Sans", Arial, sans-serif;

--text-xs: 0.75rem;
--text-sm: 0.875rem;
--text-base: 1rem;
--text-lg: 1.125rem;
--text-xl: 1.5rem;
--text-2xl: 2.25rem;
--text-hero: clamp(2.25rem, 8vw, 4.75rem);

--space-1: 0.25rem;
--space-2: 0.5rem;
--space-3: 0.75rem;
--space-4: 1rem;
--space-5: 1.5rem;
--space-6: 2rem;
--space-7: 3rem;
--space-8: 4rem;

--radius-sm: 0.5rem;
--radius-md: 0.875rem;
--radius-lg: 1.25rem;
--radius-card: 1.5rem;
--radius-pill: 999px;

--shadow-envelope: 0 1.5rem 4rem rgb(28 49 74 / 0.25);
--shadow-card: 0 1.25rem 3rem rgb(69 78 91 / 0.16);
--shadow-small: 0 0.35rem 1rem rgb(47 76 115 / 0.12);
--line-gold: 1px solid rgb(214 183 122 / 0.82);
}

* {
  box-sizing: border-box;
}

html {
  font-family: var(--font-body);
```

```

    color: var(--deep-blue);
    background: var(--ivory);
  }

  body {
    margin: 0;
    min-width: 320px;
  }

  button,
  input,
  select {
    font: inherit;
  }

```

Use **Cormorant Garamond** for couple names, invitation headings, and major dashboard titles. Use **DM Sans** for forms, navigation, table data, labels, buttons, filters, and status badges.

HTML

```

<link rel="preconnect" href="https://fonts.googleapis.com" />
<link rel="preconnect" href="https://fonts.gstatic.com" crossorigin />
<link href="https://fonts.googleapis.com/css2?family=Cormorant+Garamond:wght@50

```

3. Recommended application structure

Keep the guest site and admin site separate at the routing level, while sharing the design tokens and low-level UI components.

Plain Text

```

src/
  app/
    App.jsx
    routes.jsx
  components/
    Button.jsx
    StatusBadge.jsx
    FilterPills.jsx
    Monogram.jsx
    CompanionChips.jsx
    LimitStepper.jsx
  guest/
    GuestInvitationPage.jsx
    VenueBackground.jsx

```

```
Envelope.jsx
WaxSeal.jsx
NameEntryPanel.jsx
VerifyingState.jsx
OpenedInvitation.jsx
admin/
  AdminLoginPage.jsx
  AdminShell.jsx
  AdminSidebar.jsx
  DashboardStats.jsx
  GuestFilters.jsx
  GuestTable.jsx
  GuestCard.jsx
  PrintView.jsx
styles/
  tokens.css
  shared.css
  guest.css
  admin.css
  motion.css
assets/
  venue-garden.jpg
```

The guest flow owns its envelope animation and name verification state. The dashboard owns filtering, companion editing, exports, and print behavior. Shared components should not contain guest-specific or admin-specific data logic.

4. Guest invitation flow

4.1 Guest states

Represent the flow with explicit state values:

JSX

```
const [state, setState] = useState("sealed" );
const [fullName, setFullName] = useState("");
const [guest, setGuest] = useState(null);

function beginNameEntry() {
  setState("name-entry");
}

async function submitName(event) {
  event.preventDefault();
  setState("verifying");
}
```

```
const result = await verifyGuestName(fullName);

if (!result.found) {
  setState("not-found");
  return;
}

setGuest(result.guest);
setState("opened");
}
```

Use these visual states:

State	Main visual	Required behavior
sealed	Closed champagne envelope and blue wax seal	Tapping the seal starts name entry
name-entry	Envelope remains visible with champagne form card	Focus moves to the full-name field
verifying	Calm loading card	Show “Preparing your invitation...”
not-found	Form remains open	Ask the user to check spelling without revealing guest-list details
opened	Cracked seal and invitation card	Show role, guest name, couple names, date, and venue

4.2 Guest page shell and venue background

Use the supplied garden-and-gazebo image as a full-screen background. Blur and darken it while the envelope is closed. Clear the blur gradually after a successful verification.

CSS

```
.guest-shell {
  position: relative;
  min-height: 100svh;
  isolation: isolate;
  overflow: hidden;
  color: var(--deep-blue);
  background: var(--deep-blue);
}
```

```

}

.guest-shell__background,
.guest-shell__overlay {
  position: absolute;
  inset: 0;
}

.guest-shell__background {
  z-index: -2;
  background: url("/assets/venue-garden.jpg") center / cover no-repeat;
  filter: blur(8px) saturate(0.82);
  transform: scale(1.06);
  transition: filter 1.1s ease, transform 1.1s ease;
}

.guest-shell__overlay {
  z-index: -1;
  background:
    linear-gradient(180deg, rgb(247 231 206 / 0.20), rgb(47 76 115 / 0.48)),
    linear-gradient(90deg, rgb(251 248 241 / 0.18), transparent 60%);
  transition: background 1.1s ease;
}

.guest-shell--opened .guest-shell__background {
  filter: blur(0) saturate(0.98);
  transform: scale(1.01);
}

.guest-shell--opened .guest-shell__overlay {
  background: linear-gradient(180deg, rgb(247 231 206 / 0.05), rgb(47 76 115 / 0.48));
}

@media (max-width: 600px) {
  .guest-shell__background {
    background-position: 58% center;
  }
}

```

4.3 Mobile guest composition

Mobile is the primary guest layout. Center the envelope in a narrow stage with safe-area padding. The envelope should never touch the screen edges.

CSS

```

.guest-stage {
  display: grid;
  place-items: center;
  min-height: 100svh;
  padding: max(var(--space-6), env(safe-area-inset-top)) var(--space-5)
    max(var(--space-6), env(safe-area-inset-bottom));
  text-align: center;
}

.guest-stage__eyebrow {
  margin: 0 0 var(--space-5);
  color: var(--champagne-light);
  font: 600 var(--text-xs) / 1.4 var(--font-body);
  letter-spacing: 0.18em;
}

.envelope-scene {
  position: relative;
  display: grid;
  place-items: center;
  width: min(100%, 22rem);
  min-height: 28rem;
}

```

4.4 Envelope and wax seal

Build the envelope with CSS layers rather than using one raster image. The envelope should use champagne paper, a warm gold edge, and a pastel-blue wax seal.

CSS

```

.envelope {
  position: relative;
  width: min(100%, 21rem);
  aspect-ratio: 1.55 / 1;
  border: var(--line-gold);
  border-radius: var(--radius-sm);
  background: linear-gradient(145deg, var(--champagne-light), var(--champagne));
  box-shadow: var(--shadow-envelope);
  cursor: pointer;
  transition: opacity 0.4s ease, transform 0.8s ease;
}

.envelope::before,
.envelope::after {
  content: "";
}

```

```

position: absolute;
inset: 0;
pointer-events: none;
}

.envelope::before {
clip-path: polygon(0 0, 50% 56%, 100% 0, 100% 100%, 0 100%);
background: linear-gradient(145deg, #f9ecd7, #ead0a5);
}

.envelope::after {
clip-path: polygon(0 0, 50% 58%, 100% 0);
background: linear-gradient(145deg, #fff8ea, #f1ddbc);
border-bottom: var(--line-gold);
}

.wax-seal {
position: absolute;
z-index: 2;
top: 50%;
left: 50%;
display: grid;
place-items: center;
width: 4.75rem;
aspect-ratio: 1;
border: 0.25rem solid rgb(214 183 122 / 0.42);
border-radius: 48% 52% 54% 46%;
background: var(--pastel-blue);
box-shadow: 0 0.4rem 1rem rgb(47 76 115 / 0.26);
color: var(--deep-blue);
font: 600 1.55rem / 1 var(--font-display);
transform: translate(-50%, -50%);
}

.wax-seal::after {
content: "";
position: absolute;
inset: 0.45rem;
border: 1px solid rgb(47 76 115 / 0.35);
border-radius: inherit;
}

```

The monogram should be rendered as real text or SVG, not generated inside a background image. The seal must be a real button with an accessible label.

4.5 Name-entry panel

Keep the envelope visible behind the form. The champagne panel should slide upward into view after the seal is tapped.

CSS

```
.name-panel {
  position: absolute;
  z-index: 4;
  bottom: -1.5rem;
  width: min(100%, 20rem);
  padding: var(--space-6) var(--space-5) var(--space-5);
  border: var(--line-gold);
  border-radius: var(--radius-card);
  background: var(--glass-champagne);
  box-shadow: var(--shadow-card);
  text-align: center;
  opacity: 0;
  transform: translateY(1.5rem);
  pointer-events: none;
  transition: opacity 0.45s ease, transform 0.45s ease;
}

.guest-shell--name-entry .name-panel,
.guest-shell--not-found .name-panel {
  opacity: 1;
  transform: translateY(0);
  pointer-events: auto;
}

.name-panel h1 {
  margin: 0;
  color: var(--deep-blue);
  font: 600 var(--text-2xl) / 0.95 var(--font-display);
}

.name-panel input {
  width: 100%;
  min-height: 3rem;
  padding: 0 var(--space-4);
  border: 1px solid var(--champagne-deep);
  border-radius: var(--radius-pill);
  background: var(--champagne-light);
  color: var(--deep-blue);
}
```

4.6 Opened invitation

The opened invitation should be a champagne card with gold hairline borders, botanical ornaments, and deep-blue typography. On desktop, the card may be wider and sit in a content column. On mobile, it should use nearly the full available width without touching the screen edges.

The opened card should include:

- Welcome, [role] [guest name]
- Couple names
- Wedding date
- Venue name
- Primary action: View invitation
- Later sections for story, schedule, entourage, gallery, dress code, FAQ, and RSVP

4.7 Responsive guest breakpoints

CSS

```
@media (min-width: 768px) {  
  .guest-stage {  
    padding-inline: 3rem;  
  }  
  
  .envelope-scene {  
    width: min(100%, 34rem);  
    min-height: 34rem;  
  }  
  
  .envelope {  
    width: min(100%, 27rem);  
  }  
}  
  
@media (min-width: 1200px) {  
  .guest-stage {  
    justify-items: start;  
    max-width: 42rem;  
    margin-left: 10vw;  
    text-align: left;  
  }  
  
  .envelope-scene {  
    justify-items: start;  
  }  
}
```

```
}  
}
```

On wide desktop screens, align the content column slightly left so the venue architecture remains visible on the right. Do not allow the invitation content to become excessively wide.

5. Shared buttons, fields, filters, and status badges

CSS

```
.button {  
  display: inline-flex;  
  align-items: center;  
  justify-content: center;  
  min-height: 3rem;  
  padding: 0 var(--space-5);  
  border: 1px solid var(--champagne-deep);  
  border-radius: var(--radius-pill);  
  cursor: pointer;  
  transition: background-color 0.2s ease, transform 0.2s ease;  
}  
  
.button--primary {  
  background: var(--deep-blue);  
  color: var(--champagne-light);  
  box-shadow: var(--shadow-small);  
}  
  
.button--secondary {  
  background: var(--champagne);  
  color: var(--deep-blue);  
}  
  
.button:focus-visible,  
input:focus-visible,  
select:focus-visible {  
  outline: 0.18rem solid var(--pastel-blue-deep);  
  outline-offset: 0.18rem;  
}  
  
.status,  
.filter-pill,  
.role-badge {  
  display: inline-flex;  
  align-items: center;  
  min-height: 2rem;  
  padding: 0 var(--space-3);
```

```

border-radius: var(--radius-pill);
font: 600 var(--text-xs) / 1 var(--font-body);
white-space: nowrap;
}

.status--pending,
.filter-pill--selected {
  background: var(--champagne);
  color: var(--deep-blue);
}

.status--attending {
  background: var(--success-light);
  color: #345d45;
}

.status--declined {
  background: var(--error-light);
  color: var(--error);
}

.status--opened,
.role-badge {
  background: var(--pastel-blue-light);
  color: var(--deep-blue);
}

.status--not-opened {
  background: var(--warning-light);
  color: var(--warning);
}

```

Never use color alone to communicate RSVP state. Every status has a text label.

6. Admin dashboard layout

The admin page is at `/admin` behind a login. It should use a solid ivory base rather than a photographic background so that data remains easy to scan. Venue imagery can appear as a small, low-contrast decorative panel, but it should not sit behind the table.

6.1 Desktop structure

Desktop uses a fixed-width sidebar and a flexible content area:

CSS

```
.admin-shell {
  min-height: 100svh;
  background: var(--ivory);
  color: var(--deep-blue);
}

.admin-layout {
  display: grid;
  min-height: 100svh;
  grid-template-columns: 15rem minmax(0, 1fr);
}

.admin-sidebar {
  padding: var(--space-6) var(--space-4);
  border-right: var(--line-gold);
  background: linear-gradient(180deg, var(--champagne), var(--ivory));
}

.admin-content {
  min-width: 0;
  padding: var(--space-6) clamp(var(--space-5), 4vw, var(--space-8));
}

.admin-header {
  display: flex;
  align-items: flex-start;
  justify-content: space-between;
  gap: var(--space-4);
  margin-bottom: var(--space-6);
}

.admin-header h1 {
  margin: 0;
  font: 600 var(--text-2xl) / 1 var(--font-display);
}

.live-indicator {
  display: inline-flex;
  align-items: center;
  gap: var(--space-2);
  color: var(--deep-blue-soft);
  font-size: var(--text-sm);
}

.live-indicator::before {
  content: "";
  width: 0.55rem;
}
```

```

height: 0.55rem;
border-radius: 50%;
background: var(--success);
box-shadow: 0 0 0 0.25rem var(--success-light);
}

```

The desktop content order should be:

1. Page title and live-refresh indicator.
2. Primary statistics.
3. RSVP summary statistics.
4. Filter pills and search.
5. Guest table.
6. Export and print actions.

6.2 Statistic cards

Use four prominent cards for invited guests, opened letters, not opened yet, and confirmed headcount. The “Not opened yet” card should receive the strongest visual emphasis because it represents the main follow-up action.

CSS

```

.stats-grid {
  display: grid;
  grid-template-columns: repeat(4, minmax(0, 1fr));
  gap: var(--space-4);
  margin-bottom: var(--space-5);
}

.stat-card {
  min-height: 9rem;
  padding: var(--space-5);
  border: var(--line-gold);
  border-radius: var(--radius-card);
  background: var(--champagne-light);
  box-shadow: var(--shadow-small);
}

.stat-card--attention {
  border-color: var(--pastel-blue-deep);
  background: linear-gradient(145deg, var(--pastel-blue-light), var(--champagne
}

.stat-card__label {

```

```

    color: var(--deep-blue-soft);
    font-size: var(--text-sm);
}

.stat-card__value {
    display: block;
    margin-top: var(--space-3);
    color: var(--deep-blue);
    font: 600 2.25rem / 1 var(--font-display);
}

.summary-grid {
    display: grid;
    grid-template-columns: repeat(4, minmax(0, 1fr));
    gap: var(--space-3);
    margin-bottom: var(--space-6);
}

.summary-card {
    padding: var(--space-4);
    border-radius: var(--radius-md);
    background: rgb(255 255 255 / 0.72);
    border: 1px solid rgb(214 183 122 / 0.48);
}

```

6.3 Filters and search

Desktop can place filters and search on the same row. Filters should be text buttons, not decorative tags. The active filter uses pastel blue with deep-blue text.

CSS

```

.guest-toolbar {
    display: flex;
    align-items: center;
    justify-content: space-between;
    gap: var(--space-4);
    margin-bottom: var(--space-4);
}

.filter-list {
    display: flex;
    flex-wrap: wrap;
    gap: var(--space-2);
}

.filter-pill {

```

```

border: 1px solid rgb(214 183 122 / 0.68);
background: transparent;
cursor: pointer;
}

.filter-pill--selected {
border-color: var(--pastel-blue-deep);
background: var(--pastel-blue);
}

.search-input {
width: min(100%, 18rem);
min-height: 2.75rem;
padding: 0 var(--space-4);
border: 1px solid var(--champagne-deep);
border-radius: var(--radius-pill);
background: var(--white);
}

```

6.4 Desktop guest table

The desktop table should be comfortable to read. Use generous cell padding and avoid excessive borders. A thin champagne-gold divider is enough.

CSS

```

.guest-table-wrap {
overflow-x: auto;
border: var(--line-gold);
border-radius: var(--radius-card);
background: var(--white);
box-shadow: var(--shadow-small);
}

.guest-table {
width: 100%;
min-width: 54rem;
border-collapse: collapse;
}

.guest-table th,
.guest-table td {
padding: var(--space-4);
text-align: left;
vertical-align: middle;
}

```

```

.guest-table th {
  color: var(--deep-blue-soft);
  background: var(--champagne-light);
  font-size: var(--text-xs);
  font-weight: 600;
  letter-spacing: 0.06em;
  text-transform: uppercase;
}

.guest-table tbody tr + tr {
  border-top: 1px solid rgb(214 183 122 / 0.34);
}

.guest-name {
  display: block;
  font-weight: 600;
}

.guest-role {
  display: block;
  margin-top: var(--space-1);
  color: var(--deep-blue-soft);
  font-size: var(--text-sm);
}

```

Each row must show the guest name, role, opened or not-opened status, RSVP status, companion chips, a companion limit control, and an action menu. The limit cannot be lowered below the number of companions already stored.

6.5 Companion chips and limit control

CSS

```

.companion-list {
  display: flex;
  flex-wrap: wrap;
  gap: var(--space-2);
}

.companion-chip {
  display: inline-flex;
  align-items: center;
  gap: var(--space-2);
  min-height: 1.9rem;
  padding: 0 var(--space-2) 0 var(--space-3);
  border: 1px solid rgb(214 183 122 / 0.70);
  border-radius: var(--radius-pill);
}

```

```

background: var(--champagne-light);
font-size: var(--text-xs);
}

.companion-chip button {
  display: grid;
  place-items: center;
  width: 1.2rem;
  height: 1.2rem;
  padding: 0;
  border: 0;
  border-radius: 50%;
  background: var(--pastel-blue-light);
  color: var(--deep-blue);
  cursor: pointer;
}

.limit-stepper {
  display: inline-grid;
  grid-template-columns: 2rem 2.5rem 2rem;
  align-items: center;
  min-height: 2.25rem;
  overflow: hidden;
  border: 1px solid var(--champagne-deep);
  border-radius: var(--radius-pill);
  background: var(--champagne-light);
  text-align: center;
}

.limit-stepper button {
  height: 100%;
  border: 0;
  background: transparent;
  color: var(--deep-blue);
  cursor: pointer;
}

.limit-stepper button:disabled {
  color: rgb(47 76 115 / 0.30);
  cursor: not-allowed;
}

```

Show the rule beside the relevant control when necessary: “Limits cannot be lower than companions already added.” If a guest has reached the limit, the add-companion action should be disabled and should explain that the limit must be raised first.

6.6 Mobile admin layout

At mobile widths, do not render a compressed desktop table. Transform each guest row into a card.

CSS

```
.mobile-guest-list {
  display: none;
}

.admin-menu-button {
  display: none;
}

@media (max-width: 1099px) {
  .admin-layout {
    display: block;
  }

  .admin-sidebar {
    display: none;
  }

  .admin-menu-button {
    display: inline-grid;
    place-items: center;
    width: 2.75rem;
    height: 2.75rem;
    border: 1px solid var(--champagne-deep);
    border-radius: var(--radius-md);
    background: var(--champagne);
    color: var(--deep-blue);
  }

  .stats-grid {
    grid-template-columns: repeat(2, minmax(0, 1fr));
  }

  .summary-grid {
    grid-template-columns: repeat(2, minmax(0, 1fr));
  }

  .guest-table-wrap {
    display: none;
  }

  .mobile-guest-list {
    display: grid;
    gap: var(--space-3);
  }
}
```

```

}
}

@media (max-width: 600px) {
  .admin-content {
    padding: var(--space-5) var(--space-4);
  }

  .admin-header {
    align-items: center;
  }

  .admin-header h1 {
    font-size: var(--text-xl);
  }

  .stats-grid,
  .summary-grid {
    grid-template-columns: 1fr;
  }

  .guest-toolbar {
    display: block;
  }

  .filter-list {
    flex-wrap: nowrap;
    overflow-x: auto;
    padding-bottom: var(--space-2);
  }

  .search-input {
    width: 100%;
    margin-top: var(--space-3);
  }
}

```

The mobile guest card should use this structure:

```
<article className="guest-card">
  <header className="guest-card__header">
    <div>
      <strong>Guest Name</strong>
      <span>Bridesmaid</span>
    </div>
    <button aria-label="More actions">...</button>
  </header>
</article>
```

```

</header>
<div className="guest-card__statuses">
  <StatusBadge>Opened · Sep 20</StatusBadge>
  <StatusBadge>Attending</StatusBadge>
</div>
<CompanionChips />
<div className="guest-card__footer">
  <span>Companion limit</span>
  <LimitStepper />
</div>
</article>

```

CSS

```

.guest-card {
  padding: var(--space-4);
  border: var(--line-gold);
  border-radius: var(--radius-card);
  background: var(--white);
  box-shadow: var(--shadow-small);
}

.guest-card__header,
.guest-card__footer {
  display: flex;
  align-items: center;
  justify-content: space-between;
  gap: var(--space-3);
}

.guest-card__header strong {
  display: block;
  font-weight: 600;
}

.guest-card__header span {
  display: block;
  margin-top: var(--space-1);
  color: var(--deep-blue-soft);
  font-size: var(--text-sm);
}

.guest-card__statuses {
  display: flex;
  flex-wrap: wrap;
  gap: var(--space-2);
  margin: var(--space-4) 0;
}

```

```

}

.guest-card__footer {
  margin-top: var(--space-4);
  padding-top: var(--space-3);
  border-top: 1px solid rgb(214 183 122 / 0.34);
  color: var(--deep-blue-soft);
  font-size: var(--text-sm);
}

```

Mobile actions should be full-width and stacked:

CSS

```

.admin-actions {
  display: flex;
  justify-content: flex-end;
  gap: var(--space-3);
  margin-top: var(--space-5);
}

@media (max-width: 600px) {
  .admin-actions {
    display: grid;
    grid-template-columns: 1fr;
  }

  .admin-actions .button {
    width: 100%;
  }
}

```

6.7 Admin login

The login page should be simpler than the dashboard. Use an ivory page, a centered champagne card, the monogram, a short title, and two fields. Do not use the venue photograph behind the login form.

CSS

```

.admin-login {
  display: grid;
  place-items: center;
  min-height: 100svh;
  padding: var(--space-5);
  background: linear-gradient(145deg, var(--ivory), var(--champagne));
}

```

```

}

.admin-login__card {
  width: min(100%, 26rem);
  padding: var(--space-7) var(--space-5);
  border: var(--line-gold);
  border-radius: var(--radius-card);
  background: var(--white);
  box-shadow: var(--shadow-card);
  text-align: center;
}

```

6.8 Print view

The print view must remove all visual decoration. Use black text on a white background, list each invited guest, list companions underneath, and show totals at the bottom.

CSS

```

@media print {
  .admin-sidebar,
  .admin-header__actions,
  .guest-toolbar,
  .admin-actions,
  button {
    display: none !important;
  }

  .admin-shell,
  .admin-content,
  .guest-table-wrap {
    background: #ffffff !important;
    box-shadow: none !important;
    border: 0 !important;
    color: #000000 !important;
  }

  .guest-table {
    min-width: 0;
    color: #000000;
  }

  .guest-table th {
    background: #ffffff;
    color: #000000;
  }
}

```

```
}  
}
```

7. Motion and reduced-motion behavior

Recommended guest opening timing:

Motion	Duration	Purpose
Crack seam appears	180 ms	Communicates the seal has been accepted
Seal halves separate	520 ms	Provides the tactile reveal
Envelope flap lifts	650 ms	Exposes the invitation
Invitation card enters	700 ms	Creates a calm reveal
Background blur clears	1,100 ms	Reveals the venue gradually

The admin dashboard should use only short transitions for hover, focus, filters, and card updates. Do not animate large data changes or make the table move unexpectedly.

CSS

```
@media (prefers-reduced-motion: reduce) {  
  *,  
  *::before,  
  *::after {  
    scroll-behavior: auto !important;  
    animation-duration: 0.01ms !important;  
    animation-iteration-count: 1 !important;  
    transition-duration: 0.01ms !important;  
  }  
}
```

8. Accessibility requirements

The wax seal must be a real `<button>` with a label such as “Open invitation and enter your name.” After activation, move focus to the full-name input. After successful verification, move focus to the opened invitation heading or first primary action.

Every input must have a visible label. Placeholder text is not a substitute for a label. Every status must include text so that RSVP state is not communicated by color alone. The guest

list filters must be keyboard accessible and expose the selected state with `aria-pressed` or an equivalent pattern.

The venue photograph is decorative and should use `aria-hidden="true"`. The page should remain understandable when the photograph fails to load. Use deep-blue text on champagne and ivory surfaces, and test focus indicators against both light and dark backgrounds.

The admin table must have real table headings on desktop. On mobile guest cards, preserve a logical reading order: name, role, letter status, RSVP status, companions, limit, and actions.

9. Final responsive checklist

Guest flow

- The closed envelope is visible immediately on both desktop and mobile.
- The envelope uses champagne paper and a pastel-blue wax seal.
- Tapping or pressing the seal reveals the name-entry state.
- The full-name field is reachable by keyboard and receives focus automatically.
- The verifying state says “Preparing your invitation...”.
- A valid guest sees the wax seal crack and the invitation open.
- Mobile uses a centered envelope and full-width controls.
- Desktop uses a wider content column without stretching the invitation excessively.
- Reduced motion preserves the same state changes without requiring animation.

Admin dashboard

- Desktop has a sidebar, four-card primary stats, summaries, filters, search, and a complete table.
- Mobile hides the sidebar behind a menu button.
- Mobile stacks the statistic cards.
- Mobile filters scroll horizontally rather than wrapping into an unusable block.
- Mobile replaces the table with guest cards.
- Mobile shows companion chips, limit steppers, and actions inside each card.
- Export and print actions become full-width stacked controls.
- The companion-limit rule is visible when it affects an action.

- Print view is black-on-white and includes totals.

References

[1] MDN: Using CSS custom properties

[2] MDN: prefers-reduced-motion

[3] W3C WAI: Focus Visible

[4] React Documentation: useState

[5] MDN: aria-live

Implementation note: The generated images are visual references. Use the tokens and responsive rules in this guide as the source of truth for the real implementation, then tune the venue crop and envelope scale against actual phone and desktop screenshots.